



ST2-L2-DC48V-F Information



For Reference Only

Part Number ST2-L2-DC48V-F

Manufacturer Panasonic Electric Works

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE DPST 8A 48V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ST2-L2-DC48V-F Specifications

Manufacturer Part Number Manufacturer Panasonic Electric Works Relays Power Relays, Over 2 Amps Package - Series ST Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 4.7mA Coil Voltage 48VDC Contact Form DPST (2 Form A) Contact Rating (Current) 8A Switching Voltage 380VAC, 250VDC - Max Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin		
CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesSTRelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current4.7mACoil Voltage48VDCContact FormDPST (2 Form A)Contact Rating (Current)8ASwitching Voltage380VAC, 250VDC - MaxTurn On Voltage (Max)38.4 VDCTurn Off Voltage (Min)-Operate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin	Manufacturer Part Number	ST2-L2-DC48V-F
Package - Series ST Relay Type General Purpose Coil Type Latching, Dual Coil Coil Current 4.7mA Coil Voltage 48VDC Contact Form DPST (2 Form A) Contact Rating (Current) 8A Switching Voltage 380VAC, 250VDC - Max Turn On Voltage (Max) 38.4 VDC Turn Off Voltage (Min) - Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style Purpose	Manufacturer	Panasonic Electric Works
Package-SeriesSTRelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current4.7mACoil Voltage48VDCContact FormDPST (2 Form A)Contact Rating (Current)8ASwitching Voltage380VAC, 250VDC - MaxTurn On Voltage (Max)38.4 VDCTurn Off Voltage (Min)-Operate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin	Category	Relays
SeriesSTRelay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current4.7mACoil Voltage48VDCContact FormDPST (2 Form A)Contact Rating (Current)8ASwitching Voltage380VAC, 250VDC - MaxTurn On Voltage (Max)38.4 VDCTurn Off Voltage (Min)-Operate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin		Power Relays, Over 2 Amps
Relay TypeGeneral PurposeCoil TypeLatching, Dual CoilCoil Current4.7mACoil Voltage48VDCContact FormDPST (2 Form A)Contact Rating (Current)8ASwitching Voltage380VAC, 250VDC - MaxTurn On Voltage (Max)38.4 VDCTurn Off Voltage (Min)-Operate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin	Package	-
Coil Type Latching, Dual Coil Coil Current 4.7mA Coil Voltage 48VDC Contact Form DPST (2 Form A) Contact Rating (Current) 8A Switching Voltage 380VAC, 250VDC - Max Turn On Voltage (Max) 38.4 VDC Turn Off Voltage (Min) - Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Series	ST
Coil Current 4.7mA Coil Voltage 48VDC Contact Form DPST (2 Form A) Contact Rating (Current) 8A Switching Voltage 380VAC, 250VDC - Max Turn On Voltage (Max) 38.4 VDC Turn Off Voltage (Min) - Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Relay Type	General Purpose
Coil Voltage 48VDC Contact Form DPST (2 Form A) Contact Rating (Current) 8A Switching Voltage 380VAC, 250VDC - Max Turn On Voltage (Max) 38.4 VDC Turn Off Voltage (Min) - Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Coil Type	Latching, Dual Coil
Contact Form DPST (2 Form A) Contact Rating (Current) 8A Switching Voltage 380VAC, 250VDC - Max Turn On Voltage (Max) 38.4 VDC Turn Off Voltage (Min) - Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Coil Current	4.7mA
Contact Rating (Current) Switching Voltage 380VAC, 250VDC - Max Turn On Voltage (Max) 38.4 VDC Turn Off Voltage (Min) Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style 8A 380VAC, 250VDC - Max 38.4 VDC	Coil Voltage	48VDC
Switching Voltage 380VAC, 250VDC - Max Turn On Voltage (Max) 38.4 VDC Turn Off Voltage (Min) - Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Contact Form	DPST (2 Form A)
Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style 38.4 VDC	Contact Rating (Current)	8A
Turn Off Voltage (Min) Operate Time 10ms Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Switching Voltage	380VAC, 250VDC - Max
Operate Time10msRelease Time10msFeaturesSealed - FullyMounting TypeThrough HoleTermination StylePC Pin	Turn On Voltage (Max)	38.4 VDC
Release Time 10ms Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Turn Off Voltage (Min)	-
Features Sealed - Fully Mounting Type Through Hole Termination Style PC Pin	Operate Time	10ms
Mounting Type Through Hole Termination Style PC Pin	Release Time	10ms
Termination Style PC Pin	Features	Sealed - Fully
·	Mounting Type	Through Hole
Report errors?	Termination Style	PC Pin
·		Report errors?

ST2-L2-DC48V-F Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ST2-L2-DC48V-F Payment Methods



















ST2-L2-DC48V-F Shipping Methods













If you have any question about ST2-L2-DC48V-F, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com