

ST5-56B35

ST5-56B35 Information

Heisener.com	 ST5-56B35 Pulse Electronics Power Transformers Power Transformers XFRMR LAMINATED 12VA THRU HOLE - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



ST5-56B35 Specifications

Manufacturer Part NumberST5-56B35ManufacturerPulse Electronics PowerCategoryTransformersCategoryPower TransformersPackage-PackageSplit Bobbin Plug-InSeriesSplit Bobbin Plug-InTypeLaminated CoreVoltage - Primary115VVoltage - Secondary (Full Load)Parallel 28V, Series 56VCurrent - Output (Max)Parallel 440mA, Series 220mAPrimary Winding(s)SingleSecondary Winding(s)DualPower - Max12 VAMounting TypeThrough HoleFormination StylePic PinSingle Labolic ConderPinStrein ConderStrein ConderStrein Conder StyleStrein Conder		
CategoryTransformersCategoryPower TransformersPackage-PackageSplit Bobbin Plug-InTypeLaminated CoreVoltage - Primary115VVoltage - Secondary (Full Load)Parallel 28V, Series 56VCurrent - Output (Max)Parallel 440mA, Series 220mAPrimary Winding(s)DualSecondary Winding(s)DualPower - Max12 VAMourting TypeThrough HolePrimary SplePrinary HolePower - MaxDentifyPrimation StylePrimary Hole	Manufacturer Part Number	ST5-56B35
Power TransformersPackage-SeriesSplit Bobbin Plug-InTypeLaminated CoreVoltage - Primary115VVoltage - Secondary (Full Load)Parallel 28V, Series 56VCurrent - Output (Max)Parallel 440mA, Series 220mAPrimary Winding(s)SingleSecondary Winding(s)DualPower - Max12 VAMounting TypeFringh HoleTermination StylePC Pin	Manufacturer	Pulse Electronics Power
Package-SeriesSplit Bobbin Plug-InTypeLaminated CoreVoltage - Primary115VVoltage - Secondary (Full Load)Parallel 28V, Series 56VCurrent - Output (Max)Parallel 440mA, Series 220mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max12 VAMounting TypeThrough HolePremination StylePC Pin	Category	Transformers
SeriesSplit Bobbin Plug-InTypeLaminated CoreVoltage - Primary115VVoltage - Secondary (Full Load)Parallel 28V, Series 56VCurrent - Output (Max)Parallel 440mA, Series 220mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max12 VAMounting TypeThrough HoleFermination StylePC Pin		Power Transformers
TypeLaminated CoreVoltage - Primary115VVoltage - Secondary (Full Load)Parallel 28V, Series 56VCurrent - Output (Max)Parallel 440mA, Series 220mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max12 VAMounting TypeThrough HoleTermination StylePC Pin	Package	-
Voltage - Primary115VVoltage - Secondary (Full Load)Parallel 28V, Series 56VCurrent - Output (Max)Parallel 440mA, Series 220mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max12 VAMounting TypeThrough HoleTermination StylePC Pin	Series	Split Bobbin Plug-In
Voltage - Secondary (Full Load)Parallel 28V, Series 56VCurrent - Output (Max)Parallel 440mA, Series 220mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max12 VAMounting TypeThrough HoleTermination StylePC Pin	Туре	Laminated Core
Current - Output (Max)Parallel 440mA, Series 220mAPrimary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max12 VAMounting TypeThrough HoleTermination StylePC Pin	Voltage - Primary	115V
Primary Winding(s)SingleSecondary Winding(s)DualCenter TapNoPower - Max12 VAMounting TypeThrough HoleTermination StylePC Pin	Voltage - Secondary (Full Load)	Parallel 28V, Series 56V
Secondary Winding(s)DualCenter TapNoPower - Max12 VAMounting TypeThrough HoleTermination StylePC Pin	Current - Output (Max)	Parallel 440mA, Series 220mA
Center TapNoPower - Max12 VAMounting TypeThrough HoleTermination StylePC Pin	Primary Winding(s)	Single
Power - Max12 VAMounting TypeThrough HoleTermination StylePC Pin	Secondary Winding(s)	Dual
Mounting TypeThrough HoleTermination StylePC Pin	Center Tap	No
Termination Style PC Pin	Power - Max	12 VA
	Mounting Type	Through Hole
	Termination Style	PC Pin
Size / Dimension 47.24mm L x 39.62mm W	Size / Dimension	47.24mm L x 39.62mm W
Height - Seated (Max) 36.58mm	Height - Seated (Max)	36.58mm
Voltage - Isolation 2500Vrms	Voltage - Isolation	2500Vrms
Weight 0.7 lb (317.51g)	Weight	0.7 lb (317.51g)
Report error		Report errors?

ST5-56B35 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about ST5-56B35, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com