



STM32F051K8U6 Information



For Reference Only

Part Number STM32F051K8U6

Manufacturer STMicroelectronics

Category Integrated Circuits (ICs)
Embedded - Microcontrollers

Description IC MCU 32BIT 64KB FLASH 32UFQFPN

Package 32-UFQFN Exposed Pad

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









STM32F051K8U6 Specifications

Manufacturer Part NumberSTM32F051K8U6ManufacturerSTMicroelectronicsCategoryIntegrated Circuits (ICs)Embedded - MicrocontrollersPackage32-UFQFN Exposed PadSeriesSTM32 F0Core ProcessorARM? Cortex?-M0Core Size32-BitSpeed48MHzConnectivityHDMI-CEC, I2C, IrDA, LIN, SPI, UART/USARTPeripheralsDMA, I2S, POR, PWM, WDTNumber of I/O27Program Memory Size64KB (64K x 8)Program Memory TypeFLASH	
Category Integrated Circuits (ICs) Embedded - Microcontrollers Package 32-UFQFN Exposed Pad Series STM32 F0 Core Processor ARM? Cortex?-M0 Core Size 32-Bit Speed 48MHz Connectivity HDMI-CEC, I2C, IrDA, LIN, SPI, UART/USART Peripherals DMA, I2S, POR, PWM, WDT Number of I/O Program Memory Size 64KB (64K x 8)	
Embedded - Microcontrollers Package 32-UFQFN Exposed Pad Series STM32 F0 Core Processor ARM? Cortex?-M0 Core Size 32-Bit Speed 48MHz Connectivity HDMI-CEC, I2C, IrDA, LIN, SPI, UART/USART Peripherals DMA, I2S, POR, PWM, WDT Number of I/O 27 Program Memory Size 64KB (64K x 8)	
Package 32-UFQFN Exposed Pad Series STM32 F0 Core Processor ARM? Cortex?-M0 Core Size 32-Bit Speed 48MHz Connectivity HDMI-CEC, I2C, IrDA, LIN, SPI, UART/USART Peripherals DMA, I2S, POR, PWM, WDT Number of I/O 27 Program Memory Size 64KB (64K x 8)	
Series STM32 F0 Core Processor ARM? Cortex?-M0 Core Size 32-Bit Speed 48MHz Connectivity HDMI-CEC, I2C, IrDA, LIN, SPI, UART/USART Peripherals DMA, I2S, POR, PWM, WDT Number of I/O 27 Program Memory Size 64KB (64K x 8)	
Core Processor Core Size 32-Bit Speed 48MHz Connectivity HDMI-CEC, I2C, IrDA, LIN, SPI, UART/USART Peripherals DMA, I2S, POR, PWM, WDT Number of I/O Program Memory Size ARM? Cortex?-M0 32-Bit 48MHz Connectivity HDMI-CEC, I2C, IrDA, LIN, SPI, UART/USART DMA, I2S, POR, PWM, WDT 27 Program Memory Size 64KB (64K x 8)	
Core Size 32-Bit Speed 48MHz Connectivity HDMI-CEC, I2C, IrDA, LIN, SPI, UART/USART Peripherals DMA, I2S, POR, PWM, WDT Number of I/O 27 Program Memory Size 64KB (64K x 8)	
Speed 48MHz Connectivity HDMI-CEC, I2C, IrDA, LIN, SPI, UART/USART Peripherals DMA, I2S, POR, PWM, WDT Number of I/O 27 Program Memory Size 64KB (64K x 8)	
Connectivity HDMI-CEC, I2C, IrDA, LIN, SPI, UART/USART Peripherals DMA, I2S, POR, PWM, WDT Number of I/O 27 Program Memory Size 64KB (64K x 8)	
Peripherals DMA, I2S, POR, PWM, WDT Number of I/O 27 Program Memory Size 64KB (64K x 8)	
Number of I/O 27 Program Memory Size 64KB (64K x 8)	
Program Memory Size 64KB (64K x 8)	
Program Memory Type FLASH	
Trogram Wellioty Type	
EEPROM Size -	
RAM Size 8K x 8	
Voltage - Supply (Vcc/Vdd) 2 V ~ 3.6 V	
Data Converters A/D 13x12b, D/A 1x12b	
Oscillator Type Internal	
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C} \text{ (TA)}$	
Mounting Type -	
Package / Case 32-UFQFN Exposed Pad	
Supplier Device Package 32-UFQFPN (5x5)	
Report	errors?

STM32F051K8U6 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

STM32F051K8U6 Payment Methods



















STM32F051K8U6 Shipping Methods













If you have any question about STM32F051K8U6, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com