



STM32L011K4U6 Information

Heisener.com

Part NumberSTM32L011K4U6ManufacturerSTMicroelectronicsCategoryIntegrated Circuits (ICs)Embedded - Microcontrollers

Description IC MCU 32BIT 16KB FLASH 32QFPN

Package 32-UFQFN Exposed Pad

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com





Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









STM32L011K4U6 S	Specifications
-----------------	----------------

Manufacturer Part Number Manufacturer STMicroelectronics Category Integrated Circuits (ICs) Embedded - Microcontrollers Package 32-UFQFN Exposed Pad Series STM32 L0 Core Processor ARM? Cortex?-M0+ Core Size 32-Bit Speed 32MHz Connectivity I2C, IrDA, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 28 Program Memory Size I6KB (16K x 8)
Category Integrated Circuits (ICs) Embedded - Microcontrollers Package 32-UFQFN Exposed Pad Series STM32 L0 Core Processor ARM? Cortex?-M0+ Core Size 32-Bit Speed 32MHz Connectivity I2C, IrDA, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 28 Program Memory Size 16KB (16K x 8)
Embedded - Microcontrollers Package 32-UFQFN Exposed Pad Series STM32 L0 Core Processor ARM? Cortex?-M0+ Core Size 32-Bit Speed 32MHz Connectivity I2C, IrDA, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 28 Program Memory Size 16KB (16K x 8)
Package 32-UFQFN Exposed Pad Series STM32 L0 Core Processor ARM? Cortex?-M0+ Core Size 32-Bit Speed 32MHz Connectivity I2C, IrDA, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 28 Program Memory Size 16KB (16K x 8)
Series STM32 L0 Core Processor ARM? Cortex?-M0+ Core Size 32-Bit Speed 32MHz Connectivity I2C, IrDA, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 28 Program Memory Size 16KB (16K x 8)
Core Processor ARM? Cortex?-M0+ Core Size 32-Bit Speed 32MHz Connectivity I2C, IrDA, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 28 Program Memory Size 16KB (16K x 8)
Core Size 32-Bit Speed 32MHz Connectivity I2C, IrDA, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 28 Program Memory Size 16KB (16K x 8)
Speed32MHzConnectivityI2C, IrDA, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, DMA, POR, PWM, WDTNumber of I/O28Program Memory Size16KB (16K x 8)
Connectivity I2C, IrDA, SPI, UART/USART Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 28 Program Memory Size 16KB (16K x 8)
Peripherals Brown-out Detect/Reset, DMA, POR, PWM, WDT Number of I/O 28 Program Memory Size 16KB (16K x 8)
Number of I/O 28 Program Memory Size 16KB (16K x 8)
Program Memory Size 16KB (16K x 8)
D M T
Program Memory Type FLASH
EEPROM Size 512 x 8
RAM Size 2K x 8
Voltage - Supply (Vcc/Vdd) $1.65 \text{ V} \sim 3.6 \text{ V}$
Data Converters A/D 10x12b
Oscillator Type Internal
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C} \text{ (TA)}$
Mounting Type -
Package / Case 32-UFQFN Exposed Pad
Supplier Device Package 32-UFQFPN (5x5)
Report errors

STM32L011K4U6 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

STM32L011K4U6 Payment Methods



















STM32L011K4U6 Shipping Methods













If you have any question about STM32L011K4U6, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com