

T 3263 420 Information

Heisener.com

Part Number T 3263 420

Description CONN RCPT 3POS PANEL MNT TH SKT

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









T 3263 420 Specifications

| Manufacturer Part Number Manufacturer Amphenol Sine Systems Corp Category Connectors, Interconnects Circular Connectors Package - Series Connector Type Receptacle, Female Sockets Number of Positions Shell Size - Insert DIN (180 Degree) Shell Size, MIL - Mounting Type Panel Mount, Through Hole Termination Solder Fastening Type Threaded Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Voltage - Rated Voltage - Rated Current Rating 5A Report errors? | | |
|---|--------------------------|----------------------------|
| Category Connectors, Interconnects Circular Connectors Package - Series C 091 A Connector Type Receptacle, Female Sockets Number of Positions 3 Shell Size - Insert DIN (180 Degree) Shell Size, MIL - Mounting Type Panel Mount, Through Hole Termination Solder Fastening Type Threaded Orientation Keyed Ingress Protection Ip40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated Outent Rating Solder | Manufacturer Part Number | T 3263 420 |
| Package-SeriesC 091 AConnector TypeReceptacle, Female SocketsNumber of Positions3Shell Size - InsertDIN (180 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A | Manufacturer | Amphenol Sine Systems Corp |
| Package-SeriesC 091 AConnector TypeReceptacle, Female SocketsNumber of Positions3Shell Size - InsertDIN (180 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A | Category | Connectors, Interconnects |
| SeriesC 091 AConnector TypeReceptacle, Female SocketsNumber of Positions3Shell Size - InsertDIN (180 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A | | Circular Connectors |
| Connector TypeReceptacle, Female SocketsNumber of Positions3Shell Size - InsertDIN (180 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A | Package | - |
| Number of Positions3Shell Size - InsertDIN (180 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A | Series | C 091 A |
| Shell Size - Insert Shell Size, MIL - Mounting Type Panel Mount, Through Hole Termination Solder Fastening Type Threaded Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated Current Rating Shell Material Shell Material Shell Material Shell Material Shell Material Shielded Shell Material Shielded Shell Material Shielded Shielded Shielded Shell Material | Connector Type | Receptacle, Female Sockets |
| Shell Size, MIL Mounting Type Panel Mount, Through Hole Termination Solder Fastening Type Threaded Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated Ourent Rating Shell Material Shell Material Shell Material Shell Material Shielded | Number of Positions | 3 |
| Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A | Shell Size - Insert | DIN (180 Degree) |
| Termination Solder Fastening Type Threaded Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated 300V Current Rating 5A | Shell Size, MIL | - |
| Fastening Type Orientation Keyed Ingress Protection Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated Ourrent Rating Threaded Keyed Steped Silver Silver Shielded 5A | Mounting Type | Panel Mount, Through Hole |
| Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded Voltage - Rated 300V Current Rating 5A | Termination | Solder |
| Ingress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A | Fastening Type | Threaded |
| Shell Material, Finish Contact Finish Silver Features Shielded Voltage - Rated Current Rating Die Cast, Nickel Plated Silver Shielded 5A | Orientation | Keyed |
| Contact Finish Features Shielded Voltage - Rated Current Rating Silver Shielded 300V 5A | Ingress Protection | IP40 |
| Features Shielded Voltage - Rated 300V Current Rating 5A | Shell Material, Finish | Die Cast, Nickel Plated |
| Voltage - Rated 300V Current Rating 5A | Contact Finish | Silver |
| Current Rating 5A | Features | Shielded |
| | Voltage - Rated | 300V |
| Report errors? | Current Rating | 5A |
| | | Report errors? |

T 3263 420 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

T 3263 420 Payment Methods



















T 3263 420 Shipping Methods













If you have any question about T 3263 420, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com