

T 3363 400

T 3363 400 Information



Part Number	T 3363 400	
Manufacturer	Amphenol Sine Systems Corp	
Category	Connectors, Interconnects Circular Connectors	
Description	CONN FMALE RCPT 5POS REAR PNL MT	
Package	-	
	For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com	



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



T 3363 400 Specifications

ManufacturerAmphenol Sine Systems CorpCategoryConnectors, InterconnectsCategoryCircular ConnectorsPackage-SeriesC 091 AConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertDIN (240 Degree)Mounting TypePanel Mount, Through HoleTerminationSolderTerminationSolderNorest ProtectionKeyedIngress ProtectionDie Cast, Nickel PlatedShell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesSnieldedVoltage - RatedSilverCurrent RatingSolVCurrent RatingSolV <tr< th=""><th></th><th></th></tr<>		
CategoryConnectors, Interconnects Circular ConnectorsPackage-SeriesC 091 AConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A	Manufacturer Part Number	T 3363 400
Circular ConnectorsPackage-SeriesC 091 AConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionJie Cast, Nickel PlatedShell Material, FinishDie Cast, Nickel PlatedFeaturesShieldedVoltage - Rated300VCurrent RatingSA	Manufacturer	Amphenol Sine Systems Corp
Package-SeriesC 091 AConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationIP40Shell Material, FinishDie Cast, Nickel PlatedShell Material, FinishSilverFeaturesShieldedVoltage - RatedSilverCurrent RatingSolVCurrent RatingSaShell StendeSolV	Category	Connectors, Interconnects
SeriesC 091 AConnector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionDie Cast, Nickel PlatedShell Material, FinishSilverFeaturesShieldedVotage - RatedSolovCurrent RatingSA		Circular Connectors
Connector TypeReceptacle, Female SocketsNumber of Positions5Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionDie Cast, Nickel PlatedShell Material, FinishSilverFeaturesShieldedVoltage - Rated300VCurrent RatingSA	Package	-
Number of Positions5Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent RatingSA	Series	C 091 A
Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent RatingSA	Connector Type	Receptacle, Female Sockets
Shell Size, MIL-Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent RatingSA	Number of Positions	5
Mounting TypePanel Mount, Through HoleTerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesSheldedVoltage - Rated300VCurrent RatingShall	Shell Size - Insert	DIN (240 Degree)
TerminationSolderFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent RatingSA	Shell Size, MIL	-
Fastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent RatingSA	Mounting Type	Panel Mount, Through Hole
OrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent RatingSA	Termination	Solder
Ingress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent RatingSA	Fastening Type	Threaded
Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent RatingSA	Orientation	Keyed
Contact FinishSilverFeaturesShieldedVoltage - Rated300VCurrent Rating5A	Ingress Protection	IP40
FeaturesShieldedVoltage - Rated300VCurrent Rating5A	Shell Material, Finish	Die Cast, Nickel Plated
Voltage - Rated300VCurrent Rating5A	Contact Finish	Silver
Current Rating 5A	Features	Shielded
-	Voltage - Rated	300V
Report errors?	Current Rating	5A
		Report errors?

T 3363 400 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.



If you have any question about T 3363 400, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com