

T 3400 013 Information

Heisener.com

Part Number T 3400 013

ManufacturerAmphenol Sine Systems CorpCategoryConnectors, Interconnects

Circular Connectors

Description CONN PLUG 6POS INLINE PIN

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









T 3400 013 Specifications

Manufacturer Part Number T 3400 013 Manufacturer Amphenol Sine Systems Corp Category Connectors, Interconnects Package - Series C 091 A Connector Type Plug, Male Pins Number of Positions 6 Shell Size - Insert DIN (240 Degree) Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Threaded Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded, Strain Relief Voltage - Rated 300V Current Rating 5A		
Category Connectors, Interconnects Circular Connectors Package - Series C 091 A Connector Type Plug, Male Pins Number of Positions 6 Shell Size - Insert DIN (240 Degree) Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Threaded Orientation Keyed Ingress Protection Ip40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded, Strain Relief Voltage - Rated Current Rating School Cup Fastening Type Shell Material, Finish Silver Features Shielded, Strain Relief	Manufacturer Part Number	T 3400 013
Package-SeriesC 091 AConnector TypePlug, Male PinsNumber of Positions6Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShielded, Strain ReliefVoltage - Rated300VCurrent Rating5A	Manufacturer	Amphenol Sine Systems Corp
Package-SeriesC 091 AConnector TypePlug, Male PinsNumber of Positions6Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShielded, Strain ReliefVoltage - Rated300VCurrent Rating5A	Category	Connectors, Interconnects
SeriesC 091 AConnector TypePlug, Male PinsNumber of Positions6Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShielded, Strain ReliefVoltage - Rated300VCurrent Rating5A		Circular Connectors
Connector TypePlug, Male PinsNumber of Positions6Shell Size - InsertDIN (240 Degree)Shell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShielded, Strain ReliefVoltage - Rated300VCurrent Rating5A	Package	-
Number of Positions Shell Size - Insert DIN (240 Degree) Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Threaded Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded, Strain Relief Voltage - Rated Ourent Rating Shell Material, Shell Strain Relief Shell Material Shell Silver Shell Material Shell Silver Shielded, Strain Relief Solver Shelled Shell Silver Shelled Shelled Strain Relief	Series	C 091 A
Shell Size - Insert Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Threaded Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded, Strain Relief Voltage - Rated Our DIN (240 Degree) Free Hanging (In-Line) Solder Cup Threaded Cup Threaded Seyed Ingress Protection IP40 Shell Material, Finish Silver Features Shielded, Strain Relief Voltage - Rated Solve Turrent Rating Solve	Connector Type	Plug, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Cup Fastening Type Threaded Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded, Strain Relief Voltage - Rated Ourent Rating Shell Material Shell Material Shell Material Shell Material Silver Features Shielded, Strain Relief	Number of Positions	6
Mounting TypeFree Hanging (In-Line)TerminationSolder CupFastening TypeThreadedOrientationKeyedIngress ProtectionIP40Shell Material, FinishDie Cast, Nickel PlatedContact FinishSilverFeaturesShielded, Strain ReliefVoltage - Rated300VCurrent Rating5A	Shell Size - Insert	DIN (240 Degree)
Termination Solder Cup Fastening Type Threaded Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded, Strain Relief Voltage - Rated 300V Current Rating 5A	Shell Size, MIL	-
Fastening Type Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded, Strain Relief Voltage - Rated Current Rating Threaded Keyed IP40 IP40 Shell Material, Finish Die Cast, Nickel Plated Silver Shielded, Strain Relief 5A	Mounting Type	Free Hanging (In-Line)
Orientation Keyed Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded, Strain Relief Voltage - Rated 300V Current Rating 5A	Termination	Solder Cup
Ingress Protection IP40 Shell Material, Finish Die Cast, Nickel Plated Contact Finish Silver Features Shielded, Strain Relief Voltage - Rated 300V Current Rating 5A	Fastening Type	Threaded
Shell Material, Finish Contact Finish Silver Features Shielded, Strain Relief Voltage - Rated Current Rating Die Cast, Nickel Plated Silver Shielded, Strain Relief 300V 5A	Orientation	Keyed
Contact Finish Silver Shielded, Strain Relief Voltage - Rated Current Rating Silver Shielded, Strain Relief 300V Shielded, Strain Relief	Ingress Protection	IP40
Features Shielded, Strain Relief Voltage - Rated 300V Current Rating 5A	Shell Material, Finish	Die Cast, Nickel Plated
Voltage - Rated 300V Current Rating 5A	Contact Finish	Silver
Current Rating 5A	Features	Shielded, Strain Relief
	Voltage - Rated	300V
Report errors?	Current Rating	5A
		Report errors?

T 3400 013 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

T 3400 013 Payment Methods





















T 3400 013 Shipping Methods













If you have any question about T 3400 013, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com