

T38442-10-0 Information

Heisener.com

Part Number T38442-10-0 **Manufacturer** Curtis Industries

Category Connectors, Interconnects

Terminal Blocks - Barrier Blocks

Description CONN BARRIER STRP 10CIRC 0.375"

Package -


For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com





Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









T38442-10-0	Specifications
130444-10-0	Specifications

Manufacturer Part NumberT38442-10-0ManufacturerCurtis IndustriesCategoryConnectors, InterconnectsPackage-Series38000Terminal Block TypeBarrier BlockNumber of Circuits10Number of Circuits10Number of Wire Entries10Pitch0.375" (9.53mm)Number of Rows1Current Rating20AVoltage Rating300VWire Gauge12-22 AWGTop TerminationScrewsBottom TerminationQuick Connect (0.187"), InsulatedBarrier Type2 Wall (Dual)FeaturesFlangeColor-Report errors?		
Category Connectors, Interconnects Terminal Blocks - Barrier Blocks Package - Series 38000 Terminal Block Type Barrier Block Number of Circuits 10 Number of Circuits 10 Number of Wire Entries 10 Pitch 0.375" (9.53mm) Number of Rows 1 Current Rating 20A Voltage Rating 300V Wire Gauge 12-22 AWG Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Flange Color -	Manufacturer Part Number	T38442-10-0
Terminal Blocks - Barrier Blocks Package - Series 38000 Terminal Block Type Barrier Block Number of Circuits 10 Number of Wire Entries 10 Pitch 0.375" (9.53mm) Number of Rows 1 Current Rating 20A Voltage Rating 300V Wire Gauge 12-22 AWG Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Color - Terminal Blocks - Barrier Blocks 1 Reminal Blocks - Barrier Blocks 1 3000 Univer Barrier Block 10 204 205 207 208 208 209 208 209 209 200 200	Manufacturer	Curtis Industries
Package - Series 38000 Terminal Block Type Barrier Block Number of Circuits 10 Number of Circuits 10 Number of Wire Entries 10 Pitch 0.375" (9.53mm) Number of Rows 1 Current Rating 20A Voltage Rating 300V Wire Gauge 12-22 AWG Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Flange Color -	Category	Connectors, Interconnects
Series 38000 Terminal Block Type Barrier Block Number of Circuits 10 Number of Circuits 10 Number of Wire Entries 10 Pitch 0.375" (9.53mm) Number of Rows 1 Current Rating 20A Voltage Rating 300V Wire Gauge 12-22 AWG Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Flange Color -		Terminal Blocks - Barrier Blocks
Terminal Block Type Number of Circuits 10 Number of Circuits 10 Number of Wire Entries 10 Pitch 0.375" (9.53mm) Number of Rows 1 Current Rating 20A Voltage Rating 300V Wire Gauge 12-22 AWG Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Color	Package	-
Number of Circuits 10 Number of Circuits 10 Number of Wire Entries 10 Pitch 0.375" (9.53mm) Number of Rows 1 Current Rating 20A Voltage Rating 300V Wire Gauge 12-22 AWG Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Flange Color -	Series	38000
Number of Circuits10Number of Wire Entries10Pitch0.375" (9.53mm)Number of Rows1Current Rating20AVoltage Rating300VWire Gauge12-22 AWGTop TerminationScrewsBottom TerminationQuick Connect (0.187"), InsulatedBarrier Type2 Wall (Dual)FeaturesFlangeColor-	Terminal Block Type	Barrier Block
Number of Wire Entries Pitch 0.375" (9.53mm) Number of Rows 1 Current Rating 20A Voltage Rating 300V Wire Gauge 12-22 AWG Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Color -	Number of Circuits	10
Pitch 0.375" (9.53mm) Number of Rows 1 Current Rating 20A Voltage Rating 300V Wire Gauge 12-22 AWG Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Flange Color -	Number of Circuits	10
Number of Rows1Current Rating20AVoltage Rating300VWire Gauge12-22 AWGTop TerminationScrewsBottom TerminationQuick Connect (0.187"), InsulatedBarrier Type2 Wall (Dual)FeaturesFlangeColor-	Number of Wire Entries	10
Current Rating 20A Voltage Rating 300V Wire Gauge 12-22 AWG Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Flange Color -	Pitch	0.375" (9.53mm)
Voltage Rating300VWire Gauge12-22 AWGTop TerminationScrewsBottom TerminationQuick Connect (0.187"), InsulatedBarrier Type2 Wall (Dual)FeaturesFlangeColor-	Number of Rows	1
Wire Gauge 12-22 AWG Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Flange Color -	Current Rating	20A
Top Termination Screws Bottom Termination Quick Connect (0.187"), Insulated 2 Wall (Dual) Features Flange Color -	Voltage Rating	300V
Bottom Termination Quick Connect (0.187"), Insulated Barrier Type 2 Wall (Dual) Features Flange Color -	Wire Gauge	12-22 AWG
Barrier Type 2 Wall (Dual) Features Flange Color -	Top Termination	Screws
Features Flange Color -	Bottom Termination	Quick Connect (0.187"), Insulated
Color -	Barrier Type	2 Wall (Dual)
	Features	Flange
Report errors?	Color	-
		Report errors?

T38442-10-0 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

T38442-10-0 Payment Methods



















T38442-10-0 Shipping Methods













If you have any question about T38442-10-0, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com