

Heisener.com

T540B226M010DH85107280

T540B226M010DH85107280 Information

Part Number T540B226M010DH85107280

Manufacturer KEMET Category Capacitors

Tantalum - Polymer Capacitors

Description CAP TANT POLY 22UF 10V 1411

Package 1411 (3528 Metric)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









T540B226M010DH85107280 Specifications

Manufacturer KEMET Category Capacitors Package 1411 (3528 Metric) Series KO-CAP? T540 Capacitance 22μF Tolerance ±20% Voltage - Rated 10V Type Molded ESR (Equivalent Series Resistance) 80 mOhm @ 100kHz Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 2000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)		
Category Capacitors Tantalum - Polymer Capacitors Package 1411 (3528 Metric) Series KO-CAP? T540 Capacitance 22μF Tolerance ±20% Voltage - Rated 10V Type Molded ESR (Equivalent Series Resistance) 80 mOhm @ 100kHz Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 2000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	Manufacturer Part Number	T540B226M010DH85107280
Tantalum - Polymer Capacitors Package 1411 (3528 Metric) Series KO-CAP? T540 Capacitance 22μF Tolerance ±20% Voltage - Rated 10V Type Molded ESR (Equivalent Series Resistance) 80 mOhm @ 100kHz Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 2000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	Manufacturer	KEMET
Package 1411 (3528 Metric) Series KO-CAP? T540 Capacitance 22 μ F Tolerance $\pm 20\%$ Voltage - Rated 10V Type Molded ESR (Equivalent Series Resistance) 80 mOhm @ 100kHz Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 2000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	Category	Capacitors
SeriesKO-CAP? T540Capacitance $22\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $10V$ TypeMoldedESR (Equivalent Series Resistance) $80 \text{ mOhm } @ 100 \text{kHz}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Lifetime @ Temp. $2000 \text{ Hrs } @ 125^{\circ}\text{C}$ Mounting TypeSurface MountPackage / Case $1411 (3528 \text{ Metric})$ Size / Dimension 0.138 " L x 0.110 " W $(3.50 \text{mm x } 2.80 \text{mm})$ Height - Seated (Max) 0.083 " (2.10mm)		Tantalum - Polymer Capacitors
Capacitance $22\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $10V$ TypeMoldedESR (Equivalent Series Resistance) $80 \text{ mOhm } @ 100\text{kHz}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Lifetime @ Temp. $2000 \text{ Hrs } @ 125^{\circ}\text{C}$ Mounting TypeSurface MountPackage / Case $1411 (3528 \text{ Metric})$ Size / Dimension 0.138 " L x 0.110 " W $(3.50 \text{mm x } 2.80 \text{mm})$ Height - Seated (Max) 0.083 " (2.10mm)	Package	1411 (3528 Metric)
Tolerance ±20% Voltage - Rated 10V Type Molded ESR (Equivalent Series Resistance) 80 mOhm @ 100kHz Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 2000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	Series	KO-CAP? T540
Voltage - Rated Type Molded ESR (Equivalent Series Resistance) 80 mOhm @ 100kHz Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 2000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	Capacitance	22μF
Type Molded ESR (Equivalent Series Resistance) 80 mOhm @ 100kHz Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 2000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	Tolerance	±20%
ESR (Equivalent Series Resistance) 80 mOhm @ 100kHz Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 2000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	Voltage - Rated	10V
Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Lifetime @ Temp. $2000 \text{ Hrs @ } 125^{\circ}\text{C}$ Mounting TypeSurface MountPackage / Case $1411 (3528 \text{ Metric})$ Size / Dimension $0.138" \text{ L x } 0.110" \text{ W } (3.50 \text{mm x } 2.80 \text{mm})$ Height - Seated (Max) $0.083" (2.10 \text{mm})$	Туре	Molded
Lifetime @ Temp. 2000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	ESR (Equivalent Series Resistance)	80 mOhm @ 100kHz
Mounting Type Surface Mount Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 1411 (3528 Metric) Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	Lifetime @ Temp.	2000 Hrs @ 125°C
Size / Dimension 0.138" L x 0.110" W (3.50mm x 2.80mm) Height - Seated (Max) 0.083" (2.10mm)	Mounting Type	Surface Mount
Height - Seated (Max) 0.083" (2.10mm)	Package / Case	1411 (3528 Metric)
	Size / Dimension	0.138" L x 0.110" W (3.50mm x 2.80mm)
Lead Spacing -	Height - Seated (Max)	0.083" (2.10mm)
	Lead Spacing	-
Manufacturer Size Code B	Manufacturer Size Code	В
Features COTS (High Reliability)	Features	COTS (High Reliability)
Report errors?		Report errors?

T540B226M010DH85107280 Guarantees



Ouality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

T540B226M010DH85107280 Payment Methods



















T540B226M010DH85107280 Shipping Methods













If you have any question about T540B226M010DH85107280, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com