

Heisener.com

# T540D477M004BH85107610

### T540D477M004BH85107610 Information

Part Number T540D477M004BH85107610

Manufacturer KEMET Category Capacitors

Tantalum - Polymer Capacitors

**Description** CAP TANT POLY 470UF 4V 2917

**Package** 2917 (7343 Metric)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **T540D477M004BH85107610 Specifications**

Manufacturer         T540D477M004BH85107610           Manufacturer         KEMET           Category         Capacitors           Package         2917 (7343 Metric)           Series         KO-CAP? T540           Capacitance         470μF           Tolerance         ±20%           Voltage - Rated         4V           Type         Molded           ESR (Equivalent Series Resistance)         40 mOhm @ 100kHz           Operating Temperature         -55°C ~ 125°C           Lifetime @ Temp.         2000 Hrs @ 125°C           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.122" (3.10mm)           Lead Spacing         -           Manufacturer Size Code         D           Features         COTS (High Reliability)		
Category Capacitors Tantalum - Polymer Capacitors  Package 2917 (7343 Metric) Series KO-CAP? T540 Capacitance 470µF Tolerance ±20% Voltage - Rated 4V Type Molded ESR (Equivalent Series Resistance) 40 mOhm @ 100kHz Operating Temperature -55°C ~ 125°C Lifetime @ Temp. 2000 Hrs @ 125°C Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) Lead Spacing - Manufacturer Size Code D Features  Capacitors Tantalum - Polymer Capacitors Ta	Manufacturer Part Number	T540D477M004BH85107610
Package         2917 (7343 Metric)           Series         KO-CAP? T540           Capacitance         470μF           Tolerance         ±20%           Voltage - Rated         4V           Type         Molded           ESR (Equivalent Series Resistance)         40 mOhm @ 100kHz           Operating Temperature         -55°C ~ 125°C           Lifetime @ Temp.         2000 Hrs @ 125°C           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.122" (3.10mm)           Lead Spacing         -           Manufacturer Size Code         D           Features         COTS (High Reliability)	Manufacturer	KEMET
Package         2917 (7343 Metric)           Series         KO-CAP? T540           Capacitance         470μF           Tolerance         ±20%           Voltage - Rated         4V           Type         Molded           ESR (Equivalent Series Resistance)         40 mOhm @ 100kHz           Operating Temperature         -55°C ~ 125°C           Lifetime @ Temp.         2000 Hrs @ 125°C           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.122" (3.10mm)           Lead Spacing         -           Manufacturer Size Code         D           Features         COTS (High Reliability)	Category	Capacitors
Series         KO-CAP? T540           Capacitance         470µF           Tolerance         ±20%           Voltage - Rated         4V           Type         Molded           ESR (Equivalent Series Resistance)         40 mOhm @ 100kHz           Operating Temperature         -55°C ~ 125°C           Lifetime @ Temp.         2000 Hrs @ 125°C           Mounting Type         Surface Mount           Package / Case         2917 (7343 Metric)           Size / Dimension         0.287" L x 0.169" W (7.30mm x 4.30mm)           Height - Seated (Max)         0.122" (3.10mm)           Lead Spacing         -           Manufacturer Size Code         D           Features         COTS (High Reliability)		Tantalum - Polymer Capacitors
Capacitance $470 \mu F$ Tolerance $\pm 20\%$ Voltage - Rated $4V$ TypeMoldedESR (Equivalent Series Resistance) $40 \text{ mOhm @ 100kHz}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Lifetime @ Temp. $2000 \text{ Hrs @ 125°C}$ Mounting TypeSurface MountPackage / Case $2917 (7343 \text{ Metric})$ Size / Dimension $0.287^{\circ}\text{L x 0.169° W (7.30mm x 4.30mm)}$ Height - Seated (Max) $0.122^{\circ}\text{(3.10mm)}$ Lead Spacing-Manufacturer Size CodeDFeaturesCOTS (High Reliability)	Package	2917 (7343 Metric)
Tolerance ±20%  Voltage - Rated 4V  Type Molded  ESR (Equivalent Series Resistance) 40 mOhm @ 100kHz  Operating Temperature -55°C ~ 125°C  Lifetime @ Temp. 2000 Hrs @ 125°C  Mounting Type Surface Mount  Package / Case 2917 (7343 Metric)  Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max) 0.122" (3.10mm)  Lead Spacing -  Manufacturer Size Code D  Features COTS (High Reliability)	Series	KO-CAP? T540
Voltage - Rated  Type  Molded  ESR (Equivalent Series Resistance)  Operating Temperature  Lifetime @ Temp.  2000 Hrs @ 125°C  Mounting Type  Surface Mount  Package / Case  2917 (7343 Metric)  Size / Dimension  0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max)  Lead Spacing  Manufacturer Size Code  Features  COTS (High Reliability)	Capacitance	470μF
Type Molded  ESR (Equivalent Series Resistance) 40 mOhm @ 100kHz  Operating Temperature -55°C ~ 125°C  Lifetime @ Temp. 2000 Hrs @ 125°C  Mounting Type Surface Mount  Package / Case 2917 (7343 Metric)  Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max) 0.122" (3.10mm)  Lead Spacing -  Manufacturer Size Code D  Features COTS (High Reliability)	Tolerance	±20%
ESR (Equivalent Series Resistance)  40 mOhm @ 100kHz  Operating Temperature  -55°C ~ 125°C  Lifetime @ Temp.  2000 Hrs @ 125°C  Mounting Type  Surface Mount  Package / Case  2917 (7343 Metric)  Size / Dimension  0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max)  Lead Spacing  -  Manufacturer Size Code  D  COTS (High Reliability)	Voltage - Rated	4V
Operating Temperature  -55°C ~ 125°C  Lifetime @ Temp.  2000 Hrs @ 125°C  Mounting Type  Surface Mount  Package / Case  2917 (7343 Metric)  Size / Dimension  0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max)  0.122" (3.10mm)  Lead Spacing  -  Manufacturer Size Code  D  Features  COTS (High Reliability)	Туре	Molded
Lifetime @ Temp.  2000 Hrs @ 125°C  Mounting Type  Surface Mount  Package / Case  2917 (7343 Metric)  Size / Dimension  0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max)  0.122" (3.10mm)  Lead Spacing  -  Manufacturer Size Code  D  COTS (High Reliability)	ESR (Equivalent Series Resistance)	40 mOhm @ 100kHz
Mounting Type Surface Mount Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.122" (3.10mm)  Lead Spacing - Manufacturer Size Code D Features COTS (High Reliability)	Operating Temperature	-55°C ~ 125°C
Package / Case 2917 (7343 Metric) Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm) Height - Seated (Max) 0.122" (3.10mm)  Lead Spacing - Manufacturer Size Code D  Features COTS (High Reliability)	Lifetime @ Temp.	2000 Hrs @ 125°C
Size / Dimension 0.287" L x 0.169" W (7.30mm x 4.30mm)  Height - Seated (Max) 0.122" (3.10mm)  Lead Spacing -  Manufacturer Size Code D  Features COTS (High Reliability)	Mounting Type	Surface Mount
Height - Seated (Max)  Lead Spacing  Manufacturer Size Code  Features  O.122" (3.10mm)  COTS (High Reliability)	Package / Case	2917 (7343 Metric)
Lead Spacing-Manufacturer Size CodeDFeaturesCOTS (High Reliability)	Size / Dimension	0.287" L x 0.169" W (7.30mm x 4.30mm)
Manufacturer Size Code D Features COTS (High Reliability)	Height - Seated (Max)	0.122" (3.10mm)
Features COTS (High Reliability)	Lead Spacing	-
	Manufacturer Size Code	D
Report errors?	Features	COTS (High Reliability)
		Report errors?

### T540D477M004BH85107610 Guarantees



### **Ouality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **T540D477M004BH85107610 Payment Methods**





















## T540D477M004BH85107610 Shipping Methods













If you have any question about T540D477M004BH85107610, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com