

TA5ML Information

Heisener.com

Part Number TA5ML

Manufacturer Switchcraft Inc.

Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT CORD MINI 5POS MALE

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TA5ML Specifications

Manufacturer Part NumberTA5MLManufacturerSwitchcraft Inc.CategoryConnectors, InterconnectsPackage-SeriesTini Q-G? TAConnector TypeReceptacle, Male PinsNumber of Positions5Shell Size - InsertMini XLRShell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishCopper Alloy, Nickel PlatedContact FinishSilverFeaturesBackshell, Cable ClampVoltage - Rated125VACCurrent Rating4A		
Category Circular Connectors Package - Series Tini Q-G? TA Connector Type Receptacle, Male Pins Number of Positions 5 Shell Size - Insert Mini XLR Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection Shell Material, Finish Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated	Manufacturer Part Number	TA5ML
Package-SeriesTini Q-G? TAConnector TypeReceptacle, Male PinsNumber of Positions5Shell Size - InsertMini XLRShell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishCopper Alloy, Nickel PlatedContact FinishSilverFeaturesBackshell, Cable ClampVoltage - Rated125VAC	Manufacturer	Switchcraft Inc.
Package - Series Tini Q-G? TA Connector Type Receptacle, Male Pins Number of Positions 5 Shell Size - Insert Mini XLR Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection - Solder Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated	Category	Connectors, Interconnects
Series Tini Q-G? TA Connector Type Receptacle, Male Pins Number of Positions 5 Shell Size - Insert Mini XLR Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated		Circular Connectors
Connector Type Number of Positions 5 Shell Size - Insert Mini XLR Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated	Package	-
Number of Positions Shell Size - Insert Mini XLR Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated	Series	Tini Q-G? TA
Shell Size - Insert Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated	Connector Type	Receptacle, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC	Number of Positions	5
Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishCopper Alloy, Nickel PlatedContact FinishSilverFeaturesBackshell, Cable ClampVoltage - Rated125VAC	Shell Size - Insert	Mini XLR
Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC	Shell Size, MIL	-
Fastening Type Crientation Crientation Ingress Protection Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated Latch Lock Keyed Latch Lock Keyed Silver	Mounting Type	Free Hanging (In-Line)
Orientation Keyed Ingress Protection - Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC	Termination	Solder
Ingress Protection - Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC	Fastening Type	Latch Lock
Shell Material, Finish Copper Alloy, Nickel Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC	Orientation	Keyed
Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC	Ingress Protection	-
Features Backshell, Cable Clamp Voltage - Rated 125VAC	Shell Material, Finish	Copper Alloy, Nickel Plated
Voltage - Rated 125VAC	Contact Finish	Silver
	Features	Backshell, Cable Clamp
Current Rating 4A	Voltage - Rated	125VAC
	Current Rating	4A
Report errors?		Report errors?

TA5ML Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TA5ML Payment Methods



















TA5ML Shipping Methods













If you have any question about TA5ML, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com