



TA5MLB Information

Heisener.com

Part Number TA5MLB

Manufacturer Switchcraft Inc.

Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT CORD MINI 5POS MALE

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TA5MLB Specifications

Manufacturer Part NumberTA5MLBManufacturerSwitchcraft Inc.CategoryConnectors, InterconnectsPackage-SeriesTini Q-G? TAConnector TypeReceptacle, Male PinsNumber of Positions5Shell Size - InsertMini XLRShell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishCopper, Black Chrome PlatedContact FinishSilverFeaturesBackshell, Cable ClampVoltage - Rated125VACCurrent Rating4A		
CategoryConnectors, Interconnects Circular ConnectorsPackage-SeriesTini Q-G? TAConnector TypeReceptacle, Male PinsNumber of Positions5Shell Size - InsertMini XLRShell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishCopper, Black Chrome PlatedContact FinishSilverFeaturesBackshell, Cable ClampVoltage - Rated125VACCurrent Rating4A	Manufacturer Part Number	TA5MLB
Package - Series Tini Q-G? TA Connector Type Receptacle, Male Pins Number of Positions 5 Shell Size - Insert Mini XLR Shell Size, MIL - Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Copper, Black Chrome Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated Current Rating 44A	Manufacturer	Switchcraft Inc.
Package-SeriesTini Q-G? TAConnector TypeReceptacle, Male PinsNumber of Positions5Shell Size - InsertMini XLRShell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishCopper, Black Chrome PlatedContact FinishSilverFeaturesBackshell, Cable ClampVoltage - Rated125VACCurrent Rating4A	Category	Connectors, Interconnects
SeriesTini Q-G? TAConnector TypeReceptacle, Male PinsNumber of Positions5Shell Size - InsertMini XLRShell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishCopper, Black Chrome PlatedContact FinishSilverFeaturesBackshell, Cable ClampVoltage - Rated125VACCurrent Rating4A		Circular Connectors
Connector TypeReceptacle, Male PinsNumber of Positions5Shell Size - InsertMini XLRShell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishCopper, Black Chrome PlatedContact FinishSilverFeaturesBackshell, Cable ClampVoltage - Rated125VACCurrent Rating4A	Package	-
Number of Positions5Shell Size - InsertMini XLRShell Size, MIL-Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishCopper, Black Chrome PlatedContact FinishSilverFeaturesBackshell, Cable ClampVoltage - Rated125VACCurrent Rating4A	Series	Tini Q-G? TA
Shell Size - Insert Shell Size, MIL	Connector Type	Receptacle, Male Pins
Shell Size, MIL Mounting Type Free Hanging (In-Line) Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Copper, Black Chrome Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated Current Rating 4A	Number of Positions	5
Mounting TypeFree Hanging (In-Line)TerminationSolderFastening TypeLatch LockOrientationKeyedIngress Protection-Shell Material, FinishCopper, Black Chrome PlatedContact FinishSilverFeaturesBackshell, Cable ClampVoltage - Rated125VACCurrent Rating4A	Shell Size - Insert	Mini XLR
Termination Solder Fastening Type Latch Lock Orientation Keyed Ingress Protection - Shell Material, Finish Copper, Black Chrome Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC Current Rating 4A	Shell Size, MIL	-
Fastening Type Corientation Corientation Copper, Black Chrome Plated Contact Finish Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated Current Rating AA	Mounting Type	Free Hanging (In-Line)
Orientation Keyed Ingress Protection - Shell Material, Finish Copper, Black Chrome Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC Current Rating 4A	Termination	Solder
Ingress Protection - Shell Material, Finish Copper, Black Chrome Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC Current Rating 4A	Fastening Type	Latch Lock
Shell Material, Finish Copper, Black Chrome Plated Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC Current Rating 4A	Orientation	Keyed
Contact Finish Silver Features Backshell, Cable Clamp Voltage - Rated 125VAC Current Rating 4A	Ingress Protection	-
Features Backshell, Cable Clamp Voltage - Rated 125VAC Current Rating 4A	Shell Material, Finish	Copper, Black Chrome Plated
Voltage - Rated 125VAC Current Rating 4A	Contact Finish	Silver
Current Rating 4A	Features	Backshell, Cable Clamp
	Voltage - Rated	125VAC
Report errors?	Current Rating	4A
_		Report errors?

TA5MLB Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TA5MLB Payment Methods



















TA5MLB Shipping Methods













If you have any question about TA5MLB, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com