



TAH20P51R0JE Information

www.teisener.com

For Reference Only

Part Number TAH20P51R0JE

Manufacturer Ohmite
Category Resistors

Through Hole Resistors

Description RES 51 OHM 20W 5% TO220

Package TO-220-2

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TAH20P51R0JE Specifications

Manufacturer Part NumberTAH20P51R0JEManufacturerOhmiteCategoryResistorsThrough Hole ResistorsPackageTO-220-2SeriesTAHResistance51 OhmsTolerance±5%Power (Watts)20WCompositionThick FilmFeaturesMoisture Resistant, Pulse WithstandingTemperature Coefficient±50ppm/°COperating Temperature-Package / CaseTO-220-2Supplier Device PackageTO-220Size / Dimension0.410" L x 0.125" W (10.41mm x 3.18mm)Height - Seated (Max)0.650" (16.52mm)Number of Terminations2Failure Rate-	•	
Category Resistors Through Hole Resistors Package TO-220-2 Series TAH Resistance 51 Ohms Tolerance ±5% Power (Watts) 20W Composition Thick Film Features Moisture Resistant, Pulse Withstanding Temperature Coefficient ±50ppm/°C Operating Temperature - Package / Case TO-220-2 Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) Number of Terminations 2	Manufacturer Part Number	TAH20P51R0JE
Through Hole Resistors Package TO-220-2 Series TAH Resistance 51 Ohms Tolerance ±5% Power (Watts) 20W Composition Thick Film Features Moisture Resistant, Pulse Withstanding Temperature Coefficient ±50ppm/°C Operating Temperature - Package / Case TO-220-2 Supplier Device Package TO-220 Size / Dimension U-410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) Number of Terminations 2	Manufacturer	Ohmite
Package TO-220-2 Series TAH Resistance 51 Ohms Tolerance ±5% Power (Watts) 20W Composition Thick Film Features Moisture Resistant, Pulse Withstanding Temperature Coefficient ±50ppm/°C Operating Temperature - Package / Case TO-220-2 Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) 0.650" (16.52mm) Number of Terminations 2	Category	Resistors
Series TAH Resistance 51 Ohms Tolerance ±5% Power (Watts) 20W Composition Thick Film Features Moisture Resistant, Pulse Withstanding Temperature Coefficient ±50ppm/°C Operating Temperature - Package / Case TO-220-2 Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) 0.650" (16.52mm) Number of Terminations 2		Through Hole Resistors
Resistance 51 Ohms Tolerance ±5% Power (Watts) 20W Composition Thick Film Features Moisture Resistant, Pulse Withstanding Temperature Coefficient ±50ppm/°C Operating Temperature - Package / Case TO-220-2 Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) Number of Terminations 2	Package	TO-220-2
Tolerance ±5% Power (Watts) 20W Composition Thick Film Features Moisture Resistant, Pulse Withstanding Temperature Coefficient ±50ppm/°C Operating Temperature - Package / Case TO-220-2 Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) 0.650" (16.52mm) Number of Terminations 2	Series	TAH
Power (Watts) Composition Thick Film Features Moisture Resistant, Pulse Withstanding Temperature Coefficient ±50ppm/°C Operating Temperature - Package / Case TO-220-2 Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) Number of Terminations 2	Resistance	51 Ohms
Composition Thick Film Moisture Resistant, Pulse Withstanding ±50ppm/°C Operating Temperature - Package / Case Supplier Device Package TO-220 Size / Dimension Height - Seated (Max) Number of Terminations Thick Film Moisture Resistant, Pulse Withstanding ±50ppm/°C - TO-220 TO-220-2 TO-220-2 Supplier Device Package TO-220 0.410" L x 0.125" W (10.41mm x 3.18mm) 0.650" (16.52mm)	Tolerance	±5%
Features Moisture Resistant, Pulse Withstanding Temperature Coefficient ±50ppm/°C Operating Temperature - Package / Case TO-220-2 Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) 0.650" (16.52mm) Number of Terminations	Power (Watts)	20W
Temperature Coefficient ±50ppm/°C Operating Temperature - Package / Case TO-220-2 Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) 0.650" (16.52mm) Number of Terminations 2	Composition	Thick Film
Operating Temperature - Package / Case TO-220-2 Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) 0.650" (16.52mm) Number of Terminations 2	Features	Moisture Resistant, Pulse Withstanding
Package / Case Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) Number of Terminations 2	Temperature Coefficient	±50ppm/°C
Supplier Device Package TO-220 Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) 0.650" (16.52mm) Number of Terminations	Operating Temperature	-
Size / Dimension 0.410" L x 0.125" W (10.41mm x 3.18mm) Height - Seated (Max) 0.650" (16.52mm) Number of Terminations 2	Package / Case	TO-220-2
Height - Seated (Max) 0.650" (16.52mm) Number of Terminations 2	Supplier Device Package	TO-220
Number of Terminations 2	Size / Dimension	0.410" L x 0.125" W (10.41mm x 3.18mm)
	Height - Seated (Max)	0.650" (16.52mm)
Failure Rate	Number of Terminations	2
1 unuic ruic	Failure Rate	-
Report errors?		Report errors?

TAH20P51R0JE Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TAH20P51R0JE Payment Methods



















TAH20P51R0JE Shipping Methods













If you have any question about TAH20P51R0JE, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com