



TARR335M020 Information

Heisener.com

Part NumberTARR335M020ManufacturerAVX Corporation

Category Capacitors

Tantalum Capacitors

Description CAP TANT 3.3UF 20V 20% AXIAL

Package Axial

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TARR335M020 Specifications

Manufacturer Part Number TARR335M020 Manufacturer AVX Corporation Category Capacitors Package Axial Series TAR Capacitance 3.3µF Tolerance ±20% Voltage - Rated 20V Type Molded ESR (Equivalent Series Resistance) 5.5 Ohm Operating Temperature -5.5°C ~ 125°C Lifetime @ Temp. - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.098" Dia x 0.291" L (2.50mm x 7.40mm) Height - Seated (Max) - Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate - Features General Purpose	•	
Category Capacitors Tantalum Capacitors Package Axial Series TAR Capacitance 3.3µF Tolerance ±20% Voltage - Rated 20V Type Molded ESR (Equivalent Series Resistance) 5.5 Ohm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.098" Dia x 0.291" L (2.50mm x 7.40mm) Height - Seated (Max) - Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -	Manufacturer Part Number	TARR335M020
PackageAxialSeriesTARCapacitance3.3μFTolerance±20%Voltage - Rated20VTypeMoldedESR (Equivalent Series Resistance)5.5 OhmOperating Temperature-55°C ~ 125°CLifetime @ TempMounting TypeThrough HolePackage / CaseAxialSize / Dimension0.098" Dia x 0.291" L (2.50mm x 7.40mm)Height - Seated (Max)-Lead Spacing-Manufacturer Size CodeRFeaturesGeneral PurposeFailure Rate-	Manufacturer	AVX Corporation
PackageAxialSeriesTARCapacitance3.3µFTolerance±20%Voltage - Rated20VTypeMoldedESR (Equivalent Series Resistance)5.5 OhmOperating Temperature-55°C ~ 125°CLifetime @ TempMounting TypeThrough HolePackage / CaseAxialSize / Dimension0.098" Dia x 0.291" L (2.50mm x 7.40mm)Height - Seated (Max)-Lead Spacing-Manufacturer Size CodeRFeaturesGeneral PurposeFailure Rate-	Category	Capacitors
Series TAR Capacitance 3.3µF Tolerance ±20% Voltage - Rated 20V Type Molded ESR (Equivalent Series Resistance) 5.5 Ohm Operating Temperature -55°C ~ 125°C Lifetime @ Temp. - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.098" Dia x 0.291" L (2.50mm x 7.40mm) Height - Seated (Max) - Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -		Tantalum Capacitors
Capacitance3.3µFTolerance±20%Voltage - Rated20VTypeMoldedESR (Equivalent Series Resistance)5.5 OhmOperating Temperature-55°C ~ 125°CLifetime @ TempMounting TypeThrough HolePackage / CaseAxialSize / Dimension0.098" Dia x 0.291" L (2.50mm x 7.40mm)Height - Seated (Max)-Lead Spacing-Manufacturer Size CodeRFeaturesGeneral PurposeFailure Rate-	Package	Axial
Tolerance ±20% Voltage - Rated 20V Type Molded ESR (Equivalent Series Resistance) 5.5 Ohm Operating Temperature -55°C ~ 125°C Lifetime @ Temp Mounting Type Through Hole Package / Case Axial Size / Dimension 0.098" Dia x 0.291" L (2.50mm x 7.40mm) Height - Seated (Max) - Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -	Series	TAR
Voltage - Rated20VTypeMoldedESR (Equivalent Series Resistance)5.5 OhmOperating Temperature-55°C ~ 125°CLifetime @ TempMounting TypeThrough HolePackage / CaseAxialSize / Dimension0.098" Dia x 0.291" L (2.50mm x 7.40mm)Height - Seated (Max)-Lead Spacing-Manufacturer Size CodeRFeaturesGeneral PurposeFailure Rate-	Capacitance	3.3μF
Type Molded ESR (Equivalent Series Resistance) 5.5 Ohm Operating Temperature -55°C ~ 125°C Lifetime @ Temp Mounting Type Through Hole Package / Case Axial Size / Dimension 0.098" Dia x 0.291" L (2.50mm x 7.40mm) Height - Seated (Max) - Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -	Tolerance	±20%
ESR (Equivalent Series Resistance) Operating Temperature -55°C ~ 125°C Lifetime @ Temp. - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.098" Dia x 0.291" L (2.50mm x 7.40mm) Height - Seated (Max) Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -	Voltage - Rated	20V
Operating Temperature Lifetime @ Temp. Mounting Type Through Hole Package / Case Axial Size / Dimension Height - Seated (Max) Lead Spacing Manufacturer Size Code Features General Purpose Failure Rate - So C ~ 125°C - 125°C	Туре	Molded
Lifetime @ Temp. Mounting Type Through Hole Package / Case Axial Size / Dimension 0.098" Dia x 0.291" L (2.50mm x 7.40mm) Height - Seated (Max) Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -	ESR (Equivalent Series Resistance)	5.5 Ohm
Mounting Type Package / Case Axial Size / Dimension 0.098" Dia x 0.291" L (2.50mm x 7.40mm) Height - Seated (Max) Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -	Operating Temperature	-55°C ~ 125°C
Package / Case Axial Size / Dimension 0.098" Dia x 0.291" L (2.50mm x 7.40mm) Height - Seated (Max) - Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -	Lifetime @ Temp.	-
Size / Dimension 0.098" Dia x 0.291" L (2.50mm x 7.40mm) Height - Seated (Max) - Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -	Mounting Type	Through Hole
Height - Seated (Max) Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -	Package / Case	Axial
Lead Spacing - Manufacturer Size Code R Features General Purpose Failure Rate -	Size / Dimension	0.098" Dia x 0.291" L (2.50mm x 7.40mm)
Manufacturer Size CodeRFeaturesGeneral PurposeFailure Rate-	Height - Seated (Max)	-
Features General Purpose Failure Rate -	Lead Spacing	-
Failure Rate -	Manufacturer Size Code	R
	Features	General Purpose
Report errors?	Failure Rate	-
		Report errors?

TARR335M020 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TARR335M020 Payment Methods



















TARR335M020 Shipping Methods













If you have any question about TARR335M020, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com