

TC55RP4002ECB713

TC55RP4002ECB713 Information



For Reference Only

Part Number TC55RP4002ECB713

Manufacturer Microchip Technology

Category Integrated Circuits (ICs)

PMIC - Voltage Regulators - Linear

Description IC REG LINEAR 4V 200MA SOT23A-3

Package TO-236-3, SC-59, SOT-23-3

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TC55RP4002ECB713 Specifications

Manufacturer Part Number TC55RP4002ECB713 Manufacturer Microchip Technology Category Integrated Circuits (ICs) PMIC - Voltage Regulators - Linear Package TO-236-3, SC-59, SOT-23-3 Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 10V Voltage - Output (Min/Fixed) 4V Voltage - Output (Max) - Voltage Dropout (Max) 0.38V @ 200mA (Typ) Current - Output 200mA Current - Supply (Max) - PSRR - Control Features - Protection Features Short Circuit Operating Temperature 40°C ~ 85°C Mounting Type Surface Mount Package (Case TO-236-3, SC-59, SOT-23-3	•	
Category Integrated Circuits (ICs) PMIC - Voltage Regulators - Linear Package TO-236-3, SC-59, SOT-23-3 Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 10V Voltage - Output (Min/Fixed) 4V Voltage - Output (Max) - Voltage Dropout (Max) 0.38V @ 200mA (Typ) Current - Output 200mA Current - Quiescent (Iq) - Current - Supply (Max) - PSRR - Control Features - Protection Features Short Circuit Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount	Manufacturer Part Number	TC55RP4002ECB713
Package TO-236-3, SC-59, SOT-23-3 Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 10V Voltage - Output (Min/Fixed) 4V Voltage - Output (Max) - Voltage Dropout (Max) 0.38V @ 200mA (Typ) Current - Output 200mA Current - Supply (Max) - PSRR - Control Features - Protection Features Short Circuit Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount	Manufacturer	Microchip Technology
Package TO-236-3, SC-59, SOT-23-3 Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 10V Voltage - Output (Min/Fixed) 4V Voltage - Output (Max) - Voltage Dropout (Max) 0.38V @ 200mA (Typ) Current - Output 200mA Current - Quiescent (Iq) - Current - Supply (Max) - PSRR - Control Features - Protection Features Short Circuit Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount	Category	Integrated Circuits (ICs)
Series - Output Configuration Positive Output Type Fixed Number of Regulators 1 Voltage - Input (Max) 10V Voltage - Output (Min/Fixed) 4V Voltage - Output (Max) - Voltage Dropout (Max) 0.38V @ 200mA (Typ) Current - Output 200mA Current - Quiescent (Iq) - Current - Supply (Max) - PSRR Control Features - Short Circuit Operating Temperature 40°C ~ 85°C Mounting Type Sixed		PMIC - Voltage Regulators - Linear
Output ConfigurationPositiveOutput TypeFixedNumber of Regulators1Voltage - Input (Max)10VVoltage - Output (Min/Fixed)4VVoltage - Output (Max)-Voltage Dropout (Max)0.38V @ 200mA (Typ)Current - Output200mACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection FeaturesShort CircuitOperating Temperature-40°C ~ 85°CMounting TypeSurface Mount	Package	TO-236-3, SC-59, SOT-23-3
Output TypeFixedNumber of Regulators1Voltage - Input (Max)10VVoltage - Output (Min/Fixed)4VVoltage - Output (Max)-Voltage Dropout (Max)0.38V @ 200mA (Typ)Current - Output200mACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection FeaturesShort CircuitOperating Temperature-40°C ~ 85°CMounting TypeSurface Mount	Series	-
Number of Regulators1Voltage - Input (Max)10VVoltage - Output (Min/Fixed)4VVoltage - Output (Max)-Voltage Dropout (Max)0.38V @ 200mA (Typ)Current - Output200mACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection FeaturesShort CircuitOperating Temperature-40°C ~ 85°CMounting TypeSurface Mount	Output Configuration	Positive
Voltage - Input (Max) Voltage - Output (Min/Fixed) 4V Voltage - Output (Max) - Voltage Dropout (Max) Current - Output 200mA Current - Quiescent (Iq) Current - Supply (Max) - PSRR - Control Features Protection Features Short Circuit Operating Temperature Mounting Type 10V 4V 10V 4V 4V 4V 4V - 40°C ~ 85°C Surface Mount	Output Type	Fixed
Voltage - Output (Min/Fixed)4VVoltage - Output (Max)-Voltage Dropout (Max)0.38V @ 200mA (Typ)Current - Output200mACurrent - Quiescent (Iq)-Current - Supply (Max)-PSRR-Control Features-Protection FeaturesShort CircuitOperating Temperature-40°C ~ 85°CMounting TypeSurface Mount	Number of Regulators	1
Voltage - Output (Max) Voltage Dropout (Max) Current - Output 200mA Current - Quiescent (Iq) - Current - Supply (Max) PSRR - Control Features Protection Features Short Circuit Operating Temperature Mounting Type - O.38V @ 200mA (Typ) 200mA	Voltage - Input (Max)	10V
Voltage Dropout (Max) Current - Output 200mA Current - Quiescent (Iq) - Current - Supply (Max) PSRR - Control Features Protection Features Short Circuit Operating Temperature Mounting Type 0.38V @ 200mA (Typ) 200mA - Comma Short Circuit -40°C ~ 85°C Surface Mount	Voltage - Output (Min/Fixed)	4V
Current - Output 200mA Current - Quiescent (Iq) - Current - Supply (Max) - PSRR - Control Features - Protection Features Short Circuit Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount	Voltage - Output (Max)	-
Current - Quiescent (Iq) Current - Supply (Max) PSRR - Control Features Protection Features Short Circuit Operating Temperature 40°C ~ 85°C Mounting Type Surface Mount	Voltage Dropout (Max)	0.38V @ 200mA (Typ)
Current - Supply (Max) PSRR - Control Features Protection Features Short Circuit Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount	Current - Output	200mA
PSRR - Control Features - Short Circuit Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount	Current - Quiescent (Iq)	-
Control Features - Protection Features Short Circuit Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount	Current - Supply (Max)	-
Protection Features Short Circuit Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Mounting Type Surface Mount	PSRR	-
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ Mounting Type Surface Mount	Control Features	-
Mounting Type Surface Mount	Protection Features	Short Circuit
	Operating Temperature	-40°C ~ 85°C
Package / Case TO-236-3, SC-59, SOT-23-3	Mounting Type	Surface Mount
10 200 0, 20 0 0, 20 0	Package / Case	TO-236-3, SC-59, SOT-23-3
Supplier Device Package SOT-23A-3	Supplier Device Package	SOT-23A-3
Report errors?		Report errors?

TC55RP4002ECB713 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TC55RP4002ECB713 Payment Methods



















TC55RP4002ECB713 Shipping Methods













If you have any question about TC55RP4002ECB713, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com