


TCJW157M006R0040

TCJW157M006R0040 Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



TCJW157M006R0040 Specifications

SeriesTCJCapacitance150µFTolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2312 (6032 Metric)Size / Dimension0.236" L x 0.126" W (6.00mm x 3.20mm)Height - Seated (Max)0.059" (1.50mm)		
CategoryCapacitorsTantalum - Polymer CapacitorsPackage2312 (6032 Metric)SeriesTCJCapacitance150µFTolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2312 (6032 Metric)Size / Dimension0.236" L x 0.126" W (6.00mm x 3.20mm)Height - Seated (Max)0.059" (1.50mm)Lead Spacing-FaturesGeneral Purpose	Manufacturer Part Number	TCJW157M006R0040
Intalum - Polymer CapacitorsPackage2312 (6032 Metric)SeriesTCJCapacitance150µFTolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2312 (6032 Metric)Size / Dimension0.236" L x 0.126" W (6.00mm x 3.20mm)Height - Seated (Max)0.059" (1.50mm)Lead Spacing-Manufacturer Size CodeWFeaturesGeneral Purpose	Manufacturer	AVX Corporation
Package2312 (6032 Metric)SeriesTCJCapacitance150µFTolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2312 (6032 Metric)Size / Dimension0.236" L x 0.126" W (6.00mm x 3.20mm)Height - Seated (Max)-Lead Spacing-FeaturesGeneral Purpose	Category	Capacitors
Series TCJ Capacitance 150µF Tolerance ±20% Voltage - Rated 6.3V Type Molded ESR (Equivalent Series Resistance) 40 mOhm Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2312 (6032 Metric) Size / Dimension 0.059" (1.50mm) x 3.20mm) Height - Seated (Max) 0.059" (1.50mm) Lead Spacing - Features General Purpose		Tantalum - Polymer Capacitors
Capacitance150μFTolerance±20%Voltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2312 (6032 Metric)Size / Dimension0.236° L x 0.126° W (6.00mm x 3.20mm)Height - Seated (Max)0.059° (1.50mm)Lead SpacingWFeaturesGeneral Purpose	Package	2312 (6032 Metric)
Tolerance±20%Yoltage - Rated6.3VYopeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2312 (6032 Metric)Size / Dimension0.236" L x 0.126" W (6.00mm x 3.20mm)Height - Seated (Max)0.059" (1.50mm)Lead Spacing-FeaturesGeneral Purpose	Series	ТСЈ
NumberInterferenceVoltage - Rated6.3VTypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2312 (6032 Metric)Size / Dimension0.236" L x 0.126" W (6.00mm x 3.20mm)Height - Seated (Max)0.059" (1.50mm)Lead Spacing-Kanufacturer Size CodeWFeaturesGeneral Purpose	Capacitance	150µF
TypeMoldedESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2312 (6032 Metric)Size / Dimension0.236" L x 0.126" W (6.00mm x 3.20mm)Height - Seated (Max)0.059" (1.50mm)Lead Spacing-Manufacturer Size CodeWFeaturesGeneral Purpose	Tolerance	±20%
FyreHereinESR (Equivalent Series Resistance)40 mOhmOperating Temperature-55°C ~ 105°CLifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2312 (6032 Metric)Size / Dimension0.236" L x 0.126" W (6.00mm x 3.20mm)Height - Seated (Max)0.059" (1.50mm)Lead Spacing-Manufacturer Size CodeWFeaturesGeneral Purpose	Voltage - Rated	6.3V
Operating Temperature -55°C ~ 105°C Lifetime @ Temp. 2000 Hrs @ 105°C Mounting Type Surface Mount Package / Case 2312 (6032 Metric) Size / Dimension 0.236" L x 0.126" W (6.00mm x 3.20mm) Height - Seated (Max) 0.059" (1.50mm) Lead Spacing - Manufacturer Size Code W Features General Purpose	Туре	Molded
Lifetime @ Temp.2000 Hrs @ 105°CMounting TypeSurface MountPackage / Case2312 (6032 Metric)Size / Dimension0.236" L x 0.126" W (6.00mm x 3.20mm)Height - Seated (Max)0.059" (1.50mm)Lead Spacing-Manufacturer Size CodeWFeaturesGeneral Purpose	ESR (Equivalent Series Resistance)	40 mOhm
Mounting Type Surface Mount Package / Case 2312 (6032 Metric) Size / Dimension 0.236" L x 0.126" W (6.00mm x 3.20mm) Height - Seated (Max) 0.059" (1.50mm) Lead Spacing - Manufacturer Size Code W Features General Purpose	Operating Temperature	-55°C ~ 105°C
Package / Case2312 (6032 Metric)Size / Dimension0.236" L x 0.126" W (6.00mm x 3.20mm)Height - Seated (Max)0.059" (1.50mm)Lead Spacing-Manufacturer Size CodeWFeaturesGeneral Purpose	Lifetime @ Temp.	2000 Hrs @ 105°C
Size / Dimension 0.236" L x 0.126" W (6.00mm x 3.20mm) Height - Seated (Max) 0.059" (1.50mm) Lead Spacing - Manufacturer Size Code W Features General Purpose	Mounting Type	Surface Mount
Height - Seated (Max)0.059" (1.50mm)Lead Spacing-Manufacturer Size CodeWFeaturesGeneral Purpose	Package / Case	2312 (6032 Metric)
Lead Spacing-Manufacturer Size CodeWFeaturesGeneral Purpose	Size / Dimension	0.236" L x 0.126" W (6.00mm x 3.20mm)
Manufacturer Size CodeWFeaturesGeneral Purpose	Height - Seated (Max)	0.059" (1.50mm)
Features General Purpose	Lead Spacing	-
	Manufacturer Size Code	W
Report errors?	Features	General Purpose
		Report errors?

TCJW157M006R0040 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

TCJW157M006R0040 Payment Methods



If you have any question about TCJW157M006R0040, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com