



## **TE500B68RJ Information**



For Reference Only

Part Number TE500B68RJ

Manufacturer TE Connectivity Passive Product

**Category** Resistors

**Chassis Mount Resistors** 

**Description** RES CHAS MNT 68 OHM 5% 500W

Package Radial, Tubular

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **TE500B68RJ Specifications**

Manufacturer Part NumberTE500B68RJManufacturerTE Connectivity Passive ProductCategoryResistorsPackageRadial, TubularSeriesTE, CGSResistance68 OhmsTolerance±5%Power (Watts)500WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-25°C ~ 225°CFeaturesFlame Proof, SafetyCoating, Housing TypeSilicone CoatedMounting FeatureBracketsSize / Dimension1.969" Dia x 12.441" L (50.00mm x 316.00mm)		
CategoryResistorsPackageRadial, TubularSeriesTE, CGSResistance68 OhmsTolerance±5%Power (Watts)500WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-25°C ~ 225°CFeaturesFlame Proof, SafetyCoating, Housing TypeSilicone CoatedMounting FeatureBrackets	Manufacturer Part Number	TE500B68RJ
Chassis Mount Resistors  Package Radial, Tubular  Series TE, CGS  Resistance 68 Ohms  Tolerance ±5%  Power (Watts) 500W  Composition Wirewound  Temperature Coefficient ±440ppm/°C Operating Temperature -25°C ~ 225°C  Features Flame Proof, Safety  Coating, Housing Type Silicone Coated  Mounting Feature Brackets	Manufacturer	TE Connectivity Passive Product
PackageRadial, TubularSeriesTE, CGSResistance68 OhmsTolerance±5%Power (Watts)500WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-25°C ~ 225°CFeaturesFlame Proof, SafetyCoating, Housing TypeSilicone CoatedMounting FeatureBrackets	Category	Resistors
SeriesTE, CGSResistance68 OhmsTolerance±5%Power (Watts)500WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-25°C ~ 225°CFeaturesFlame Proof, SafetyCoating, Housing TypeSilicone CoatedMounting FeatureBrackets		Chassis Mount Resistors
Resistance68 OhmsTolerance±5%Power (Watts)500WCompositionWirewoundTemperature Coefficient±440ppm/°COperating Temperature-25°C ~ 225°CFeaturesFlame Proof, SafetyCoating, Housing TypeSilicone CoatedMounting FeatureBrackets	Package	Radial, Tubular
Tolerance ±5%  Power (Watts) 500W  Composition Wirewound  Temperature Coefficient ±440ppm/°C  Operating Temperature -25°C ~ 225°C  Features Flame Proof, Safety  Coating, Housing Type Silicone Coated  Mounting Feature Brackets	Series	TE, CGS
Power (Watts)       500W         Composition       Wirewound         Temperature Coefficient       ±440ppm/°C         Operating Temperature       -25°C ~ 225°C         Features       Flame Proof, Safety         Coating, Housing Type       Silicone Coated         Mounting Feature       Brackets	Resistance	68 Ohms
Composition Wirewound  Temperature Coefficient ±440ppm/°C  Operating Temperature -25°C ~ 225°C  Features Flame Proof, Safety  Coating, Housing Type Silicone Coated  Mounting Feature Brackets	Tolerance	±5%
Temperature Coefficient ±440ppm/°C  Operating Temperature -25°C ~ 225°C  Features Flame Proof, Safety  Coating, Housing Type Silicone Coated  Mounting Feature Brackets	Power (Watts)	500W
Operating Temperature-25°C ~ 225°CFeaturesFlame Proof, SafetyCoating, Housing TypeSilicone CoatedMounting FeatureBrackets	Composition	Wirewound
Features Flame Proof, Safety Coating, Housing Type Silicone Coated Mounting Feature Brackets	Temperature Coefficient	±440ppm/°C
Coating, Housing Type Silicone Coated  Mounting Feature Brackets	Operating Temperature	-25°C ~ 225°C
Mounting Feature Brackets	Features	Flame Proof, Safety
-	Coating, Housing Type	Silicone Coated
Size / Dimension 1.969" Dia x 12.441" L (50.00mm x 316.00mm)	Mounting Feature	Brackets
	Size / Dimension	1.969" Dia x 12.441" L (50.00mm x 316.00mm)
Height - Seated (Max) -	Height - Seated (Max)	-
Lead Style Solder Lugs	Lead Style	Solder Lugs
Package / Case Radial, Tubular	Package / Case	Radial, Tubular
Failure Rate -	Failure Rate	-
Report errors?		Report errors?

#### **TE500B68RJ Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **TE500B68RJ Payment Methods**



















### **TE500B68RJ Shipping Methods**













If you have any question about TE500B68RJ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com