



TEA6849H/V1,518 Information

Part Number TEA6849H/V1,518

Manufacturer NXP

Category RF/IF and RFID

RF Receivers

Description IC CAR RADIO TUNER 80-LQFP

Package 80-LQFF

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TEA6849H/V1,518 Specifications

Manufacturer Part Number TEA6849H/V1,518 Manufacturer NXP Category RF/IF and RFID RF Receivers RF Receivers Package 80-LQFP Series - Frequency AM, FM, WB Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications AM/FM Radio Receiver Current - Receiving 88mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 7.8 V ~ 9.2 V Operating Temperature -40°C ~ 85°C		
Category RF/IF and RFID RF Receivers Package 80-LQFP Series - Frequency AM, FM, WB Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications AM/FM Radio Receiver Current - Receiving 88mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 7.8 V ~ 9.2 V Operating Temperature -40°C ~ 85°C	Manufacturer Part Number	TEA6849H/V1,518
Package 80-LQFP Series - Frequency AM, FM, WB Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications AM/FM Radio Receiver Current - Receiving 88mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 7.8 V ~ 9.2 V Operating Temperature -40°C ~ 85°C	Manufacturer	NXP
Package 80-LQFP Series - Frequency AM, FM, WB Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications AM/FM Radio Receiver Current - Receiving 88mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 7.8 V ~ 9.2 V Operating Temperature -40°C ~ 85°C	Category	RF/IF and RFID
Series - Frequency AM, FM, WB Sensitivity - Data Rate (Max) - Modulation or Protocol AM, FM Applications AM/FM Radio Receiver Current - Receiving 88mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 7.8 V ~ 9.2 V Operating Temperature -40°C ~ 85°C		RF Receivers
Frequency Sensitivity Data Rate (Max) Modulation or Protocol Applications Current - Receiving Data Interface Memory Size Antenna Connector Features Voltage - Supply Operating Temperature AM, FM, AM, FM AM, FM	Package	80-LQFP
Sensitivity Data Rate (Max) Modulation or Protocol AM, FM Applications Current - Receiving Data Interface PCB, Surface Mount Memory Size Antenna Connector PCB, Surface Mount Features Voltage - Supply Operating Temperature	Series	-
Data Rate (Max) Modulation or Protocol AM, FM Applications AM/FM Radio Receiver Current - Receiving 88mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply Operating Temperature - AM, FM AM	Frequency	AM, FM, WB
$\begin{array}{llllllllllllllllllllllllllllllllllll$	Sensitivity	-
Applications Current - Receiving 88mA Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply Operating Temperature AM/FM Radio Receiver 88mA PCB, Surface Mount - - - - - - - - - - - - -	Data Rate (Max)	-
Current - Receiving $88mA$ Data InterfacePCB, Surface MountMemory Size-Antenna ConnectorPCB, Surface MountFeatures-Voltage - Supply $7.8 \text{ V} \sim 9.2 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Modulation or Protocol	AM, FM
Data Interface PCB, Surface Mount Memory Size - Antenna Connector PCB, Surface Mount Features - Voltage - Supply 7.8 V ~ 9.2 V Operating Temperature -40°C ~ 85°C	Applications	AM/FM Radio Receiver
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Current - Receiving	88mA
Antenna Connector PCB, Surface Mount Features - Voltage - Supply $7.8 \text{ V} \sim 9.2 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Data Interface	PCB, Surface Mount
Features - Voltage - Supply $7.8 \text{ V} \sim 9.2 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Memory Size	-
Voltage - Supply $7.8 \text{ V} \sim 9.2 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Antenna Connector	PCB, Surface Mount
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	Features	-
	Voltage - Supply	7.8 V ~ 9.2 V
0.4.070	Operating Temperature	-40°C ~ 85°C
Package / Case 80-LQFP	Package / Case	80-LQFP
Supplier Device Package 80-LQFP (12x12)	Supplier Device Package	80-LQFP (12x12)
Report errors?		Report errors?

TEA6849H/V1,518 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TEA6849H/V1,518 Payment Methods



















TEA6849H/V1,518 Shipping Methods













If you have any question about TEA6849H/V1,518, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com