



THS25560RJ Information

Heisener.com

Part Number THS25560RJ

Manufacturer TE Connectivity Passive Product

Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 560 OHM 5% 25W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









THS25560RJ Specifications

Manufacturer Part NumberTHS25560RJManufacturerTE Connectivity Passive ProductCategoryResistorsPackageAxial, BoxSeriesTHS, CGSResistance560 OhmsTolerance±5%Power (Watts)25WCompositionWirewoundTemperature Coefficient±30ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension1.142" L x 1.102" W (29.00mm x 28.00mm)Height - Seated (Max)0.591" (15.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-Report errors?		
CategoryResistorsPackageAxial, BoxSeriesTHS, CGSResistance560 OhmsTolerance±5%Power (Watts)25WCompositionWirewoundTemperature Coefficient±30ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension1.142" L x 1.102" W (29.00mm x 28.00mm)Height - Seated (Max)0.591" (15.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Manufacturer Part Number	THS25560RJ
Package Axial, Box Series THS, CGS Resistance 560 Ohms Tolerance ±5% Power (Watts) 25W Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.142" L x 1.102" W (29.00mm x 28.00mm) Height - Seated (Max) 0.591" (15.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Manufacturer	TE Connectivity Passive Product
PackageAxial, BoxSeriesTHS, CGSResistance560 OhmsTolerance±5%Power (Watts)25WCompositionWirewoundTemperature Coefficient±30ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension1.142" L x 1.102" W (29.00mm x 28.00mm)Height - Seated (Max)0.591" (15.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Category	Resistors
SeriesTHS, CGSResistance560 OhmsTolerance±5%Power (Watts)25WCompositionWirewoundTemperature Coefficient±30ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension1.142" L x 1.102" W (29.00mm x 28.00mm)Height - Seated (Max)0.591" (15.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-		Chassis Mount Resistors
Resistance560 OhmsTolerance±5%Power (Watts)25WCompositionWirewoundTemperature Coefficient±30ppm/°COperating Temperature-55°C ~ 200°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension1.142" L x 1.102" W (29.00mm x 28.00mm)Height - Seated (Max)0.591" (15.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Package	Axial, Box
Tolerance ±5% Power (Watts) 25W Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.142" L x 1.102" W (29.00mm x 28.00mm) Height - Seated (Max) 0.591" (15.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Series	THS, CGS
Power (Watts) Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.142" L x 1.102" W (29.00mm x 28.00mm) Height - Seated (Max) Lead Style Package / Case Axial, Box Failure Rate -	Resistance	560 Ohms
Composition Wirewound Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.142" L x 1.102" W (29.00mm x 28.00mm) Height - Seated (Max) 0.591" (15.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Tolerance	±5%
Temperature Coefficient ±30ppm/°C Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.142" L x 1.102" W (29.00mm x 28.00mm) Height - Seated (Max) 0.591" (15.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Power (Watts)	25W
Operating Temperature -55°C ~ 200°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.142" L x 1.102" W (29.00mm x 28.00mm) Height - Seated (Max) 0.591" (15.00mm) Lead Style Package / Case Axial, Box Failure Rate -	Composition	Wirewound
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.142" L x 1.102" W (29.00mm x 28.00mm) Height - Seated (Max) 0.591" (15.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate	Temperature Coefficient	±30ppm/°C
Coating, Housing Type Mounting Feature Flanges Size / Dimension 1.142" L x 1.102" W (29.00mm x 28.00mm) Height - Seated (Max) 0.591" (15.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Operating Temperature	-55°C ~ 200°C
Mounting Feature Size / Dimension 1.142" L x 1.102" W (29.00mm x 28.00mm) Height - Seated (Max) 0.591" (15.00mm) Lead Style Package / Case Axial, Box Failure Rate -	Features	-
Size / Dimension 1.142" L x 1.102" W (29.00mm x 28.00mm) Height - Seated (Max) 0.591" (15.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max) Lead Style Package / Case Failure Rate 0.591" (15.00mm) Solder Lugs Axial, Box -	Mounting Feature	Flanges
Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Size / Dimension	1.142" L x 1.102" W (29.00mm x 28.00mm)
Package / Case Axial, Box Failure Rate -	Height - Seated (Max)	0.591" (15.00mm)
Failure Rate -	Lead Style	Solder Lugs
	Package / Case	Axial, Box
Report errors?	Failure Rate	-
		Report errors?

THS25560RJ Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

THS25560RJ Payment Methods



















THS25560RJ Shipping Methods













If you have any question about THS25560RJ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com