



THS4502IDGNR Information



For Reference Only

Part Number THS4502IDGNR
Manufacturer Texas Instruments
Category Integrated Circuits (ICs)

Linear - Amplifiers - Instrumentation, OP Amps,

Buffer Amps

Description IC OPAMP DIFF 300MHZ 8MSOP

Package 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)

Exposed Pad

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









THS4502IDGNR Specifications

Manufacturer Texas Instruments Category Integrated Circuits (ICs) Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps Package 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Series - Amplifier Type Differential Number of Circuits 1 Output Type Differential Slew Rate 2800 V/μs Gain Bandwidth Product 300MHz -3db Bandwidth 370MHz Current - Input Bias 4μA Voltage - Input Offset ImV Current - Supply 23mA Current - Output / Channel 120mA Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Operating Temperature 40°C ~ 85°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad		
Integrated Circuits (ICs)	Manufacturer Part Number	THS4502IDGNR
Linear - Amplifiers - Instrumentation, OP Amps, Buffer AmpsPackage8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed PadSeries-Amplifier TypeDifferentialNumber of Circuits1Output TypeDifferentialSlew Rate2800 V/μsGain Bandwidth Product300MHz-3db Bandwidth370MHzCurrent - Input Bias4μAVoltage - Input Offset1mVCurrent - Supply23mACurrent - Output / Channel120mAVoltage - Supply, Single/Dual (±)4.5 V ~ 15 V, ±2.25 V ~ 7.5 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed PadSupplier Device Package8-MSOP-PowerPad	Manufacturer	Texas Instruments
Package 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Series - Amplifier Type Differential Number of Circuits 1 Output Type Differential Slew Rate 2800 V/µs Gain Bandwidth Product 300MHz -3db Bandwidth 370MHz Current - Input Bias 4µA Voltage - Input Offset 1mV Current - Supply 23mA Current - Output / Channel 120mA Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	Category	Integrated Circuits (ICs)
Series - Amplifier Type Differential Number of Circuits 1 Output Type Differential Slew Rate 2800 V/μs Gain Bandwidth Product 300MHz -3db Bandwidth 370MHz Current - Input Bias 4μA Voltage - Input Offset 1mV Current - Supply 23mA Current - Output / Channel 120mA Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad		Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps
Amplifier TypeDifferentialNumber of Circuits1Output TypeDifferentialSlew Rate2800 V/μsGain Bandwidth Product300MHz-3db Bandwidth370MHzCurrent - Input Bias4μAVoltage - Input Offset1mVCurrent - Supply23mACurrent - Output / Channel120mAVoltage - Supply, Single/Dual (±)4.5 V ~ 15 V, ±2.25 V ~ 7.5 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed PadSupplier Device Package8-MSOP-PowerPad	Package	8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad
Number of Circuits Output Type Differential Slew Rate 2800 V/μs Gain Bandwidth Product -3db Bandwidth 370MHz Current - Input Bias Voltage - Input Offset 1mV Current - Supply 23mA Current - Output / Channel Voltage - Supply, Single/Dual (±) Operating Temperature 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Operating Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package	Series	-
Output Type Differential Slew Rate 2800 V/µs 300MHz 300MHz 370MHz Current - Input Bias 4µA Voltage - Input Offset Current - Supply 23mA Current - Output / Channel Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Operating Temperature 4.6°C ~ 85°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	Amplifier Type	Differential
Slew Rate Gain Bandwidth Product 300MHz 370MHz Current - Input Bias Voltage - Input Offset 1mV Current - Supply 23mA Current - Output / Channel Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Operating Temperature 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	Number of Circuits	1
Gain Bandwidth Product -3db Bandwidth Current - Input Bias Voltage - Input Offset LmV Current - Supply Current - Output / Channel Voltage - Supply, Single/Dual (±) Operating Temperature Aus Voltage - Supply Surface Mount Package / Case Supplier Device Package 300MHz 300MHz 300MHz 300MHz 300MHz 4μA Lurent - Output / Channel 120mA 4μA 120mA 120mA 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V -40°C ~ 85°C Surface Mount 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad 8-MSOP-PowerPad	Output Type	Differential
-3db Bandwidth Current - Input Bias 4μA Voltage - Input Offset 1mV Current - Supply 23mA Current - Output / Channel 120mA Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	Slew Rate	2800 V/μs
Current - Input Bias 4μA Voltage - Input Offset 1mV Current - Supply 23mA Current - Output / Channel 120mA Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Operating Temperature 4.6° C ~ 85° C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package	Gain Bandwidth Product	300MHz
Voltage - Input Offset Current - Supply 23mA Current - Output / Channel 120mA Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	-3db Bandwidth	370MHz
Current - Supply Current - Output / Channel 120mA Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	Current - Input Bias	4μ A
Current - Output / Channel 120mA Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V -40°C ~ 85°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	Voltage - Input Offset	1mV
Voltage - Supply, Single/Dual (±) 4.5 V ~ 15 V, ±2.25 V ~ 7.5 V -40°C ~ 85°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	Current - Supply	23mA
Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	Current - Output / Channel	120mA
Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	Voltage - Supply, Single/Dual (±)	4.5 V ~ 15 V, ±2.25 V ~ 7.5 V
Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad Supplier Device Package 8-MSOP-PowerPad	Operating Temperature	-40°C ~ 85°C
Supplier Device Package 8-MSOP-PowerPad	Mounting Type	Surface Mount
	Package / Case	8-TSSOP, 8-MSOP (0.118", 3.00mm Width) Exposed Pad
Report errors'	Supplier Device Package	8-MSOP-PowerPad
· · · · · · · · · · · · · · · · · · ·		Report errors?

THS4502IDGNR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

THS4502IDGNR Payment Methods



















THS4502IDGNR Shipping Methods













If you have any question about THS4502IDGNR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com