

THS6184PWPR

THS6184PWPR Information

Hilling and a second	 THS6184PWPR Texas Instruments Integrated Circuits (ICs) Interface - Drivers, Receivers, Transceivers IC DIFF XDSL DVR AMP 20-HTSSOP 20-TSSOP (0.173", 4.40mm Width) Exposed Pad For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



THS6184PWPR Specifications

ManufacturerTexas InstrumentsCategoryIntegrated Circuits (ICs)Interface - Drivers, Receivers, TransceiversPackage20-TSSOP (0.173", 4.40mm Width) Exposed PadSeries-TypeDriverProtocolxDSLNumber of Drivers/Receivers-Duplex-Receiver Hysteresis-Data Rate-Voltage - Supply4V ~ 32 VOperating TemperatureSurface MountPackage / CaseSurface MountSupplier Device Package20-TSSOP (0.173", 4.40mm Width) Exposed Pad		
CategoryIntegrated Circuits (ICs)Interface - Drivers, Receivers, TransceiversPackage20-TSSOP (0.173", 4.40mm Width) Exposed PadSeries-TypeDriverProtocolxDSLNumber of Drivers/Receivers2/0Duplex-Receiver Hysteresis-Data Rate-Voltage - Supply4V ~ 32 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Manufacturer Part Number	THS6184PWPR
Interface - Drivers, Receivers, TransceiversPackage20-TSSOP (0.173", 4.40mm Width) Exposed PadSeries-TypeDriverProtocolxDSLNumber of Drivers/Receivers2/0Duplex-Receiver Hysteresis-Data Rate-Voltage - Supply4 V ~ 32 VOperating TemperatureSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Manufacturer	Texas Instruments
Package20-TSSOP (0.173", 4.40mm Width) Exposed PadSeries-TypeDriverProtocolxDSLNumber of Drivers/Receivers2/0Duplex-Receiver Hysteresis-Data Rate-Voltage - Supply4 V ~ 32 VOperating TemperatureSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Category	Integrated Circuits (ICs)
Series-SeriesDriverProtocolxDSLNumber of Drivers/Receivers2/0Duplex-Receiver Hysteresis-Data Rate-Voltage - Supply4 V ~ 32 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP		Interface - Drivers, Receivers, Transceivers
TypeDriverProtocolxDSLNumber of Drivers/Receivers2/0Duplex-Receiver Hysteresis-Data Rate-Voltage - Supply4 V ~ 32 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Package	20-TSSOP (0.173", 4.40mm Width) Exposed Pad
ProtocolxDSLNumber of Drivers/Receivers2/0Duplex-Receiver Hysteresis-Data Rate-Voltage - Supply4 V ~ 32 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Series	-
Number of Drivers/Receivers2/0Duplex-Receiver Hysteresis-Data Rate-Voltage - Supply4 V ~ 32 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Туре	Driver
Duplex-Receiver Hysteresis-Data Rate-Voltage - Supply4 V ~ 32 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Protocol	xDSL
Receiver Hysteresis-Data Rate-Voltage - Supply4 V ~ 32 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Number of Drivers/Receivers	2/0
Data Rate-Voltage - Supply4 V ~ 32 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Duplex	-
Voltage - Supply4 V ~ 32 VOperating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Receiver Hysteresis	-
Operating Temperature-40°C ~ 85°CMounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Data Rate	-
Mounting TypeSurface MountPackage / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Voltage - Supply	4 V ~ 32 V
Package / Case20-TSSOP (0.173", 4.40mm Width) Exposed PadSupplier Device Package20-HTSSOP	Operating Temperature	-40°C ~ 85°C
Supplier Device Package 20-HTSSOP	Mounting Type	Surface Mount
	Package / Case	20-TSSOP (0.173", 4.40mm Width) Exposed Pad
Report errors?	Supplier Device Package	20-HTSSOP
		Report errors?

THS6184PWPR Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

THS6184PWPR Payment Methods



If you have any question about THS6184PWPR, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com