



TJT25015RJ Information

ww.helsener.com

For Reference Only

Part Number TJT25015RJ

Manufacturer TE Connectivity Passive Product

Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 15 OHM 5% 250W

Package Rectangular Case

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TJT25015RJ Specifications

Manufacturer Part NumberTJT25015RJManufacturerTE Connectivity Passive ProductCategoryResistorsPackageRectangular CaseSeriesTJTResistance15 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±260ppm/°COperating Temperature-25°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureScrew HolesSize / Dimension7.087" L x 3.150" W (180.00mm x 80.00mm)Height - Seated (Max)0.394" (10.00mm)Lead StyleWire LeadsPackage / CaseRectangular Case		
Category Resistors Package Rectangular Case Series TJT Resistance 15 Ohms Tolerance ±5% Power (Watts) 250W Composition Wirewound Temperature Coefficient ±260ppm/°C Operating Temperature -25°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm) Height - Seated (Max) 0.394" (10.00mm) Lead Style Wire Leads	Manufacturer Part Number	TJT25015RJ
Package Rectangular Case Series TJT Resistance 15 Ohms Tolerance ±5% Power (Watts) 250W Composition Wirewound Temperature Coefficient ±260ppm/°C Operating Temperature -25°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm) Height - Seated (Max) 0.394" (10.00mm) Lead Style Wire Leads	Manufacturer	TE Connectivity Passive Product
PackageRectangular CaseSeriesTJTResistance15 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±260ppm/°COperating Temperature-25°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureScrew HolesSize / Dimension7.087" L x 3.150" W (180.00mm x 80.00mm)Height - Seated (Max)0.394" (10.00mm)Lead StyleWire Leads	Category	Resistors
SeriesTJTResistance15 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±260ppm/°COperating Temperature-25°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureScrew HolesSize / Dimension7.087" L x 3.150" W (180.00mm x 80.00mm)Height - Seated (Max)0.394" (10.00mm)Lead StyleWire Leads		Chassis Mount Resistors
Resistance15 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±260ppm/°COperating Temperature-25°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureScrew HolesSize / Dimension7.087" L x 3.150" W (180.00mm x 80.00mm)Height - Seated (Max)0.394" (10.00mm)Lead StyleWire Leads	Package	Rectangular Case
Tolerance ±5% Power (Watts) 250W Composition Wirewound Temperature Coefficient ±260ppm/°C Operating Temperature -25°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm) Height - Seated (Max) 0.394" (10.00mm) Lead Style Wire Leads	Series	TJT
Power (Watts) Composition Wirewound Temperature Coefficient ±260ppm/°C Operating Temperature -25°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm) Height - Seated (Max) Lead Style Wire Leads	Resistance	15 Ohms
Composition Wirewound Temperature Coefficient ±260ppm/°C Operating Temperature -25°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm) Height - Seated (Max) 0.394" (10.00mm) Lead Style Wire Leads	Tolerance	±5%
Temperature Coefficient $\pm 260 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-25^{\circ}\text{C} \sim 250^{\circ}\text{C}$ Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension $7.087^{\circ}\text{L x } 3.150^{\circ}\text{W } (180.00 \text{mm x } 80.00 \text{mm})$ Height - Seated (Max) 0.394° (10.00 mm) Lead Style Wire Leads	Power (Watts)	250W
Operating Temperature $-25^{\circ}\text{C} \sim 250^{\circ}\text{C}$ Features-Coating, Housing TypeAluminumMounting FeatureScrew HolesSize / Dimension $7.087''$ L x $3.150''$ W $(180.00\text{mm x } 80.00\text{mm})$ Height - Seated (Max) $0.394''$ (10.00mm) Lead StyleWire Leads	Composition	Wirewound
Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm) Height - Seated (Max) 0.394" (10.00mm) Lead Style Wire Leads	Temperature Coefficient	±260ppm/°C
Coating, Housing Type Aluminum Mounting Feature Screw Holes 7.087" L x 3.150" W (180.00mm x 80.00mm) Height - Seated (Max) Lead Style Wire Leads	Operating Temperature	-25°C ~ 250°C
Mounting FeatureScrew HolesSize / Dimension7.087" L x 3.150" W (180.00mm x 80.00mm)Height - Seated (Max)0.394" (10.00mm)Lead StyleWire Leads	Features	-
Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm) Height - Seated (Max) 0.394" (10.00mm) Lead Style Wire Leads	Coating, Housing Type	Aluminum
Height - Seated (Max) Lead Style 0.394" (10.00mm) Wire Leads	Mounting Feature	Screw Holes
Lead Style Wire Leads	Size / Dimension	7.087" L x 3.150" W (180.00mm x 80.00mm)
-	Height - Seated (Max)	0.394" (10.00mm)
Package / Case Rectangular Case	Lead Style	Wire Leads
	Package / Case	Rectangular Case
Failure Rate -	Failure Rate	-
Report errors?		Report errors?

TJT25015RJ Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TJT25015RJ Payment Methods



















TJT25015RJ Shipping Methods













If you have any question about TJT25015RJ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com