



TJT250330RJ Information

ww.helsener.com

For Reference Only

Part Number TJT250330RJ

Manufacturer TE Connectivity Passive Product

Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 330 OHM 5% 250W

Package Rectangular Case

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TJT250330RJ Specifications

Manufacturer Part NumberTJT250330RJManufacturerTE Connectivity Passive ProductCategoryResistorsPackageRectangular CaseSeriesTJTResistance330 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±260ppm/°COperating Temperature-25°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureScrew HolesSize / Dimension7.087" L x 3.150" W (180.00mm x 80.00mm)Height - Seated (Max)0.394" (10.00mm)
Category Resistors Chassis Mount Resistors Package Rectangular Case Series TJT Resistance 330 Ohms Tolerance ±5% Power (Watts) Composition Wirewound Temperature Coefficient -25°C ~ 250°C Features Coating, Housing Type Mounting Feature Size / Dimension Resistors Chassis Mount Resistors Lx 3.150" W (180.00mm x 80.00mm)
Chassis Mount Resistors Package Rectangular Case Series TJT Resistance 330 Ohms Tolerance ±5% Power (Watts) 250W Composition Wirewound Temperature Coefficient ±260ppm/°C Operating Temperature -25°C ~ 250°C Features Coating, Housing Type Aluminum Mounting Feature Size / Dimension Chassis Mount Resistors Rectangular Case ### 130 ### 240 ### 250 #
PackageRectangular CaseSeriesTJTResistance330 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±260ppm/°COperating Temperature-25°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureScrew HolesSize / Dimension7.087" L x 3.150" W (180.00mm x 80.00mm)
SeriesTJTResistance330 OhmsTolerance±5%Power (Watts)250WCompositionWirewoundTemperature Coefficient±260ppm/°COperating Temperature-25°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureScrew HolesSize / Dimension7.087" L x 3.150" W (180.00mm x 80.00mm)
Resistance 330 Ohms Tolerance ±5% Power (Watts) 250W Composition Wirewound Temperature Coefficient ±260ppm/°C Operating Temperature -25°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm)
Tolerance ±5% Power (Watts) 250W Composition Wirewound Temperature Coefficient ±260ppm/°C Operating Temperature -25°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm)
Power (Watts) Composition Wirewound Temperature Coefficient ±260ppm/°C Operating Temperature -25°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 250W Wirewound ±260ppm/°C -25°C ~ 250°C Aluminum Aluminum Nounting Feature Screw Holes 7.087" L x 3.150" W (180.00mm x 80.00mm)
CompositionWirewoundTemperature Coefficient $\pm 260 \text{ppm/°C}$ Operating Temperature $-25^{\circ}\text{C} \sim 250^{\circ}\text{C}$ Features-Coating, Housing TypeAluminumMounting FeatureScrew HolesSize / Dimension 7.087 " L x 3.150 " W $(180.00 \text{mm x } 80.00 \text{mm})$
Temperature Coefficient $\pm 260 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-25^{\circ}\text{C} \sim 250^{\circ}\text{C}$ Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension $7.087^{\circ}\text{L x } 3.150^{\circ}\text{W } (180.00 \text{mm x } 80.00 \text{mm})$
Operating Temperature -25°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm)
Features - Coating, Housing Type Aluminum Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm)
Coating, Housing Type Mounting Feature Screw Holes 7.087" L x 3.150" W (180.00mm x 80.00mm)
Mounting Feature Screw Holes Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm)
Size / Dimension 7.087" L x 3.150" W (180.00mm x 80.00mm)
·
Height - Seated (Max) 0.394" (10.00mm)
6
Lead Style Wire Leads
Package / Case Rectangular Case
Failure Rate -
Report errors?

TJT250330RJ Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TJT250330RJ Payment Methods





















TJT250330RJ Shipping Methods













If you have any question about TJT250330RJ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com