



TL1105SPF250Q Information



For Reference Only

Part Number TL1105SPF250Q

Manufacturer E-Switch

Category Switches
Tactile Switches

Description SWITCH TACTILE SPST-NO 0.05A 12V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TL1105SPF250Q Specifications

Manufacturer Part Number TL1105SPF250Q Manufacturer E-Switch Category Switches Package - Series TL1105 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole Actuator Height off PCB, Vertical 7.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 250gf Ingress Protection - Features - Report errors?		
Category Switches Package - Series TL1105 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole Actuator Height off PCB, Vertical 7.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 250gf Ingress Protection - Features -	Manufacturer Part Number	TL1105SPF250Q
Package - TL1105 Series TL1105 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole Actuator Height off PCB, Vertical 7.50mm Actuator Length, Right Angle - Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) - Coperating Force 250gf Ingress Protection - Features - Series Series Series - Series - Series Series - Se	Manufacturer	E-Switch
Package - Series TL1105 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole Actuator Height off PCB, Vertical 7.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 250gf Ingress Protection - Features -	Category	Switches
SeriesTL1105CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypePlunger for CapMounting TypeThrough HoleActuator Height off PCB, Vertical7.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StylePC PinOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force250gfIngress Protection-Features-		Tactile Switches
CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypePlunger for CapMounting TypeThrough HoleActuator Height off PCB, Vertical7.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StylePC PinOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force250gfIngress Protection-Features-	Package	-
Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole Actuator Height off PCB, Vertical 7.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 250gf Ingress Protection - Features -	Series	TL1105
Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole Actuator Height off PCB, Vertical 7.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 250gf Ingress Protection - Features -	Circuit	SPST-NO
Actuator Type Plunger for Cap Mounting Type Through Hole Actuator Height off PCB, Vertical 7.50mm Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 250gf Ingress Protection - Features -	Switch Function	Off-Mom
Mounting TypeThrough HoleActuator Height off PCB, Vertical7.50mmActuator Length, Right Angle-Actuator OrientationTop ActuatedTermination StylePC PinOutline6.00mm x 6.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force250gfIngress Protection-Features-	Contact Rating @ Voltage	0.05A @ 12VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle - Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) Operating Force Ingress Protection Features - Somm Top Actuated - Coperating Force Features - Somm Top Actuated - Coperating Force Features - Somm Top Actuated - Coperating Force Features - Somm Top Actuated - Somm Top	Actuator Type	Plunger for Cap
Actuator Length, Right Angle Actuator Orientation Top Actuated PC Pin Outline 6.00mm x 6.00mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features -	Mounting Type	Through Hole
Actuator Orientation Top Actuated Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 250gf Ingress Protection - Features -	Actuator Height off PCB, Vertical	7.50mm
Termination Style PC Pin Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 250gf Ingress Protection - Features -	Actuator Length, Right Angle	-
Outline 6.00mm x 6.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 250gf Ingress Protection - Features	Actuator Orientation	Top Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force250gfIngress Protection-Features-	Termination Style	PC Pin
Illumination Type, Color-Illumination Voltage (Nominal)-Operating Force250gfIngress Protection-Features-	Outline	6.00mm x 6.00mm
Illumination Voltage (Nominal)-Operating Force250gfIngress Protection-Features-	Illumination	Non-Illuminated
Operating Force 250gf Ingress Protection - Features -	Illumination Type, Color	-
Ingress Protection - Features -	Illumination Voltage (Nominal)	-
Features -	Operating Force	250gf
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

TL1105SPF250Q Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TL1105SPF250Q Payment Methods


































If you have any question about TL1105SPF250Q, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com