



TL1105VF100Q Information



For Reference Only

Part Number TL1105VF100Q

Manufacturer E-Switch **Category** Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.05A 12V

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TL1105VF100Q Specifications

Manufacturer Part Number TL1105VF100Q Manufacturer E-Switch Category Switches Package - Series TL1105 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 3.85mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 7.10mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100gf Ingress Protection - Features -		
CategorySwitchesPackage-SeriesTL1105CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeThrough Hole, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle3.85mmActuator OrientationSide ActuatedTermination StylePC PinOutline7.10mm x 7.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force100gfIngress Protection-Features-	Manufacturer Part Number	TL1105VF100Q
Package - Series TL1105 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Through Hole, Right Angle - Actuator Height off PCB, Vertical - Actuator Length, Right Angle 3.85mm Actuator Length, Right Angle 3.85mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 7.10mm x 7.00mm Illumination Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100gf Ingress Protection - Features - Illumination - Illumination - Inference	Manufacturer	E-Switch
Package - Series TL1105 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 3.85mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 7.10mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100gf Ingress Protection - Features -	Category	Switches
Series TL1105 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 3.85mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 7.10mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100gf Ingress Protection - Features -		Tactile Switches
CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypeStandardMounting TypeThrough Hole, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle3.85mmActuator OrientationSide ActuatedTermination StylePC PinOutline7.10mm x 7.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force100gfIngress Protection-Features-	Package	-
Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical Actuator Length, Right Angle 3.85mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 7.10mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force 100gf Ingress Protection Features Features Off-Mom Onf-Mom Ontact Rating @ Voltage (Nominal) Onf-Mom Standard Off-Mom Onf-Illom Standard Onf-Mom Onf-Illom Style Onf-Mom On	Series	TL1105
Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Standard Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 3.85mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 7.10mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100gf Ingress Protection - Features -	Circuit	SPST-NO
Actuator Type Standard Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Side Actuated Termination Style Outline 7.10mm x 7.00mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Standard Angle - 100gh Standard Ihrough Hole, Right Angle - Non-Illumination Side Actuated PC Pin 7.10mm x 7.00mm Non-Illuminated Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force I00gf Ingress Protection - Features	Switch Function	Off-Mom
Mounting TypeThrough Hole, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle3.85mmActuator OrientationSide ActuatedTermination StylePC PinOutline7.10mm x 7.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force100gfIngress Protection-Features-	Contact Rating @ Voltage	0.05A @ 12VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle 3.85mm Actuator Orientation Side Actuated PC Pin Outline 7.10mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features - Actuator PCB, Vertical - 3.85mm Side Actuated PC Pin 7.10mm x 7.00mm 7.10mm x 7.00mm 10mm x 7.0mm 10mm x 7.0m	Actuator Type	Standard
Actuator Length, Right Angle Actuator Orientation Side Actuated PC Pin Outline 7.10mm x 7.00mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features 3.85mm Side Actuated PC Pin 7.10mm x 7.00mm Non-Illuminated	Mounting Type	Through Hole, Right Angle
Actuator Orientation Side Actuated PC Pin Outline 7.10mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features Side Actuated PC Pin 7.10mm x 7.00mm 7.10mm x 7.00mm 100mm x 7.00m	Actuator Height off PCB, Vertical	-
Termination Style PC Pin Outline 7.10mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100gf Ingress Protection - Features -	Actuator Length, Right Angle	3.85mm
Outline 7.10mm x 7.00mm Illumination Non-Illuminated - Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 100gf Ingress Protection - Features	Actuator Orientation	Side Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force100gfIngress Protection-Features-	Termination Style	PC Pin
Illumination Type, Color-Illumination Voltage (Nominal)-Operating Force100gfIngress Protection-Features-	Outline	7.10mm x 7.00mm
Illumination Voltage (Nominal)-Operating Force100gfIngress Protection-Features-	Illumination	Non-Illuminated
Operating Force 100gf Ingress Protection - Features -	Illumination Type, Color	-
Ingress Protection Features	Illumination Voltage (Nominal)	-
Features -	Operating Force	100gf
	Ingress Protection	-
Report errors?	Features	-
		Report errors?

TL1105VF100Q Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TL1105VF100Q Payment Methods



















TL1105VF100Q Shipping Methods













If you have any question about TL1105VF100Q, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com