



TL1250F280ARN Information

Part Number TL1250F280ARN

Manufacturer E-Switch Category Switches

Tactile Switches

Description SWITCH TACTILE SPST-NO 0.05A 12V

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TL1250F280ARN Specifications

Manufacturer Part Number TL1250F280ARN Manufacturer E-Switch Category Switches Package - Series TL1250 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 6.40mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 8.30mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 280gf Ingress Protection - Features Tactile Feedback		
CategorySwitchesPackage-SeriesTL1250CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypePlunger for CapMounting TypeThrough Hole, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle6.40mmActuator OrientationSide ActuatedTermination StylePC PinOutline8.30mm x 7.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force280gfIngress Protection-FeaturesTactile Feedback	Manufacturer Part Number	TL1250F280ARN
Package - Series TL1250 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole, Right Angle - Actuator Height off PCB, Vertical - Actuator Length, Right Angle 6.40mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 8.30mm x 7.00mm Illumination Type, Color Illumination Type, Color Illumination Voltage (Nominal) - Operating Force 280gf Ingress Protection - Features Tarcille Feedback	Manufacturer	E-Switch
Package - Series TL1250 Circuit SPST-NO Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 6.40mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 8.30mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 280gf Ingress Protection - Features Tactile Feedback	Category	Switches
SeriesTL1250CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypePlunger for CapMounting TypeThrough Hole, Right AngleActuator Length, Right Angle6.40mmActuator OrientationSide ActuatedTermination StylePC PinOutline8.30mm x 7.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force280gfIngress Protection-FeaturesTactile Feedback		Tactile Switches
CircuitSPST-NOSwitch FunctionOff-MomContact Rating @ Voltage0.05A @ 12VDCActuator TypePlunger for CapMounting TypeThrough Hole, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle6.40mmActuator OrientationSide ActuatedTermination StylePC PinOutline8.30mm x 7.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force280gfIngress Protection-FeaturesTactile Feedback	Package	-
Switch Function Off-Mom Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 6.40mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 8.30mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 280gf Ingress Protection - Features Tactile Feedback	Series	TL1250
Contact Rating @ Voltage 0.05A @ 12VDC Actuator Type Plunger for Cap Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical - Actuator Length, Right Angle 6.40mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 8.30mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 280gf Ingress Protection - Features Tactile Feedback	Circuit	SPST-NO
Actuator Type Plunger for Cap Mounting Type Through Hole, Right Angle Actuator Height off PCB, Vertical Actuator Length, Right Angle 6.40mm Actuator Orientation Side Actuated Termination Style PC Pin Outline 8.30mm x 7.00mm Illumination Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 280gf Ingress Protection - Features Tactile Feedback	Switch Function	Off-Mom
Mounting TypeThrough Hole, Right AngleActuator Height off PCB, Vertical-Actuator Length, Right Angle6.40mmActuator OrientationSide ActuatedTermination StylePC PinOutline8.30mm x 7.00mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force280gfIngress Protection-FeaturesTactile Feedback	Contact Rating @ Voltage	0.05A @ 12VDC
Actuator Height off PCB, Vertical Actuator Length, Right Angle Actuator Orientation Side Actuated Termination Style PC Pin Outline 8.30mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color Illumination Voltage (Nominal) Operating Force 1. 280gf Ingress Protection Features Tactile Feedback	Actuator Type	Plunger for Cap
Actuator Length, Right Angle Actuator Orientation Side Actuated PC Pin Outline 8.30mm x 7.00mm Illumination Illumination Type, Color Illumination Voltage (Nominal) Operating Force Ingress Protection Features 6.40mm 6.	Mounting Type	Through Hole, Right Angle
Actuator Orientation Side Actuated PC Pin Outline 8.30mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color	Actuator Height off PCB, Vertical	-
Termination Style PC Pin Outline 8.30mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 280gf Ingress Protection - Features Tactile Feedback	Actuator Length, Right Angle	6.40mm
Outline 8.30mm x 7.00mm Illumination Non-Illuminated Illumination Type, Color - Illumination Voltage (Nominal) - Operating Force 280gf Ingress Protection - Features Tactile Feedback	Actuator Orientation	Side Actuated
IlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Operating Force280gfIngress Protection-FeaturesTactile Feedback	Termination Style	PC Pin
Illumination Type, Color-Illumination Voltage (Nominal)-Operating Force280gfIngress Protection-FeaturesTactile Feedback	Outline	8.30mm x 7.00mm
Illumination Voltage (Nominal)-Operating Force280gfIngress Protection-FeaturesTactile Feedback	Illumination	Non-Illuminated
Operating Force 280gf Ingress Protection - Features Tactile Feedback	Illumination Type, Color	-
Ingress Protection - Features Tactile Feedback	Illumination Voltage (Nominal)	-
Features Tactile Feedback	Operating Force	280gf
	Ingress Protection	-
Report errors?	Features	Tactile Feedback
		Report errors?

TL1250F280ARN Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TL1250F280ARN Payment Methods



















TL1250F280ARN Shipping Methods













If you have any question about TL1250F280ARN, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com