



### **TLHP5800 Information**



For Reference Only

Part Number TLHP5800

Manufacturer Vishay Semiconductor Opto Division

**Category** Optoelectronics

LED Indication - Discrete

**Description** LED GREEN CLEAR 5MM ROUND T/H

Package Radia

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **TLHP5800 Specifications**

Manufacturer Part NumberTLHP5800ManufacturerVishay Semiconductor Opto DivisionCategoryOptoelectronicsLED Indication - DiscretePackageRadialSeriesTLH.5800ColorGreenConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating85mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 5.50mmVoltage - Forward (Vf) (Typ)2.4VCurrent - Test20mAViewing Angle8°Mounting TypeThrough HoleWavelength - Dominant560nmWavelength - Peak555nm
Category  Doptoelectronics  LED Indication - Discrete  Package  Radial  Series  TLH.5800  Color  Green  Configuration  -  Lens Color  Colorless  Lens Transparency  Millicandela Rating  Lens Style/Size  Round with Domed Top, 5mm (T-1 3/4), 5.50mm  Voltage - Forward (Vf) (Typ)  2.4V  Current - Test  20mA  Viewing Angle  Mounting Type  Wavelength - Dominant  Wavelength - Peak  Dominant  Discrete  Radial  Radial  Radial  Seen  Color  Color  Colorless  Lens Transparency  Clear  Millicandela Rating  85mcd  Lens Style/Size  Round with Domed Top, 5mm (T-1 3/4), 5.50mm  Though Hole  Wavelength - Peak  555nm
LED Indication - Discrete  Package Radial  Series TLH.5800  Color Green  Configuration - Colorless  Lens Color Colorless  Lens Transparency Clear  Millicandela Rating 85mcd  Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.50mm  Voltage - Forward (Vf) (Typ) 2.4V  Current - Test 20mA  Viewing Angle 8°  Mounting Type Through Hole  Wavelength - Dominant 560nm  Wavelength - Peak 555nm
Package Radial Series TLH.5800  Color Green  Configuration - Lens Color Colorless  Lens Transparency Clear  Millicandela Rating 85mcd  Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.50mm  Voltage - Forward (Vf) (Typ) 2.4V  Current - Test 20mA  Viewing Angle 8°  Mounting Type Through Hole  Wavelength - Dominant 560nm  Wavelength - Peak 555nm
Series TLH.5800  Color Green  Configuration -  Lens Color Colorless  Lens Transparency Clear  Millicandela Rating 85mcd  Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.50mm  Voltage - Forward (Vf) (Typ) 2.4V  Current - Test 20mA  Viewing Angle 8°  Mounting Type Through Hole  Wavelength - Dominant 560nm  Wavelength - Peak 555nm
Color Configuration
Configuration  Lens Color  Colorless  Lens Transparency  Clear  Millicandela Rating  S5mcd  Lens Style/Size  Round with Domed Top, 5mm (T-1 3/4), 5.50mm  Voltage - Forward (Vf) (Typ)  2.4V  Current - Test  20mA  Viewing Angle  Mounting Type  Through Hole  Wavelength - Dominant  560nm  Wavelength - Peak  555nm
Lens ColorColorlessLens TransparencyClearMillicandela Rating85mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 5.50mmVoltage - Forward (Vf) (Typ)2.4VCurrent - Test20mAViewing Angle8°Mounting TypeThrough HoleWavelength - Dominant560nmWavelength - Peak555nm
Lens TransparencyClearMillicandela Rating85mcdLens Style/SizeRound with Domed Top, 5mm (T-1 3/4), 5.50mmVoltage - Forward (Vf) (Typ)2.4VCurrent - Test20mAViewing Angle8°Mounting TypeThrough HoleWavelength - Dominant560nmWavelength - Peak555nm
Millicandela Rating  Lens Style/Size  Round with Domed Top, 5mm (T-1 3/4), 5.50mm  Voltage - Forward (Vf) (Typ)  2.4V  Current - Test  20mA  Viewing Angle  Mounting Type  Through Hole  Wavelength - Dominant  560nm  Wavelength - Peak  555nm
Lens Style/Size Round with Domed Top, 5mm (T-1 3/4), 5.50mm  Voltage - Forward (Vf) (Typ) 2.4V  Current - Test 20mA  Viewing Angle 8°  Mounting Type Through Hole  Wavelength - Dominant 560nm  Wavelength - Peak 555nm
Voltage - Forward (Vf) (Typ)  Current - Test  20mA  Viewing Angle  Mounting Type  Through Hole  Wavelength - Dominant  560nm  Wavelength - Peak  555nm
Current - Test 20mA  Viewing Angle 8°  Mounting Type Through Hole  Wavelength - Dominant 560nm  Wavelength - Peak 555nm
Viewing Angle8°Mounting TypeThrough HoleWavelength - Dominant560nmWavelength - Peak555nm
Mounting Type Through Hole  Wavelength - Dominant 560nm  Wavelength - Peak 555nm
Wavelength - Dominant 560nm  Wavelength - Peak 555nm
Wavelength - Peak 555nm
Features -
Package / Case Radial
Supplier Device Package T-1 3/4
Size / Dimension -
Height (Max) 13.00mm
Report error

#### **TLHP5800 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **TLHP5800 Payment Methods**



















### **TLHP5800 Shipping Methods**













If you have any question about TLHP5800, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com