



TPS2216ADBRG4 Information



For Reference Only

Part Number TPS2216ADBRG4

Manufacturer Texas Instruments

Category Integrated Circuits (ICs)

PMIC - Power Distribution Switches, Load Drivers

Description IC DUAL PCMCIA PWR SW 30-SSOP **Package** 30-SSOP (0.209", 5.30mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TPS2216ADBRG4 Specifications

Manufacturer Part Number TPS2216ADBRG4 Manufacturer Texas Instruments Category Integrated Circuits (ICs) Package 30-SSOP (0.209", 5.30mm Width) Series - Switch Type PCMCIA Switch Number of Outputs 4 Ratio - Input:Output 1:1 Output Configuration High Side Output Type - Interface Serial Voltage - Load 3.3V, 5V, 12V Voltage - Supply (Vcc/Vdd) Not Required Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 10-SSOP		
Category Integrated Circuits (ICs) PMIC - Power Distribution Switches, Load Drivers Package 30-SSOP (0.209", 5.30mm Width) Series - Switch Type PCMCIA Switch Number of Outputs 4 Ratio - Input:Output 1:1 Output Configuration High Side Output Type - Interface Serial Voltage - Load 3.3V, 5V, 12V Voltage - Supply (Vcc/Vdd) Not Required Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width)	Manufacturer Part Number	TPS2216ADBRG4
PMIC - Power Distribution Switches, Load Drivers Package 30-SSOP (0.209", 5.30mm Width) Series - Switch Type PCMCIA Switch Number of Outputs 4 Ratio - Input:Output 1:1 Output Configuration High Side Output Type - Interface Serial Voltage - Load 3.3V, 5V, 12V Voltage - Supply (Vcc/Vdd) Not Required Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP	Manufacturer	Texas Instruments
Package 30-SSOP (0.209", 5.30mm Width) Series - Switch Type PCMCIA Switch Number of Outputs 4 Ratio - Input:Output 1:1 Output Configuration High Side Output Type - Interface Serial Voltage - Load 3.3V, 5V, 12V Voltage - Supply (Vcc/Vdd) Not Required Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP	Category	Integrated Circuits (ICs)
Series - Switch Type PCMCIA Switch Number of Outputs 4 Ratio - Input:Output 1:1 Output Configuration High Side Output Type - Interface Serial Voltage - Load 3.3V, 5V, 12V Voltage - Supply (Vcc/Vdd) Not Required Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP		PMIC - Power Distribution Switches, Load Drivers
Switch Type PCMCIA Switch Number of Outputs 4 Ratio - Input:Output 1:1 Output Configuration High Side Output Type - Interface Serial Voltage - Load 3.3V, 5V, 12V Voltage - Supply (Vcc/Vdd) Not Required Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP	Package	30-SSOP (0.209", 5.30mm Width)
Number of Outputs4Ratio - Input:Output1:1Output ConfigurationHigh SideOutput Type-InterfaceSerialVoltage - Load3.3V, 5V, 12VVoltage - Supply (Vcc/Vdd)Not RequiredCurrent - Output (Max)750mARds On (Typ)140 mOhmInput Type-FeaturesStatus FlagFault ProtectionCurrent Limiting (Fixed), Over TemperatureOperating Temperature-40°C ~ 70°C (TA)Package / Case30-SSOP (0.209", 5.30mm Width)Supplier Device Package30-SSOP	Series	-
Ratio - Input:Output1:1Output ConfigurationHigh SideOutput Type-InterfaceSerialVoltage - Load3.3V, 5V, 12VVoltage - Supply (Vcc/Vdd)Not RequiredCurrent - Output (Max)750mARds On (Typ)140 mOhmInput Type-FeaturesStatus FlagFault ProtectionCurrent Limiting (Fixed), Over TemperatureOperating Temperature-40°C ~ 70°C (TA)Package / Case30-SSOP (0.209", 5.30mm Width)Supplier Device Package30-SSOP	Switch Type	PCMCIA Switch
Output Configuration Output Type - Interface Serial Voltage - Load 3.3V, 5V, 12V Voltage - Supply (Vcc/Vdd) Not Required Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package	Number of Outputs	4
Output Type Interface Serial Voltage - Load 3.3V, 5V, 12V Voltage - Supply (Vcc/Vdd) Not Required Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package	Ratio - Input:Output	1:1
Interface Serial Voltage - Load 3.3V, 5V, 12V Voltage - Supply (Vcc/Vdd) Not Required Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP	Output Configuration	High Side
Voltage - Load 3.3V, 5V, 12V Voltage - Supply (Vcc/Vdd) Not Required Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package	Output Type	-
Voltage - Supply (Vcc/Vdd) Current - Output (Max) 750mA Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package	Interface	Serial
Current - Output (Max) Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package	Voltage - Load	3.3V, 5V, 12V
Rds On (Typ) 140 mOhm Input Type - Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP	Voltage - Supply (Vcc/Vdd)	Not Required
Input Type - Status Flag Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP	Current - Output (Max)	750mA
Features Status Flag Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP	Rds On (Typ)	140 mOhm
Fault Protection Current Limiting (Fixed), Over Temperature Operating Temperature $-40^{\circ}\text{C} \sim 70^{\circ}\text{C}$ (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP	Input Type	-
Operating Temperature -40°C ~ 70°C (TA) Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP	Features	Status Flag
Package / Case 30-SSOP (0.209", 5.30mm Width) Supplier Device Package 30-SSOP	Fault Protection	Current Limiting (Fixed), Over Temperature
Supplier Device Package 30-SSOP	Operating Temperature	-40°C ~ 70°C (TA)
	Package / Case	30-SSOP (0.209", 5.30mm Width)
Report errors?	Supplier Device Package	30-SSOP
		Report errors?

TPS2216ADBRG4 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TPS2216ADBRG4 Payment Methods





















TPS2216ADBRG4 Shipping Methods













If you have any question about TPS2216ADBRG4, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com