

TSC-124L3,000 Information



For Reference Only

Part Number TSC-124L3,000

Manufacturer TE Connectivity Potter & Brumfield Relays

Category Relays

Signal Relays, Up to 2 Amps

Description RELAY TELECOM SPDT 1A 24V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









TSC-124L3,000 Specifications

Manufacturer Part Number Manufacturer TE Connectivity Potter & Brumfield Relays Category Relays Signal Relays, Up to 2 Amps Package - Series TSC, OEG Relay Type Telecom Coil Type Non Latching Coil Current 6.3mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 1A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) Turn Off Voltage (Min) 1.2 VDC		
CategoryRelaysPackage-SeriesTSC, OEGRelay TypeTelecomCoil TypeNon LatchingCoil Current6.3mACoil Voltage24VDCContact FormSPDT (1 Form C)Contact Rating (Current)1ASwitching Voltage120VAC, 30VDC - MaxTurn On Voltage (Max)18 VDCTurn Off Voltage (Min)1.2 VDC	Manufacturer Part Number	TSC-124L3,000
Package - Series TSC, OEG Relay Type Telecom Coil Type Non Latching Coil Current 6.3mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) Switching Voltage (Max) Turn Off Voltage (Min) Signal Relays, Up to 2 Amps - Signal Relays, Up to 2 Amps - Signal Relays, Up to 2 Amps - Signal Relays, Up to 2 Amps - Substicle Amps - Telecom - SPD (As an Assume	Manufacturer	TE Connectivity Potter & Brumfield Relays
Package - TSC, OEG Relay Type Telecom Coil Type Non Latching Coil Current 6.3mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 1A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 1.2 VDC	Category	Relays
Series TSC, OEG Relay Type Telecom Coil Type Non Latching Coil Current 6.3mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 1A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 1.2 VDC		Signal Relays, Up to 2 Amps
Relay TypeTelecomCoil TypeNon LatchingCoil Current6.3mACoil Voltage24VDCContact FormSPDT (1 Form C)Contact Rating (Current)1ASwitching Voltage120VAC, 30VDC - MaxTurn On Voltage (Max)18 VDCTurn Off Voltage (Min)1.2 VDC	Package	-
Coil Type Non Latching Coil Current 6.3mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 1A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 1.2 VDC	Series	TSC, OEG
Coil Current 6.3mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 1A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 1.2 VDC	Relay Type	Telecom
Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 1A Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 1.2 VDC	Coil Type	Non Latching
Contact Form SPDT (1 Form C) Contact Rating (Current) Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 1.2 VDC	Coil Current	6.3mA
Contact Rating (Current) Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 1.2 VDC	Coil Voltage	24VDC
Switching Voltage 120VAC, 30VDC - Max Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 1.2 VDC	Contact Form	SPDT (1 Form C)
Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 1.2 VDC	Contact Rating (Current)	1A
Turn Off Voltage (Min) 1.2 VDC	Switching Voltage	120VAC, 30VDC - Max
	Turn On Voltage (Max)	18 VDC
	Turn Off Voltage (Min)	1.2 VDC
Operate Time 5ms	Operate Time	5ms
Release Time 5ms	Release Time	5ms
Features Sealed - Flux Protection	Features	Sealed - Flux Protection
Mounting Type Through Hole	Mounting Type	Through Hole
Termination Style PC Pin	Termination Style	PC Pin
Report errors?		Report errors?

TSC-124L3,000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

TSC-124L3,000 Payment Methods



















TSC-124L3,000 Shipping Methods













If you have any question about TSC-124L3,000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com