



### **TSX922IYST Information**



For Reference Only

Part Number TSX922IYST

Manufacturer STMicroelectronics

Category Integrated Circuits (ICs)

Linear - Amplifiers - Instrumentation, OP Amps,

**Buffer Amps** 

**Description**IC OPAMP R-R CMOS 10MHZ MINI-SO8**Package**8-TSSOP, 8-MSOP (0.118", 3.00mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **TSX922IYST Specifications**

Manufacturer Part Number       TSX922IYST         Manufacturer       STMicroelectronics         Category       Integrated Circuits (ICs)         Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps         Package       8-TSSOP, 8-MSOP (0.118", 3.00mm Width)         Series       -         Amplifier Type       General Purpose         Number of Circuits       2         Output Type       Rail-to-Rail         Slew Rate       17 V/μs         Gain Bandwidth Product       10MHz         -3db Bandwidth       -         Current - Input Bias       10pA         Voltage - Input Offset       4mV         Current - Supply       2.8mA         Current - Output / Channel       74mA         Voltage - Supply, Single/Dual (±)       4 V ~ 16 V         Operating Temperature       -40°C ~ 125°C         Mounting Type       Surface Mount         Package / Case       8-TSSOP, 8-MSOP (0.118", 3.00mm Width)         Supplier Device Package       8-MiniSO		
CategoryIntegrated Circuits (ICs)Linear - Amplifiers - Instrumentation, OP Amps, Buffer AmpsPackage8-TSSOP, 8-MSOP (0.118", 3.00mm Width)Series-Amplifier TypeGeneral PurposeNumber of Circuits2Output TypeRail-to-RailSlew Rate17 V/μsGain Bandwidth Product10MHz-3db Bandwidth-Current - Input Bias10pAVoltage - Input Offset4mVCurrent - Output / Channel74mAVoltage - Supply, Single/Dual (±)4 V ~ 16 VOperating Temperature-40°C ~ 125°CMounting TypeSurface MountPackage / Case8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Manufacturer Part Number	TSX922IYST
Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps   Package	Manufacturer	STMicroelectronics
Package 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)  Series - Amplifier Type General Purpose  Number of Circuits 2 Output Type Rail-to-Rail  Slew Rate 17 V/µs  Gain Bandwidth Product 10MHz  -3db Bandwidth - Current - Input Bias 10pA  Voltage - Input Offset 4mV  Current - Supply 2.8mA  Current - Output / Channel 74mA  Voltage - Supply, Single/Dual (±) 4 V ~ 16 V  Operating Temperature -40°C ~ 125°C  Mounting Type Surface Mount  Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Category	Integrated Circuits (ICs)
Series         -           Amplifier Type         General Purpose           Number of Circuits         2           Output Type         Rail-to-Rail           Slew Rate         17 V/µs           Gain Bandwidth Product         10MHz           -3db Bandwidth         -           Current - Input Bias         10pA           Voltage - Input Offset         4mV           Current - Supply         2.8mA           Current - Output / Channel         74mA           Voltage - Supply, Single/Dual (±)         4 V ~ 16 V           Operating Temperature         -40°C ~ 125°C           Mounting Type         Surface Mount           Package / Case         8-TSSOP, 8-MSOP (0.118", 3.00mm Width)		Linear - Amplifiers - Instrumentation, OP Amps, Buffer Amps
Amplifier TypeGeneral PurposeNumber of Circuits2Output TypeRail-to-RailSlew Rate17 V/μsGain Bandwidth Product10MHz-3db Bandwidth-Current - Input Bias10pAVoltage - Input Offset4mVCurrent - Supply2.8mACurrent - Output / Channel74mAVoltage - Supply, Single/Dual (±)4 V ~ 16 VOperating Temperature-40°C ~ 125°CMounting TypeSurface MountPackage / Case8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Package	8-TSSOP, 8-MSOP (0.118", 3.00mm Width)
Number of Circuits         2           Output Type         Rail-to-Rail           Slew Rate         17 V/μs           Gain Bandwidth Product         10MHz           -3db Bandwidth         -           Current - Input Bias         10pA           Voltage - Input Offset         4mV           Current - Supply         2.8mA           Current - Output / Channel         74mA           Voltage - Supply, Single/Dual (±)         4 V ~ 16 V           Operating Temperature         -40°C ~ 125°C           Mounting Type         Surface Mount           Package / Case         8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Series	-
Output Type Rail-to-Rail Slew Rate 17 V/ $\mu$ s  Gain Bandwidth Product 10MHz  -3db Bandwidth - Current - Input Bias 10pA  Voltage - Input Offset 4mV  Current - Supply 2.8mA  Current - Output / Channel 74mA  Voltage - Supply, Single/Dual ( $\pm$ ) 4 V ~ 16 V  Operating Temperature -40°C ~ 125°C  Mounting Type Surface Mount  Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Amplifier Type	General Purpose
Slew Rate 17 V/µs  Gain Bandwidth Product 10MHz  -3db Bandwidth -  Current - Input Bias 10pA  Voltage - Input Offset 4mV  Current - Supply 2.8mA  Current - Output / Channel 74mA  Voltage - Supply, Single/Dual (±) 4 V ~ 16 V  Operating Temperature -40°C ~ 125°C  Mounting Type Surface Mount  Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Number of Circuits	2
Gain Bandwidth Product  -3db Bandwidth  - Current - Input Bias  10pA  Voltage - Input Offset  4mV  Current - Supply  2.8mA  Current - Output / Channel  74mA  Voltage - Supply, Single/Dual (±)  4 V ~ 16 V  Operating Temperature  -40°C ~ 125°C  Mounting Type  Surface Mount  Package / Case  8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Output Type	Rail-to-Rail
-3db Bandwidth  Current - Input Bias  10pA  Voltage - Input Offset  4mV  Current - Supply  2.8mA  Current - Output / Channel  Voltage - Supply, Single/Dual (±)  4 V ~ 16 V  Operating Temperature  -40°C ~ 125°C  Mounting Type  Surface Mount  Package / Case  8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Slew Rate	17 V/μs
Current - Input Bias $10pA$ Voltage - Input Offset $4mV$ Current - Supply $2.8mA$ Current - Output / Channel $74mA$ Voltage - Supply, Single/Dual ( $\pm$ ) $4 V \sim 16 V$ Operating Temperature $-40^{\circ}C \sim 125^{\circ}C$ Mounting TypeSurface MountPackage / Case $8-TSSOP$ , $8-MSOP$ ( $0.118$ ", $3.00mm$ Width)	Gain Bandwidth Product	10MHz
Voltage - Input Offset	-3db Bandwidth	-
Current - Supply 2.8mA  Current - Output / Channel 74mA  Voltage - Supply, Single/Dual ( $\pm$ ) 4 V ~ 16 V  Operating Temperature -40°C ~ 125°C  Mounting Type Surface Mount  Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Current - Input Bias	10pA
Current - Output / Channel 74mA  Voltage - Supply, Single/Dual ( $\pm$ ) 4 V ~ 16 V  Operating Temperature -40°C ~ 125°C  Mounting Type Surface Mount  Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Voltage - Input Offset	4mV
Voltage - Supply, Single/Dual ( $\pm$ ) 4 V ~ 16 V Operating Temperature -40°C ~ 125°C Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Current - Supply	2.8mA
Operating Temperature  -40°C ~ 125°C  Mounting Type  Surface Mount  Package / Case  8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Current - Output / Channel	74mA
Mounting Type Surface Mount Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Voltage - Supply, Single/Dual (±)	4 V ~ 16 V
Package / Case 8-TSSOP, 8-MSOP (0.118", 3.00mm Width)	Operating Temperature	-40°C ~ 125°C
-	Mounting Type	Surface Mount
Supplier Device Package 8-MiniSO	Package / Case	8-TSSOP, 8-MSOP (0.118", 3.00mm Width)
	Supplier Device Package	8-MiniSO
Report errors		Report errors?

### **TSX922IYST Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **TSX922IYST Payment Methods**



















### **TSX922IYST Shipping Methods**













If you have any question about TSX922IYST, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com