



UPJ1J390MED Information



For Reference Only

Part Number UPJ1J390MED

Manufacturer Nichicon
Category Capacitors

Aluminum Electrolytic Capacitors

Description CAP ALUM 39UF 20% 63V RADIAL

Package Radial, Car

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









UPJ1J390MED Specifications

Manufacturer Part NumberUPJ1J390MEDManufacturerNichiconCategoryCapacitorsAluminum Electrolytic CapacitorsPackageRadial, CanSeriesUPJCapacitance39μFTolerance±20%Voltage - Rated63VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 105°COperating Temperature-55°C ~ 105°CPolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency190mA @ 120HzRipple Current - High Frequency330mA @ 10kHzImpedance450 mOhms
Category Capacitors Aluminum Electrolytic Capacitors Package Radial, Can Series UPJ Capacitance 39µF Tolerance ±20% Voltage - Rated 63V ESR (Equivalent Series Resistance) Lifetime @ Temp. Operating Temperature -55°C ~ 105°C Polarization Applications Ripple Current - Low Frequency Ripple Current - High Frequency Cupacitors Aluminum Electrolytic Capacitors Radial, Can UPJ -2000 -20
Aluminum Electrolytic Capacitors Package Radial, Can Series UPJ Capacitance 39μF Tolerance ±20% Voltage - Rated 63V ESR (Equivalent Series Resistance) - Lifetime @ Temp. 2000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C Polarization Applications Ripple Current - Low Frequency Ripple Current - High Frequency 330mA @ 10kHz
PackageRadial, CanSeriesUPJCapacitance39μFTolerance±20%Voltage - Rated63VESR (Equivalent Series Resistance)-Lifetime @ Temp.2000 Hrs @ 105°COperating Temperature-55°C ~ 105°CPolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency190mA @ 120HzRipple Current - High Frequency330mA @ 10kHz
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Capacitance $39\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $63V$ ESR (Equivalent Series Resistance) - Lifetime @ Temp. $2000 \text{ Hrs } @ 105^{\circ}C$ Operating Temperature $-55^{\circ}C \sim 105^{\circ}C$ Polarization Polar Applications General Purpose Ripple Current - Low Frequency $190\text{mA} @ 120\text{Hz}$ Ripple Current - High Frequency $330\text{mA} @ 10\text{kHz}$
Tolerance ±20% Voltage - Rated 63V ESR (Equivalent Series Resistance) - Lifetime @ Temp. 2000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C Polarization Polar Applications General Purpose Ripple Current - Low Frequency 190mA @ 120Hz Ripple Current - High Frequency 330mA @ 10kHz
Voltage - Rated ESR (Equivalent Series Resistance) Lifetime @ Temp. 2000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C Polarization Applications General Purpose Ripple Current - Low Frequency Ripple Current - High Frequency 330mA @ 10kHz
ESR (Equivalent Series Resistance) Lifetime @ Temp. 2000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C Polarization Applications General Purpose Ripple Current - Low Frequency Ripple Current - High Frequency 330mA @ 10kHz
Lifetime @ Temp. 2000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C Polarization Polar Applications General Purpose Ripple Current - Low Frequency 190mA @ 120Hz Ripple Current - High Frequency 330mA @ 10kHz
Operating Temperature -55°C ~ 105°C Polarization Applications General Purpose Ripple Current - Low Frequency Ripple Current - High Frequency 330mA @ 10kHz
Polarization Polar Applications General Purpose Ripple Current - Low Frequency 190mA @ 120Hz Ripple Current - High Frequency 330mA @ 10kHz
Applications General Purpose Ripple Current - Low Frequency 190mA @ 120Hz Ripple Current - High Frequency 330mA @ 10kHz
Ripple Current - Low Frequency Ripple Current - High Frequency 190mA @ 120Hz 330mA @ 10kHz
Ripple Current - High Frequency 330mA @ 10kHz
Impedance 450 mOhms
Lead Spacing 0.098" (2.50mm)
Size / Dimension 0.248" Dia (6.30mm)
Height - Seated (Max) 0.630" (16.00mm)
Surface Mount Land Size -
Mounting Type Through Hole
Package / Case Radial, Can
Report errors?

UPJ1J390MED Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

UPJ1J390MED Payment Methods



















UPJ1J390MED Shipping Methods













If you have any question about UPJ1J390MED, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com