



UR1113F-TR Information

Heisener.com

Part NumberUR1113F-TRManufacturerStanley Electric CoCategoryOptoelectronics

LED Indication - Discrete

Description LED RED DIFFUSED SMD

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









UR1113F-TR Specifications

| Manufacturer Part Number UR1113F-TR Manufacturer Stanley Electric Co Category Optoelectronics LED Indication - Discrete Package - Series 1113F Color Red Configuration - Lens Color White Lens Transparency Diffused Millicandela Rating 100mcd Lens Style/Size Rectangle with Domed Top, 1.70mm x 0.60mm Voltage - Forward (Vf) (Typ) 2.2V Current - Test 20mA Viewing Angle 146°, 154° Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case - Supplier Device Package - | OKITIST - IK Specifications | |
|--|------------------------------|---|
| Category Optoelectronics Package - Series 1113F Color Red Configuration - Lens Color White Lens Transparency Diffused Millicandela Rating 100mcd Lens Style/Size Rectangle with Domed Top, 1.70mm x 0.60mm Voltage - Forward (Vf) (Typ) 2.2V Current - Test 20mA Viewing Angle 146°, 154° Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case - Supplier Device Package - | Manufacturer Part Number | UR1113F-TR |
| Package - Series 1113F Color Red Configuration - Lens Color White Lens Transparency Diffused Millicandela Rating 100mcd Lens Style/Size Rectangle with Domed Top, 1.70mm x 0.60mm Voltage - Forward (Vf) (Typ) 2.2V Current - Test 20mA Viewing Angle 146°, 154° Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case - Supplier Device Package - | Manufacturer | Stanley Electric Co |
| Package - Series 1113F Color Red Configuration - Lens Color White Lens Transparency Diffused Millicandela Rating 100mcd Lens Style/Size Rectangle with Domed Top, 1.70mm x 0.60mm Voltage - Forward (Vf) (Typ) 2.2V Current - Test 20mA Viewing Angle 146°, 154° Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case - Supplier Device Package - | Category | Optoelectronics |
| Series 1113F Color Red Configuration - Lens Color White Lens Transparency Diffused Millicandela Rating 100mcd Lens Style/Size Rectangle with Domed Top, 1.70mm x 0.60mm Voltage - Forward (Vf) (Typ) 2.2V Current - Test 20mA Viewing Angle 146°, 154° Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case - Supplier Device Package - | | LED Indication - Discrete |
| Color Configuration | Package | - |
| Configuration - Lens Color White Lens Transparency Diffused Millicandela Rating 100mcd Lens Style/Size Rectangle with Domed Top, 1.70mm x 0.60mm Voltage - Forward (Vf) (Typ) 2.2V Current - Test 20mA Viewing Angle 146°, 154° Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case - Supplier Device Package - | Series | 1113F |
| Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating100mcdLens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmVoltage - Forward (Vf) (Typ)2.2VCurrent - Test20mAViewing Angle146°, 154°Mounting Type-Wavelength - Dominant630nmWavelength - Peak641nmFeatures-Package / Case-Supplier Device Package- | Color | Red |
| Lens Transparency Millicandela Rating 100mcd Lens Style/Size Rectangle with Domed Top, 1.70mm x 0.60mm Voltage - Forward (Vf) (Typ) 2.2V Current - Test 20mA Viewing Angle 146°, 154° Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case Supplier Device Package - | Configuration | - |
| Millicandela Rating Lens Style/Size Rectangle with Domed Top, 1.70mm x 0.60mm Voltage - Forward (Vf) (Typ) 2.2V Current - Test 20mA Viewing Angle 146°, 154° Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case Supplier Device Package - | Lens Color | White |
| Lens Style/SizeRectangle with Domed Top, 1.70mm x 0.60mmVoltage - Forward (Vf) (Typ)2.2VCurrent - Test20mAViewing Angle146°, 154°Mounting Type-Wavelength - Dominant630nmWavelength - Peak641nmFeatures-Package / Case-Supplier Device Package- | Lens Transparency | Diffused |
| Voltage - Forward (Vf) (Typ) Current - Test 20mA Viewing Angle 146°, 154° Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case Supplier Device Package - | Millicandela Rating | 100mcd |
| Current - Test 20mA Viewing Angle 146°, 154° Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case - Supplier Device Package - | Lens Style/Size | Rectangle with Domed Top, 1.70mm x 0.60mm |
| Viewing Angle 146° , 154° Mounting Type-Wavelength - Dominant 630 nmWavelength - Peak 641 nmFeatures-Package / Case-Supplier Device Package- | Voltage - Forward (Vf) (Typ) | 2.2V |
| Mounting Type - Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case - Supplier Device Package | Current - Test | 20mA |
| Wavelength - Dominant 630nm Wavelength - Peak 641nm Features - Package / Case - Supplier Device Package - | Viewing Angle | 146°, 154° |
| Wavelength - Peak 641nm Features - Package / Case - Supplier Device Package - | Mounting Type | - |
| Features - Package / Case - Supplier Device Package - | Wavelength - Dominant | 630nm |
| Package / Case - Supplier Device Package - | Wavelength - Peak | 641nm |
| Supplier Device Package - | Features | - |
| | Package / Case | - |
| | Supplier Device Package | - |
| Size / Dimension - | Size / Dimension | - |
| Height (Max) | Height (Max) | - |
| Report errors? | | Report errors? |

UR1113F-TR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

UR1113F-TR Payment Methods



















UR1113F-TR Shipping Methods













If you have any question about UR1113F-TR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com