

Heisener.com

URZA50VG272T25X92AZ4V

URZA50VG272T25X92AZ4V Information

Part Number URZA50VG272T25X92AZ4V

Manufacturer United Chemi-Con

Category Capacitors

Aluminum Electrolytic Capacitors

Description CAP ALUM 2700UF 50V RADIAL

Package Radial, Can

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









URZA50VG272T25X92AZ4V Specifications

Manufacturer Part NumberURZA50VG272T25X92AZ4VManufacturerUnited Chemi-ConCategoryCapacitorsPackageRadial, CanSeries-Capacitance2700µFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.5000 Hrs @ 105°COperating Temperature-55°C ~ 105°CPolarization-ApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing-Size / Dimension-Height - Seated (Max)-Surface Mount Land Size-		
CategoryCapacitorsPackageRadial, CanSeries-Capacitance2700μFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.5000 Hrs @ 105°COperating Temperature-55°C ~ 105°CPolarization-ApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing-Size / Dimension-Height - Seated (Max)-	Manufacturer Part Number	URZA50VG272T25X92AZ4V
PackageRadial, CanSeries-Capacitance2700μFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.5000 Hrs @ 105°COperating Temperature-55°C ~ 105°CPolarization-ApplicationsGeneral PurposeRipple Current - Low Frequency-Impedance-Lead Spacing-Size / Dimension-Height - Seated (Max)-	Manufacturer	United Chemi-Con
PackageRadial, CanSeries-Capacitance2700µFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.5000 Hrs @ 105°COperating Temperature-55°C ~ 105°CPolarization-ApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing-Size / Dimension-Height - Seated (Max)-	Category	Capacitors
Series-Capacitance2700μFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.5000 Hrs @ 105°COperating Temperature-55°C ~ 105°CPolarization-ApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing-Size / Dimension-Height - Seated (Max)-		Aluminum Electrolytic Capacitors
Capacitance2700µFTolerance-10%, +50%Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.5000 Hrs @ 105°COperating Temperature-55°C ~ 105°CPolarization-ApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing-Size / Dimension-Height - Seated (Max)-	Package	Radial, Can
Tolerance -10%, +50% Voltage - Rated 50V ESR (Equivalent Series Resistance) - Lifetime @ Temp. 5000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C Polarization - Applications General Purpose Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance - Lead Spacing - Size / Dimension - Height - Seated (Max) -	Series	-
Voltage - Rated50VESR (Equivalent Series Resistance)-Lifetime @ Temp.5000 Hrs @ 105°COperating Temperature-55°C ~ 105°CPolarization-ApplicationsGeneral PurposeRipple Current - Low Frequency-Ripple Current - High Frequency-Impedance-Lead Spacing-Size / Dimension-Height - Seated (Max)-	Capacitance	2700μF
ESR (Equivalent Series Resistance) Lifetime @ Temp. 5000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C Polarization Applications General Purpose Ripple Current - Low Frequency Ripple Current - High Frequency Impedance Lead Spacing Size / Dimension Height - Seated (Max) - - - - - - - - - - - - -	Tolerance	-10%, +50%
Lifetime @ Temp. 5000 Hrs @ 105°C Operating Temperature -55°C ~ 105°C Polarization - Applications General Purpose Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance - Lead Spacing - Size / Dimension - Height - Seated (Max) -	Voltage - Rated	50V
Operating Temperature -55°C ~ 105°C Polarization - Applications General Purpose Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance - Lead Spacing - Size / Dimension - Height - Seated (Max) -55°C ~ 105°C	ESR (Equivalent Series Resistance)	-
Polarization - General Purpose Ripple Current - Low Frequency Ripple Current - High Frequency Impedance Lead Spacing Size / Dimension Height - Seated (Max)	Lifetime @ Temp.	5000 Hrs @ 105°C
Applications General Purpose Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance - Lead Spacing - Size / Dimension - Height - Seated (Max)	Operating Temperature	-55°C ~ 105°C
Ripple Current - Low Frequency - Ripple Current - High Frequency - Impedance - Lead Spacing - Size / Dimension - Height - Seated (Max) -	Polarization	-
Ripple Current - High Frequency Impedance - Lead Spacing - Size / Dimension - Height - Seated (Max) -	Applications	General Purpose
Impedance-Lead Spacing-Size / Dimension-Height - Seated (Max)-	Ripple Current - Low Frequency	-
Lead Spacing-Size / Dimension-Height - Seated (Max)-	Ripple Current - High Frequency	-
Size / Dimension - Height - Seated (Max) -	Impedance	-
Height - Seated (Max)	Lead Spacing	-
	Size / Dimension	-
Surface Mount Land Size -	Height - Seated (Max)	-
	Surface Mount Land Size	-
Mounting Type Through Hole	Mounting Type	Through Hole
Package / Case Radial, Can	Package / Case	Radial, Can
Report errors?		Report errors?

URZA50VG272T25X92AZ4V Guarantees



Ouality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

URZA50VG272T25X92AZ4V Payment Methods


































If you have any question about URZA50VG272T25X92AZ4V, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com