



## **V23079G1011B301 Information**



For Reference Only

**Part Number** V23079G1011B301

Manufacturer TE Connectivity Potter & Brumfield Relays

Category Relays

Signal Relays, Up to 2 Amps

**Description** RELAY GEN PURPOSE DPDT 2A 4.5V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# V23079G1011B301 Specifications

Manufacturer Part Number         V23079G1011B301           Manufacturer         TE Connectivity Potter & Brumfield Relays           Category         Relays           Package         -           Series         V23079, AXICOM           Relay Type         General Purpose           Coil Type         Non Latching           Coil Current         31.1mA           Coil Voltage         4.5VDC           Contact Form         DPDT (2 Form C)           Contact Rating (Current)         2A           Switching Voltage         250VAC, 220VDC - Max           Turn On Voltage (Max)         3.38 VDC           Turn Off Voltage (Min)         0.45 VDC           Operate Time         4ms           Release Time         4ms           Features         -		
Category         Relays           Signal Relays, Up to 2 Amps           Package         -           Series         V23079, AXICOM           Relay Type         General Purpose           Coil Type         Non Latching           Coil Current         31.1mA           Coil Voltage         4.5 VDC           Contact Form         DPDT (2 Form C)           Contact Rating (Current)         2A           Switching Voltage         250 VAC, 220 VDC - Max           Turn On Voltage (Max)         3.38 VDC           Turn Off Voltage (Min)         0.45 VDC           Operate Time         4ms           Release Time         4ms           Features         -	Manufacturer Part Number	V23079G1011B301
Package         -           Series         V23079, AXICOM           Relay Type         General Purpose           Coil Type         Non Latching           Coil Current         31.1mA           Coil Voltage         4.5VDC           Contact Form         DPDT (2 Form C)           Contact Rating (Current)         2A           Switching Voltage         250VAC, 220VDC - Max           Turn On Voltage (Max)         3.38 VDC           Turn Off Voltage (Min)         0.45 VDC           Operate Time         4ms           Release Time         4ms           Features         -	Manufacturer	TE Connectivity Potter & Brumfield Relays
Package         -           Series         V23079, AXICOM           Relay Type         General Purpose           Coil Type         Non Latching           Coil Current         31.1mA           Coil Voltage         4.5VDC           Contact Form         DPDT (2 Form C)           Contact Rating (Current)         2A           Switching Voltage         250VAC, 220VDC - Max           Turn On Voltage (Max)         3.38 VDC           Turn Off Voltage (Min)         0.45 VDC           Operate Time         4ms           Release Time         4ms           Features         -	Category	Relays
Series         V23079, AXICOM           Relay Type         General Purpose           Coil Type         Non Latching           Coil Current         31.1mA           Coil Voltage         4.5VDC           Contact Form         DPDT (2 Form C)           Contact Rating (Current)         2A           Switching Voltage         250VAC, 220VDC - Max           Turn On Voltage (Max)         3.38 VDC           Turn Off Voltage (Min)         0.45 VDC           Operate Time         4ms           Release Time         4ms           Features         -		Signal Relays, Up to 2 Amps
Relay Type General Purpose Coil Type Non Latching Coil Current 31.1mA Coil Voltage 4.5VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 2A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 3.38 VDC Turn Off Voltage (Min) 0.45 VDC Operate Time 4ms Release Time 4ms Features -	Package	-
Coil Type Non Latching Coil Current 31.1mA Coil Voltage 4.5VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 2A Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 3.38 VDC Turn Off Voltage (Min) 0.45 VDC Operate Time 4ms Release Time 4ms Features -	Series	V23079, AXICOM
Coil Current 31.1mA Coil Voltage 4.5VDC  Contact Form DPDT (2 Form C)  Contact Rating (Current) 2A  Switching Voltage 250VAC, 220VDC - Max Turn On Voltage (Max) 3.38 VDC  Turn Off Voltage (Min) 0.45 VDC  Operate Time 4ms  Release Time 4ms  Features -	Relay Type	General Purpose
Coil Voltage 4.5VDC  Contact Form DPDT (2 Form C)  Contact Rating (Current) 2A  Switching Voltage 250VAC, 220VDC - Max  Turn On Voltage (Max) 3.38 VDC  Turn Off Voltage (Min) 0.45 VDC  Operate Time 4ms  Release Time 4ms  Features -	Coil Type	Non Latching
Contact Form DPDT (2 Form C)  Contact Rating (Current) 2A  Switching Voltage 250VAC, 220VDC - Max  Turn On Voltage (Max) 3.38 VDC  Turn Off Voltage (Min) 0.45 VDC  Operate Time 4ms  Release Time 4ms  Features -	Coil Current	31.1mA
Contact Rating (Current)  Switching Voltage  250VAC, 220VDC - Max  Turn On Voltage (Max)  3.38 VDC  Turn Off Voltage (Min)  0.45 VDC  Operate Time  4ms  Release Time  4ms  Features  -	Coil Voltage	4.5VDC
Switching Voltage 250VAC, 220VDC - Max  Turn On Voltage (Max) 3.38 VDC  Turn Off Voltage (Min) 0.45 VDC  Operate Time 4ms  Release Time 4ms  Features -	Contact Form	DPDT (2 Form C)
Turn On Voltage (Max)  Turn Off Voltage (Min)  Operate Time  Ams  Release Time  4ms  Features  -	Contact Rating (Current)	2A
Turn Off Voltage (Min) Operate Time 4ms Release Time 4ms Features -	Switching Voltage	250VAC, 220VDC - Max
Operate Time 4ms Release Time 4ms Features -	Turn On Voltage (Max)	3.38 VDC
Release Time 4ms Features -	Turn Off Voltage (Min)	0.45 VDC
Features -	Operate Time	4ms
	Release Time	4ms
	Features	-
Mounting Type Surface Mount	Mounting Type	Surface Mount
Termination Style Gull Wing	Termination Style	Gull Wing
Report errors?		Report errors?

### **V23079G1011B301** Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# V23079G1011B301 Payment Methods



















## V23079G1011B301 Shipping Methods













If you have any question about V23079G1011B301, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com