

VAA512 Information

Heisener.com

Part Number VAA512

Manufacturer Cosel USA, Inc.

Category Power Supplies - Board Mount

AC DC Converters

Description AC/DC POWER SUPPLY

Package 5-DIP Module

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









VAA512 Specifications

Manufacturer VAA512 Manufacturer Cosel USA, Inc. Category Power Supplies - Board Mount AC DC Converters Package 5-DIP Module Series VAA Type Open Frame Number of Outputs 1 Voltage - Input 85 ~ 132 VAC Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 4 - Current - Output (Max) 450mA Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	•	
Category Power Supplies - Board Mount AC DC Converters Package 5-DIP Module Series VAA Type Open Frame Number of Outputs 1 Voltage - Input 85 ~ 132 VAC Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 450mA Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Manufacturer Part Number	VAA512
Package 5-DIP Module Series VAA Type Open Frame Number of Outputs 1 Voltage - Input 85 ~ 132 VAC Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 450mA Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Manufacturer	Cosel USA, Inc.
Package 5-DIP Module Series VAA Type Open Frame Number of Outputs 1 Voltage - Input 85 ~ 132 VAC Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 450mA Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Category	Power Supplies - Board Mount
Series VAA Type Open Frame Number of Outputs 1 Voltage - Input 85 ~ 132 VAC Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 450mA Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)		AC DC Converters
Type Open Frame Number of Outputs 1 Voltage - Input 85 ~ 132 VAC Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 450mA Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Package	5-DIP Module
Number of Outputs 1 Voltage - Input 85 ~ 132 VAC Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 450mA Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Series	VAA
Voltage - Input 85 ~ 132 VAC Voltage - Output 1 12V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 450mA Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Туре	Open Frame
Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) Power (Watts) Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency Mounting Type Through Hole Package / Case Size / Dimension 12V 12V 12V	Number of Outputs	1
Voltage - Output 2 Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) Applications Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency Mounting Type Through Hole Package / Case Size / Dimension - Voltage - Output 2 - Current - Output (Max) - Current - Output (Max)	Voltage - Input	85 ~ 132 VAC
Voltage - Output 3 Voltage - Output 4 - Current - Output (Max) Applications Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency Mounting Type Through Hole Package / Case Size / Dimension - Current - Output (Max) - - - - - - - - - - - - -	Voltage - Output 1	12V
Voltage - Output 4 Current - Output (Max) 450mA Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension -10°C ~ 10°C	Voltage - Output 2	-
Current - Output (Max) 450mA Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Voltage - Output 3	-
Power (Watts) 5W Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Voltage - Output 4	-
Applications ITE (Commercial) Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Current - Output (Max)	450mA
Features DC Input Capable Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Power (Watts)	5W
Operating Temperature -10°C ~ 70°C (With Derating) Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Applications	ITE (Commercial)
Efficiency 77% Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Features	DC Input Capable
Mounting Type Through Hole Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Operating Temperature	-10° C ~ 70° C (With Derating)
Package / Case 5-DIP Module Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Efficiency	77%
Size / Dimension 2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)	Mounting Type	Through Hole
	Package / Case	5-DIP Module
Report errors?	Size / Dimension	2.56" L x 1.26" W x 0.71" H (65.0mm x 32.0mm x 18.0mm)
•		Report errors?

VAA512 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

VAA512 Payment Methods





















VAA512 Shipping Methods













If you have any question about VAA512, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com