

# **VE-23T-IW-B1 Information**

Heisener.com

Part Number VE-23T-IW-B1
Manufacturer Vicor Corporation

**Category** Power Supplies - Board Mount

DC DC Converters

**Description** CONVERTER MOD DC/DC 6.5V 100W

Package Full Brick

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **VE-23T-IW-B1 Specifications**

| Manufacturer Part Number  Manufacturer  Category  Power Supplies - Board Mount  DC DC Converters  Package  Full Brick  Series  VE-200  Type  Isolated Module  Number of Outputs  Voltage - Input (Max)  Voltage - Output 1  Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Voltage - Isolation  Applications  VE-23T-IW-B1  Vicor Corporation  Vicor Corporation  Vicor Corporation  Power Supplies - Board Mount  Veltage - Board Mount  DC DC Converters  Full Brick  VE-200  Isolated Module  Number of Outputs  1  Voltage - Input (Max)  60V  Voltage - Output 1               |  |
|--|--|
| Category         Power Supplies - Board Mount           DC DC Converters           Package         Full Brick           Series         VE-200           Type         Isolated Module           Number of Outputs         1           Voltage - Input (Min)         42V           Voltage - Input (Max)         60V           Voltage - Output 1         6.5V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         15.38A           Power (Watts)         100W           Voltage - Isolation         3kV (3000V) |  |
| DC DC Converters           Package         Full Brick           Series         VE-200           Type         Isolated Module           Number of Outputs         1           Voltage - Input (Min)         42V           Voltage - Input (Max)         60V           Voltage - Output 1         6.5V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         15.38A           Power (Watts)         100W           Voltage - Isolation         3kV (3000V)   |  |
| Package         Full Brick           Series         VE-200           Type         Isolated Module           Number of Outputs         1           Voltage - Input (Min)         42V           Voltage - Input (Max)         60V           Voltage - Output 1         6.5V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         15.38A           Power (Watts)         100W           Voltage - Isolation         3kV (3000V)  |  |
| Series         VE-200           Type         Isolated Module           Number of Outputs         1           Voltage - Input (Min)         42V           Voltage - Input (Max)         60V           Voltage - Output 1         6.5V           Voltage - Output 2         -           Voltage - Output 3         -           Voltage - Output 4         -           Current - Output (Max)         15.38A           Power (Watts)         100W           Voltage - Isolation         3kV (3000V)   |  |
| Type       Isolated Module         Number of Outputs       1         Voltage - Input (Min)       42V         Voltage - Input (Max)       60V         Voltage - Output 1       6.5V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       15.38A         Power (Watts)       100W         Voltage - Isolation       3kV (3000V)   |  |
| Number of Outputs       1         Voltage - Input (Min)       42V         Voltage - Input (Max)       60V         Voltage - Output 1       6.5V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       15.38A         Power (Watts)       100W         Voltage - Isolation       3kV (3000V)  |  |
| Voltage - Input (Min)       42V         Voltage - Input (Max)       60V         Voltage - Output 1       6.5V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       15.38A         Power (Watts)       100W         Voltage - Isolation       3kV (3000V)  |  |
| Voltage - Input (Max)       60V         Voltage - Output 1       6.5V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       15.38A         Power (Watts)       100W         Voltage - Isolation       3kV (3000V)  |  |
| Voltage - Output 1       6.5V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       15.38A         Power (Watts)       100W         Voltage - Isolation       3kV (3000V)  |  |
| Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       15.38A         Power (Watts)       100W         Voltage - Isolation       3kV (3000V)  |  |
| Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       15.38A         Power (Watts)       100W         Voltage - Isolation       3kV (3000V)   |  |
| Voltage - Output 4         -           Current - Output (Max)         15.38A           Power (Watts)         100W           Voltage - Isolation         3kV (3000V)  |  |
| Current - Output (Max) 15.38A  Power (Watts) 100W  Voltage - Isolation 3kV (3000V)   |  |
| Power (Watts) 100W Voltage - Isolation 3kV (3000V)   |  |
| Voltage - Isolation 3kV (3000V)  |  |
|  |  |
| Applications ITE (Commercial)  |  |
| 11   |  |
| Features OCP, OTP, OVP, SCP  |  |
| Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$  |  |
| Efficiency 90%   |  |
| Mounting Type Through Hole   |  |
| Package / Case Full Brick  |  |
| Size / Dimension 4.60" L x 2.40" W x 1.07" H (116.8mm x 61.0mm x 27.1mm)   |  |
|  |  |

| Supplier Device Package | -              |
|-------------------------|----------------|
| Control Features        | -              |
|                         | Report errors? |

#### **VE-23T-IW-B1 Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **VE-23T-IW-B1 Payment Methods**



















# **VE-23T-IW-B1 Shipping Methods**













If you have any question about VE-23T-IW-B1, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com