



#### **VE-BN3-IV-S Information**

Heisener.com

Part Number VE-BN3-IV-S
Manufacturer Vicor Corporation

**Category** Power Supplies - Board Mount

DC DC Converters

**Description** CONVERTER MOD DC/DC 24V 150W

Package Full Brick

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **VE-BN3-IV-S Specifications**

Manufacturer Part Number  Manufacturer  Vicor Corporation  Category  Power Supplies - Board Mount  DC DC Converters  Package  Full Brick  Series  VE-200  Type  Isolated Module  Number of Outputs  Voltage - Input (Min)  Voltage - Input (Max)  Voltage - Output 1  Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Voltage - Usplies - Board Mount  DC DC Converters  Full Brick  VE-200  Type  Isolated Module  1  Voltage - Input (Min)  24V  Voltage - Output 1	
Category Power Supplies - Board Mount DC DC Converters  Package Full Brick VE-200 Type Isolated Module Number of Outputs 1 Voltage - Input (Min) Voltage - Input (Max) Voltage - Output 1 Voltage - Output 2 Voltage - Output 3 Voltage - Output 4 Current - Output (Max) Power (Watts)  Power Supplies - Board Mount DC DC Converters Full Brick VE-200  Isolated Module  1 Veltage - Outputs 1 Voltage - Input (Max) 76V  - Current - Output 1 - Current - Output (Max) Fower (Watts)	
Package Full Brick  Series VE-200  Type Isolated Module  Number of Outputs 1 Voltage - Input (Min) Voltage - Output 1 Voltage - Output 2 Voltage - Output 3 Voltage - Output 4 Current - Output (Max) DC DC Converters  Full Brick  VE-200  Isolated Module  1 Voltage - Input (Min) 36V Voltage - Input (Max) 76V	
Package Series VE-200 Type Isolated Module Number of Outputs 1 Voltage - Input (Min) Voltage - Input (Max) Voltage - Output 1 Voltage - Output 2 Voltage - Output 3 Voltage - Output 4 Current - Output (Max) Power (Watts)  Full Brick VE-200 Full Brick VE-200  Full Brick VE-200  Isolated Module  1  24V  Voltage - Input (Max) 76V  - Current - Output 4 - Current - Output (Max) Full Brick VE-200  Isolated Module  1  6  6  6  6  6  6  6  6  6  6  6  6	
Series VE-200 Type Isolated Module Number of Outputs 1 Voltage - Input (Min) 36V Voltage - Input (Max) 76V Voltage - Output 1 24V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 6.25A Power (Watts) 150W	
Type Isolated Module  Number of Outputs 1  Voltage - Input (Min) 36V  Voltage - Input (Max) 76V  Voltage - Output 1 24V  Voltage - Output 2 -  Voltage - Output 3 -  Voltage - Output 4 -  Current - Output (Max) 6.25A  Power (Watts) 150W	
Number of Outputs       1         Voltage - Input (Min)       36V         Voltage - Input (Max)       76V         Voltage - Output 1       24V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       6.25A         Power (Watts)       150W	
Voltage - Input (Min)  Voltage - Input (Max)  76V  Voltage - Output 1  24V  Voltage - Output 2  - Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  36V  - Curent - Output 1  24V  - Curent - Output 3  - Curent - Output (Max)  150W	
Voltage - Input (Max)  Voltage - Output 1  24V  Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  76V	
Voltage - Output 1  Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  24V  -  C4V  -  6.25A  150W	
Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  - Curent - Output (Max)  150W	
Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 6.25A Power (Watts) 150W	
Voltage - Output 4 - Current - Output (Max) 6.25A Power (Watts) 150W	
Current - Output (Max) 6.25A Power (Watts) 150W	
Power (Watts) 150W	
V-14 I1-4 21-V (2000V)	
Voltage - Isolation 3kV (3000V)	
Applications ITE (Commercial)	
Features OCP, OTP, OVP, SCP	
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$	
Efficiency 90%	
Mounting Type Through Hole	
Package / Case Full Brick	
Size / Dimension 4.60" L x 1.80" W x 0.52" H (116.8mm x 45.	7mm x 13.2mm)

Supplier Device Package	-
Control Features	-
	Report errors?

#### **VE-BN3-IV-S Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **VE-BN3-IV-S Payment Methods**



















## **VE-BN3-IV-S Shipping Methods**













If you have any question about VE-BN3-IV-S, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com