



# **VE-BN3-IW-B1 Information**

Heisener.com

Part Number VE-BN3-IW-B1
Manufacturer Vicor Corporation

**Category** Power Supplies - Board Mount

DC DC Converters

**Description** CONVERTER MOD DC/DC 24V 100W

Package Full Brick

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com





Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









VE-BN3-	-IW-B1	<b>Specification</b>	ıs

Manufacturer Part Number  Manufacturer  Vicor Corporation  Category  Power Supplies - Board Mount  DC DC Converters  Package  Full Brick  Series  VE-200  Type  Isolated Module  Number of Outputs  I  Voltage - Input (Min)  Voltage - Output 1  Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Voltage - Isolation  VE-BN3-IW-B1  Vicor Corporation  Power Supplies - Board Mount  DC DC Converters  Full Brick  Series  VE-200  Type  Isolated Module  Number of Outputs  1  Voltage - Input (Min)  36V  Voltage - Output 1  24V  Voltage - Output 1  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  A.17A  Power (Watts)  Voltage - Isolation  3kV (3000V)		
Category Power Supplies - Board Mount  DC DC Converters  Package Full Brick  Series VE-200  Type Isolated Module  Number of Outputs 1  Voltage - Input (Min) 36V  Voltage - Input (Max) 76V  Voltage - Output 1 24V  Voltage - Output 2 -  Voltage - Output 3 -  Voltage - Output 4 -  Current - Output (Max) 4.17A  Power (Watts) 100W	VE-BN3-IW-B1	
Package Full Brick Series VE-200 Type Isolated Module Number of Outputs 1 Voltage - Input (Min) Voltage - Input (Max) Voltage - Output 1 24V Voltage - Output 2 Voltage - Output 3 Voltage - Output 4 Current - Output (Max) Power (Watts)  PUR DE Converters  Full Brick Full Brick  Full		
Package Full Brick Series VE-200  Type Isolated Module Number of Outputs 1  Voltage - Input (Min) 36V  Voltage - Input (Max) 76V  Voltage - Output 1 24V  Voltage - Output 2 -  Voltage - Output 3 -  Voltage - Output 4 -  Current - Output (Max) 4.17A  Power (Watts) 100W		
Series VE-200 Type Isolated Module Number of Outputs 1 Voltage - Input (Min) 36V Voltage - Input (Max) 76V Voltage - Output 1 24V Voltage - Output 2 - Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 4.17A Power (Watts) 100W		
Type Isolated Module  Number of Outputs 1  Voltage - Input (Min) 36V  Voltage - Input (Max) 76V  Voltage - Output 1 24V  Voltage - Output 2 -  Voltage - Output 3 -  Voltage - Output 4 -  Current - Output (Max) 4.17A  Power (Watts) 100W		
Number of Outputs       1         Voltage - Input (Min)       36V         Voltage - Input (Max)       76V         Voltage - Output 1       24V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       4.17A         Power (Watts)       100W		
Voltage - Input (Min)       36V         Voltage - Input (Max)       76V         Voltage - Output 1       24V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       4.17A         Power (Watts)       100W		
Voltage - Input (Max)       76V         Voltage - Output 1       24V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       4.17A         Power (Watts)       100W		
Voltage - Output 1       24V         Voltage - Output 2       -         Voltage - Output 3       -         Voltage - Output 4       -         Current - Output (Max)       4.17A         Power (Watts)       100W		
Voltage - Output 2  Voltage - Output 3  Voltage - Output 4  Current - Output (Max)  Power (Watts)  - 100W		
Voltage - Output 3 - Voltage - Output 4 - Current - Output (Max) 4.17A Power (Watts) 100W		
Voltage - Output 4 - Current - Output (Max) 4.17A Power (Watts) 100W		
Current - Output (Max) 4.17A Power (Watts) 100W		
Power (Watts) 100W		
Voltage - Isolation 3kV (3000V)		
Applications ITE (Commercial)		
Features OCP, OTP, OVP, SCP		
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$		
Efficiency 90%		
Mounting Type Through Hole		
Package / Case Full Brick		
Size / Dimension 4.60" L x 2.40" W x 1.07" H (116.8mm x 61.0mm x 27.1mm)		

Supplier Device Package	-
Control Features	-
	Report errors?

#### **VE-BN3-IW-B1 Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **VE-BN3-IW-B1 Payment Methods**



















# **VE-BN3-IW-B1 Shipping Methods**













If you have any question about VE-BN3-IW-B1, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com