



VJ0402A180JNAAJ00 Information



For Reference Only

Part Number VJ0402A180JNAAJ00

Manufacturer Vishay Vitramon Category Capacitors

Ceramic Capacitors

Description CAP CER 18PF 50V NP0 0402

Package 0402 (1005 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









VJ0402A180JNAAJ00 Specifications

Manufacturer Part Number VJ0402A180JNAAJ00 Manufacturer Vishay Vitramon Category Capacitors Package 0402 (1005 Metric) Series VJ Capacitance 18pF Tolerance ±5% Voltage - Rated 50V Temperature Coefficient C0G, NPO Operating Temperature -55°C ~ 125°C Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)		
Category Capacitors Package 0402 (1005 Metric) Series VJ Capacitance 18pF Tolerance ±5% Voltage - Rated 50V Temperature Coefficient C0G, NPO Operating Temperature -55°C ~ 125°C Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Manufacturer Part Number	VJ0402A180JNAAJ00
Ceramic Capacitors Package 0402 (1005 Metric) Series VJ Capacitance 18pF Tolerance ±5% Voltage - Rated 50V Temperature Coefficient C0G, NPO Operating Temperature -55°C ~ 125°C Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Manufacturer	Vishay Vitramon
Package 0402 (1005 Metric) Series VJ Capacitance 18pF Tolerance ±5% Voltage - Rated 50V Temperature Coefficient COG, NPO Operating Temperature -55°C ~ 125°C Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Category	Capacitors
Series VJ Capacitance 18pF Tolerance ±5% Voltage - Rated 50V Temperature Coefficient COG, NP0 Operating Temperature -55°C ~ 125°C Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)		Ceramic Capacitors
Capacitance 18pF Tolerance ±5% Voltage - Rated 50V Temperature Coefficient C0G, NP0 Operating Temperature -55°C ~ 125°C Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Package	0402 (1005 Metric)
Tolerance ±5% Voltage - Rated 50V Temperature Coefficient C0G, NP0 Operating Temperature -55°C ~ 125°C Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Series	VJ
Voltage - Rated 50V Temperature Coefficient C0G, NP0 Operating Temperature -55°C ~ 125°C Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Capacitance	18pF
Temperature Coefficient COG, NPO Operating Temperature -55°C ~ 125°C Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Tolerance	±5%
Operating Temperature -55°C ~ 125°C Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Voltage - Rated	50V
Features Non-Magnetic Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Temperature Coefficient	C0G, NP0
Ratings - Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Operating Temperature	-55°C ~ 125°C
Applications General Purpose Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Features	Non-Magnetic
Failure Rate - Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Ratings	-
Mounting Type Surface Mount, MLCC, Epoxy Package / Case 0402 (1005 Metric)	Applications	General Purpose
Package / Case 0402 (1005 Metric)	Failure Rate	-
-	Mounting Type	Surface Mount, MLCC, Epoxy
	Package / Case	0402 (1005 Metric)
Size / Dimension 0.039" L x 0.020" W (1.00mm x 0.50mm)	Size / Dimension	0.039" L x 0.020" W (1.00mm x 0.50mm)
Height - Seated (Max) -	Height - Seated (Max)	-
Thickness (Max) 0.024" (0.60mm)	Thickness (Max)	0.024" (0.60mm)
Lead Spacing -	Lead Spacing	-
Lead Style -	Lead Style	-
Report errors?		Report errors?

VJ0402A180JNAAJ00 Guarantees



Ouality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

VJ0402A180JNAAJ00 Payment Methods



















VJ0402A180JNAAJ00 Shipping Methods













If you have any question about VJ0402A180JNAAJ00, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com