



### VJ0402D150GXXAP Information



For Reference Only

Part Number VJ0402D150GXXAP
Manufacturer Vishay Vitramon

Category Capacitors
Ceramic Capacitors

**Description** CAP CER 15PF 25V C0G/NP0 0402

**Package** 0402 (1005 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## **VJ0402D150GXXAP Specifications**

Manufacturer  Category  Capacitors  Ceramic Capacitors  Package  0402 (1005 Metric)  Series  VJ HIFREQ  Capacitance  15pF  Tolerance  ±2%  Voltage - Rated  25V  Temperature Coefficient  Coperating Temperature  -55°C ~ 125°C  Features  Ratings  -  Applications  RF, Microwave, High Frequency  Failure Rate  -  Vishay Vitramon  Vishay Vitramon  Vishay Vitramon  Capacitors  Ceramic Capacitors  VJ HIFREQ  -55°C  -125°C  High Q, Low Loss  RF, Microwave, High Frequency  Failure Rate  -  Vishay Vitramon  Capacitors  VJ HIFREQ  -  400  VJ HIFREQ  -55°C  -125°C  -125°C		
Category         Capacitors           Package         0402 (1005 Metric)           Series         VJ HIFREQ           Capacitance         15pF           Tolerance         ±2%           Voltage - Rated         25V           Temperature Coefficient         C0G, NPO           Operating Temperature         -55°C ~ 125°C           Features         High Q, Low Loss           Ratings         -           Applications         RF, Microwave, High Frequency           Failure Rate         -	Manufacturer Part Number	VJ0402D150GXXAP
Ceramic Capacitors  Package  0402 (1005 Metric)  Series  VJ HIFREQ  Capacitance  15pF  Tolerance  ±2%  Voltage - Rated  25V  Temperature Coefficient  COG, NPO  Operating Temperature  -55°C ~ 125°C  Features  High Q, Low Loss  Ratings  -  Applications  RF, Microwave, High Frequency  Failure Rate  -	Manufacturer	Vishay Vitramon
Package 0402 (1005 Metric)  Series VJ HIFREQ  Capacitance 15pF  Tolerance ±2%  Voltage - Rated 25V  Temperature Coefficient COG, NPO Operating Temperature -55°C ~ 125°C  Features High Q, Low Loss  Ratings -  Applications RF, Microwave, High Frequency  Failure Rate -	Category	Capacitors
Series VJ HIFREQ Capacitance 15pF Tolerance ±2% Voltage - Rated 25V Temperature Coefficient C0G, NP0 Operating Temperature -55°C ~ 125°C Features High Q, Low Loss Ratings - Applications RF, Microwave, High Frequency Failure Rate -		Ceramic Capacitors
Capacitance 15pF  Tolerance ±2%  Voltage - Rated 25V  Temperature Coefficient C0G, NP0  Operating Temperature -55°C ~ 125°C  Features High Q, Low Loss  Ratings -  Applications RF, Microwave, High Frequency  Failure Rate -	Package	0402 (1005 Metric)
Tolerance $\pm 2\%$ Voltage - Rated $25V$ Temperature Coefficient $C0G$ , NP0  Operating Temperature $-55^{\circ}C \sim 125^{\circ}C$ Features $High Q$ , Low Loss  Ratings $-$ Applications $RF$ , Microwave, High Frequency  Failure Rate $-$	Series	VJ HIFREQ
Voltage - Rated  25V  Temperature Coefficient  COG, NP0  Operating Temperature  -55°C ~ 125°C  Features  High Q, Low Loss  Ratings  -  Applications  RF, Microwave, High Frequency  Failure Rate  -	Capacitance	15pF
Temperature Coefficient  COG, NP0  Operating Temperature  -55°C ~ 125°C  Features  High Q, Low Loss  Ratings  -  Applications  RF, Microwave, High Frequency  Failure Rate  -	Tolerance	±2%
Operating Temperature  -55°C ~ 125°C  High Q, Low Loss  Ratings  - Applications  RF, Microwave, High Frequency  Failure Rate  -	Voltage - Rated	25V
Features High Q, Low Loss  Ratings - Applications RF, Microwave, High Frequency Failure Rate -	Temperature Coefficient	C0G, NP0
Ratings - Applications RF, Microwave, High Frequency Failure Rate -	Operating Temperature	-55°C ~ 125°C
Applications RF, Microwave, High Frequency Failure Rate -	Features	High Q, Low Loss
Failure Rate -	Ratings	-
	Applications	RF, Microwave, High Frequency
	Failure Rate	-
Mounting Type Surface Mount, MLCC	Mounting Type	Surface Mount, MLCC
Package / Case 0402 (1005 Metric)	Package / Case	0402 (1005 Metric)
Size / Dimension 0.040" L x 0.020" W (1.02mm x 0.51mm)	Size / Dimension	0.040" L x 0.020" W (1.02mm x 0.51mm)
Height - Seated (Max)	Height - Seated (Max)	-
Thickness (Max) 0.024" (0.61mm)	Thickness (Max)	0.024" (0.61mm)
Lead Spacing -	Lead Spacing	-
Lead Style -	Lead Style	-
Report errors		Report errors?

#### VJ0402D150GXXAP Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# VJ0402D150GXXAP Payment Methods



















### VJ0402D150GXXAP Shipping Methods













If you have any question about VJ0402D150GXXAP, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com