

VPP10-250-B Information



For Reference Only

Part Number VPP10-250-B

Manufacturer Triad Magnetics

Category Transformers
Power Transformers

Description XFRMR LAMINATED 2.5VA THRU HOLE

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









VPP10-250-B Specifications

Manufacturer Part NumberVPP10-250-BManufacturerTriad MagneticsCategoryTransformersPackage-SeriesPC Mount: World Series?TypeLaminated CoreVoltage - Primary115V, 230VVoltage - Secondary (Full Load)Parallel 5V, Series 10VCurrent - Output (Max)Parallel 500mA, Series 250mAPrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max2.5 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension41.28mm L x 33.32mm WHeight - Seated (Max)28.58mm		
Category Transformers Package - Series PC Mount: World Series? Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 5V, Series 10V Current - Output (Max) Parallel 500mA, Series 250mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 2.5 VA Mounting Type Through Hole Termination Style Size / Dimension Transformers Power Transformers Power Transformers 1.5V. Amount: World Series? PC Mount: World Series? PC Mount: World Series? In Sove 10V Laminated Core Parallel 5V, Series 10V Parallel 500mA, Series 250mA Parallel 500mA, Series 250mA Primary Winding(s) Dual Center Tap No Power - Max 4.28mm L x 33.32mm W	Manufacturer Part Number	VPP10-250-B
Package - Series PC Mount: World Series? Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 5V, Series 10V Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 2.5 VA Mounting Type Through Hole Termination Style Size / Dimension Power Transformers - Output (World Series? Laminated Core PC Mount: World Series? Laminated Core Parl Hole Parallel 5V, Series 10V Parallel 5V, Series 250mA Parallel 500mA, Series 250mA Primary Winding(s) Dual Power - Tap No Power - Max 4.25 VA Mounting Type Through Hole PC Pin Size / Dimension 41.28mm L x 33.32mm W	Manufacturer	Triad Magnetics
Package - Series PC Mount: World Series? Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 5V, Series 10V Current - Output (Max) Parallel 500mA, Series 250mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 2.5 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 41.28mm L x 33.32mm W	Category	Transformers
Series PC Mount: World Series? Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 5V, Series 10V Current - Output (Max) Parallel 500mA, Series 250mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 2.5 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 41.28mm L x 33.32mm W		Power Transformers
Type Laminated Core Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 5V, Series 10V Current - Output (Max) Parallel 500mA, Series 250mA Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max 2.5 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 41.28mm L x 33.32mm W	Package	-
Voltage - Primary Voltage - Secondary (Full Load) Parallel 5V, Series 10V Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max Mounting Type Through Hole Termination Style Size / Dimension 115V, 230V Parallel 5V, Series 10V Parallel 500mA, Series 250mA Pual Pual Pual Pual And And And And And And And An	Series	PC Mount: World Series?
Voltage - Secondary (Full Load)Parallel 5V, Series 10VCurrent - Output (Max)Parallel 500mA, Series 250mAPrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max2.5 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension41.28mm L x 33.32mm W	Туре	Laminated Core
Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max Author Style Through Hole PC Pin Size / Dimension Parallel 500mA, Series 250mA Dual Through Hole PL Pin 41.28mm L x 33.32mm W	Voltage - Primary	115V, 230V
Primary Winding(s) Secondary Winding(s) Dual Center Tap No Power - Max 2.5 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension Dual No 41.28mm L x 33.32mm W	Voltage - Secondary (Full Load)	Parallel 5V, Series 10V
Secondary Winding(s)DualCenter TapNoPower - Max2.5 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension41.28mm L x 33.32mm W	Current - Output (Max)	Parallel 500mA, Series 250mA
Center TapNoPower - Max2.5 VAMounting TypeThrough HoleTermination StylePC PinSize / Dimension41.28mm L x 33.32mm W	Primary Winding(s)	Dual
Power - Max 2.5 VA Mounting Type Through Hole Termination Style PC Pin Size / Dimension 41.28mm L x 33.32mm W	Secondary Winding(s)	Dual
Mounting Type Through Hole Termination Style PC Pin Size / Dimension 41.28mm L x 33.32mm W	Center Tap	No
Termination Style PC Pin Size / Dimension 41.28mm L x 33.32mm W	Power - Max	2.5 VA
Size / Dimension 41.28mm L x 33.32mm W	Mounting Type	Through Hole
	Termination Style	PC Pin
Height - Seated (Max) 28.58mm	Size / Dimension	41.28mm L x 33.32mm W
	Height - Seated (Max)	28.58mm
Voltage - Isolation 4000Vrms	Voltage - Isolation	4000Vrms
Weight 0.25 lb (113.4g)	Weight	0.25 lb (113.4g)
Report errors?		Report errors?

VPP10-250-B Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

VPP10-250-B Payment Methods



















VPP10-250-B Shipping Methods













If you have any question about VPP10-250-B, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com