

### **VPT36-6940 Information**



For Reference Only

Part Number VPT36-6940

Manufacturer Triad Magnetics

Category Transformers

Power Transformers

**Description** XFRMR TOROIDAL 250VA CHAS MOUNT

Package

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **VPT36-6940 Specifications**

Manufacturer Part NumberVPT36-6940ManufacturerTriad MagneticsCategoryTransformersPower TransformersPower TransformersPackage-SeriesChassis Mount: World Series?TypeToroidalVoltage - Primary115V, 230VVoltage - Secondary (Full Load)Parallel 18V, Series 36VCurrent - Output (Max)Parallel 13.88A, Series 6.94APrimary Winding(s)DualSecondary Winding(s)DualCenter TapNoPower - Max250 VAMounting TypeChassis MountTermination StyleWire Leads		
Category  Transformers  Power Transformers  Package  - Series  Chassis Mount: World Series?  Type  Toroidal  Voltage - Primary  Voltage - Secondary (Full Load)  Current - Output (Max)  Parallel 18V, Series 36V  Primary Winding(s)  Dual  Secondary Winding(s)  Dual  Center Tap  No  Power - Max  Mounting Type  Chassis Mount  Termination Style  Transformers  Power Transformers  Power Transformers  Power Transformers  Power Transformers  Power Transformers  Power Taps  No  Chassis Mount  Wire Leads	Manufacturer Part Number	VPT36-6940
Power Transformers  Package - Series Chassis Mount: World Series?  Type Toroidal Voltage - Primary 115V, 230V Voltage - Secondary (Full Load) Parallel 18V, Series 36V Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max Mounting Type Chassis Mount Termination Style Wire Leads	Manufacturer	Triad Magnetics
Package - Series Chassis Mount: World Series?  Type Toroidal  Voltage - Primary 115V, 230V  Voltage - Secondary (Full Load) Parallel 18V, Series 36V  Current - Output (Max) Parallel 13.88A, Series 6.94A  Primary Winding(s) Dual  Secondary Winding(s) Dual  Center Tap No  Power - Max 250 VA  Mounting Type Chassis Mount  Termination Style Wire Leads	Category	Transformers
Series Chassis Mount: World Series?  Type Toroidal  Voltage - Primary 115V, 230V  Voltage - Secondary (Full Load) Parallel 18V, Series 36V  Current - Output (Max) Parallel 13.88A, Series 6.94A  Primary Winding(s) Dual  Secondary Winding(s) Dual  Center Tap No  Power - Max 250 VA  Mounting Type Chassis Mount  Termination Style Wire Leads		Power Transformers
Type Toroidal  Voltage - Primary 115V, 230V  Voltage - Secondary (Full Load) Parallel 18V, Series 36V  Current - Output (Max) Parallel 13.88A, Series 6.94A  Primary Winding(s) Dual  Secondary Winding(s) Dual  Center Tap No  Power - Max 250 VA  Mounting Type Chassis Mount  Termination Style Wire Leads	Package	-
Voltage - Primary  Voltage - Secondary (Full Load)  Parallel 18V, Series 36V  Current - Output (Max)  Parallel 13.88A, Series 6.94A  Primary Winding(s)  Dual  Secondary Winding(s)  Dual  Center Tap  No  Power - Max  Mounting Type  Chassis Mount  Termination Style  Termination Style	Series	Chassis Mount: World Series?
Voltage - Secondary (Full Load)  Current - Output (Max)  Parallel 13.88A, Series 6.94A  Primary Winding(s)  Dual  Secondary Winding(s)  Center Tap  No  Power - Max  Mounting Type  Chassis Mount  Termination Style  Parallel 18V, Series 36V  Parallel 13.88A, Series 6.94A  Dual  Dual  Chassis Mount  Wire Leads	Type	Toroidal
Current - Output (Max) Primary Winding(s) Dual Secondary Winding(s) Dual Center Tap No Power - Max Mounting Type Chassis Mount Termination Style Parallel 13.88A, Series 6.94A  Dual  Cuther Tap No Vo Va	Voltage - Primary	115V, 230V
Primary Winding(s)  Secondary Winding(s)  Dual  Center Tap  No  Power - Max  Mounting Type  Chassis Mount  Termination Style  Dual  No  Vire Leads	Voltage - Secondary (Full Load)	Parallel 18V, Series 36V
Secondary Winding(s)  Center Tap  No  Power - Max  Mounting Type  Chassis Mount  Termination Style  Dual  No  250 VA  Wire Leads	Current - Output (Max)	Parallel 13.88A, Series 6.94A
Center TapNoPower - Max250 VAMounting TypeChassis MountTermination StyleWire Leads	Primary Winding(s)	Dual
Power - Max  Mounting Type  Chassis Mount  Termination Style  Wire Leads	Secondary Winding(s)	Dual
Mounting Type Chassis Mount Termination Style Wire Leads	Center Tap	No
Termination Style Wire Leads	Power - Max	250 VA
-	Mounting Type	Chassis Mount
	Termination Style	Wire Leads
Size / Dimension 112.00mm Dia x 54.00mm W	Size / Dimension	112.00mm Dia x 54.00mm W
Height - Seated (Max)	Height - Seated (Max)	-
Voltage - Isolation 4000Vrms	Voltage - Isolation	4000Vrms
Weight 4.9 lbs (2.2kg)	Weight	4.9 lbs (2.2kg)
Report errors		Report errors?

#### VPT36-6940 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **VPT36-6940 Payment Methods**



















## **VPT36-6940 Shipping Methods**













If you have any question about VPT36-6940, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com