



VS-VSKE270-12PBF Information

Heisener.com

Part Number VS-VSKE270-12PBF

Manufacturer Vishay Semiconductor Diodes Division

Category Discrete Semiconductor Products

Diodes - Rectifiers - Single

Description DIODE GEN 1.2KV 270A MAGNAPAK

Package MAGN-A-PAK (3)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









VS-VSKE270-12PBF Specifications

Manufacturer Part Number Ws-VSKE270-12PBF Vishay Semiconductor Diodes Division Category Discrete Semiconductor Products Diodes - Rectifiers - Single Package MAGN-A-PAK (3) Series - Diode Type Standard Voltage - DC Reverse (Vr) (Max) Current - Average Rectified (Io) Voltage - Forward (Vf) (Max) @ If Speed Standard Recovery >500ns, > 200mA (Io) Reverse Recovery Time (trr) - Support Reverse Lealers @ Vr.
Category Discrete Semiconductor Products Diodes - Rectifiers - Single MAGN-A-PAK (3) Series - Diode Type Standard Voltage - DC Reverse (Vr) (Max) Current - Average Rectified (Io) Voltage - Forward (Vf) (Max) @ If Speed Standard Recovery >500ns, > 200mA (Io) Reverse Recovery Time (trr) -
Diodes - Rectifiers - Single Package MAGN-A-PAK (3) Series - Diode Type Standard Voltage - DC Reverse (Vr) (Max) 1200V Current - Average Rectified (Io) 270A Voltage - Forward (Vf) (Max) @ If - Speed Standard Recovery >500ns, > 200mA (Io) Reverse Recovery Time (trr) -
Package MAGN-A-PAK (3) Series - Diode Type Standard Voltage - DC Reverse (Vr) (Max) 1200V Current - Average Rectified (Io) 270A Voltage - Forward (Vf) (Max) @ If - Speed Standard Recovery >500ns, > 200mA (Io) Reverse Recovery Time (trr) -
Series - Diode Type Standard Voltage - DC Reverse (Vr) (Max) 1200V Current - Average Rectified (Io) 270A Voltage - Forward (Vf) (Max) @ If - Speed Standard Recovery >500ns, > 200mA (Io) Reverse Recovery Time (trr) -
Diode Type Standard Voltage - DC Reverse (Vr) (Max) Current - Average Rectified (Io) Voltage - Forward (Vf) (Max) @ If Speed Standard Recovery >500ns, > 200mA (Io) Reverse Recovery Time (trr) -
Voltage - DC Reverse (Vr) (Max) Current - Average Rectified (Io) Voltage - Forward (Vf) (Max) @ If Speed Standard Recovery >500ns, > 200mA (Io) Reverse Recovery Time (trr) -
Current - Average Rectified (Io) 270A Voltage - Forward (Vf) (Max) @ If - Speed Standard Recovery >500ns, > 200mA (Io) Reverse Recovery Time (trr) -
Voltage - Forward (Vf) (Max) @ If Speed Standard Recovery >500ns, > 200mA (Io) Reverse Recovery Time (trr) -
Speed Standard Recovery >500ns, > 200mA (Io) Reverse Recovery Time (trr) -
Reverse Recovery Time (trr) -
Community Designed Leadings @ Viv
Current - Reverse Leakage @ Vr 50mA @ 1200V
Capacitance @ Vr, F
Mounting Type Chassis Mount
Package / Case MAGN-A-PAK (3)
Supplier Device Package MAGN-A-PAK?
Operating Temperature - Junction $-40^{\circ}\text{C} \sim 150^{\circ}\text{C}$
Report errors?

VS-VSKE270-12PBF Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

VS-VSKE270-12PBF Payment Methods



















VS-VSKE270-12PBF Shipping Methods













If you have any question about VS-VSKE270-12PBF, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com