



WHS7-1R5JT07 Information

www.heisener.com

Part Number WHS7-1R5JT07

Manufacturer TT Electronics/Welwyn

Category Resistors

Through Hole Resistors

Description RES 1.5 OHM 7W 5% AXIAL

Package Axia

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









WHS7-1R5JT07 Specifications

Manufacturer Part NumberWHS7-1R5JT07ManufacturerTT Electronics/WelwynCategoryResistorsPackageAxialSeriesWHSResistance1.5 OhmsTolerance±5%Power (Watts)7WCompositionWirewoundFeaturesFlame Proof, Pulse Withstanding, SafetyTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.346" Dia x 0.984" L (8.80mm x 25.00mm)Height - Seated (Max)-Number of Terminations2Failure Rate-	•	
Category Resistors Through Hole Resistors Package Axial Series WHS Resistance 1.5 Ohms Tolerance ±5% Power (Watts) Tomposition Wirewound Features Flame Proof, Pulse Withstanding, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Size / Dimension User of Terminations 2 Failure Rate	Manufacturer Part Number	WHS7-1R5JT07
Through Hole Resistors Axial Series WHS Resistance 1.5 Ohms Tolerance ±5% Power (Watts) Tomposition Wirewound Features Flame Proof, Pulse Withstanding, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Size / Dimension Height - Seated (Max) Number of Terminations 2 Failure Rate Axial Failure Rate Axial Failure Rate Through Hole Resistors Axial 844 845 846 847 847 848 848 848 848 848	Manufacturer	TT Electronics/Welwyn
PackageAxialSeriesWHSResistance1.5 OhmsTolerance±5%Power (Watts)7WCompositionWirewoundFeaturesFlame Proof, Pulse Withstanding, SafetyTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.346" Dia x 0.984" L (8.80mm x 25.00mm)Height - Seated (Max)-Number of Terminations2Failure Rate-	Category	Resistors
SeriesWHSResistance1.5 OhmsTolerance±5%Power (Watts)7WCompositionWirewoundFeaturesFlame Proof, Pulse Withstanding, SafetyTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CPackage / CaseAxialSupplier Device PackageAxialSize / Dimension0.346" Dia x 0.984" L (8.80mm x 25.00mm)Height - Seated (Max)-Number of Terminations2Failure Rate-		Through Hole Resistors
Resistance 1.5 Ohms Tolerance ±5% Power (Watts) 7W Composition Wirewound Features Flame Proof, Pulse Withstanding, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.346" Dia x 0.984" L (8.80mm x 25.00mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Package	Axial
Tolerance ±5% Power (Watts) 7W Composition Wirewound Features Flame Proof, Pulse Withstanding, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.346" Dia x 0.984" L (8.80mm x 25.00mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Series	WHS
Power (Watts) Composition Wirewound Features Flame Proof, Pulse Withstanding, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Size / Dimension 0.346" Dia x 0.984" L (8.80mm x 25.00mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Resistance	1.5 Ohms
Composition Wirewound Features Flame Proof, Pulse Withstanding, Safety Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.346" Dia x 0.984" L (8.80mm x 25.00mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Tolerance	±5%
Features Flame Proof, Pulse Withstanding, Safety ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.346" Dia x 0.984" L (8.80mm x 25.00mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Power (Watts)	7W
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.346" Dia x 0.984" L (8.80mm x 25.00mm) Height - Seated (Max) - Number of Terminations 2 Failure Rate -	Composition	Wirewound
Operating Temperature -55°C ~ 155°C Package / Case Axial Supplier Device Package Axial Size / Dimension 0.346" Dia x 0.984" L (8.80mm x 25.00mm) Height - Seated (Max) Number of Terminations 2 Failure Rate -	Features	Flame Proof, Pulse Withstanding, Safety
Package / Case Axial Supplier Device Package Axial Size / Dimension 0.346" Dia x 0.984" L (8.80mm x 25.00mm) Height - Seated (Max) - Number of Terminations 2 Failure Rate -	Temperature Coefficient	±200ppm/°C
Supplier Device Package Axial Size / Dimension 0.346" Dia x 0.984" L (8.80mm x 25.00mm) Height - Seated (Max) - Number of Terminations 2 Failure Rate -	Operating Temperature	-55°C ~ 155°C
Size / Dimension 0.346" Dia x 0.984" L (8.80mm x 25.00mm) Height - Seated (Max) - Number of Terminations 2 Failure Rate -	Package / Case	Axial
Height - Seated (Max) Number of Terminations 2 Failure Rate -	Supplier Device Package	Axial
Number of Terminations 2 Failure Rate -	Size / Dimension	0.346" Dia x 0.984" L (8.80mm x 25.00mm)
Failure Rate -	Height - Seated (Max)	-
	Number of Terminations	2
Report errors?	Failure Rate	-
		Report errors?

WHS7-1R5JT07 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

WHS7-1R5JT07 Payment Methods



















WHS7-1R5JT07 Shipping Methods













If you have any question about WHS7-1R5JT07, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com