

Heisener.com

WPS1A12AGP1PFM1X

WPS1A12AGP1PFM1X Information

Part Number WPS1A12AGP1PFM1X

Manufacturer Honeywell Sensing and Productivity Solutions

Category Sensors, Transducers

Pressure Sensors, Transducers

Description SENSOR PRESS GAUGE 500PSI P2P 2.

Package Module

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









WPS1A12AGP1PFM1X Specifications

Manufacturer Part Number WPSIA12AGPIPFM1X Manufacturer Honeywell Sensing and Productivity Solutions Category Sensors, Transducers Package Module Series IS-WPS Pressure Type Gauge Operating Pressure 500 PSI (3447.38 kPa) Output Type LCD Display Output Wireless Accuracy ±2% Voltage - Supply 3.6V Port Size Male - 1/2" (12.7mm) NPT Port Style Threaded Features - Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module Supplier Device Package -		
Category Sensors, Transducers Package Module Series IS-WPS Pressure Type Gauge Operating Pressure 500 PSI (3447.38 kPa) Output Type LCD Display Output Wireless Accuracy ±2% Voltage - Supply 3.6V Port Size Male - 1/2" (12.7mm) NPT Port Style Threaded Features - Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Manufacturer Part Number	WPS1A12AGP1PFM1X
Pressure Sensors, Transducers Package Module Series IS-WPS Pressure Type Gauge Operating Pressure 500 PSI (3447.38 kPa) Output Type LCD Display Output Wireless Accuracy ±2% Voltage - Supply 3.6V Port Size Male - 1/2" (12.7mm) NPT Port Style Features - Termination Style Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Manufacturer	Honeywell Sensing and Productivity Solutions
PackageModuleSeriesIS-WPSPressure TypeGaugeOperating Pressure500 PSI (3447.38 kPa)Output TypeLCD DisplayOutputWirelessAccuracy±2%Voltage - Supply3.6VPort SizeMale - 1/2" (12.7mm) NPTPort StyleThreadedFeatures-Termination Style-Maximum Pressure2000 PSI (13789.51 kPa)Operating Temperature-55°C ~ 85°CPackage / CaseModule	Category	Sensors, Transducers
SeriesIS-WPSPressure TypeGaugeOperating Pressure500 PSI (3447.38 kPa)Output TypeLCD DisplayOutputWirelessAccuracy±2%Voltage - Supply3.6VPort SizeMale - 1/2" (12.7mm) NPTPort StyleThreadedFeatures-Termination Style-Maximum Pressure2000 PSI (13789.51 kPa)Operating Temperature-55°C ~ 85°CPackage / CaseModule		Pressure Sensors, Transducers
Pressure Type Gauge Operating Pressure 500 PSI (3447.38 kPa) Output Type LCD Display Output Output Wireless Accuracy ±2% Voltage - Supply 3.6V Port Size Male - 1/2" (12.7mm) NPT Port Style Threaded Features - Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Package	Module
Operating Pressure Output Type LCD Display Output Wireless Accuracy ±2% Voltage - Supply 3.6V Port Size Male - 1/2" (12.7mm) NPT Port Style Threaded Features - Termination Style Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature Package / Case Module	Series	IS-WPS
Output Type LCD Display Output Wireless Accuracy ±2% Voltage - Supply 3.6V Port Size Male - 1/2" (12.7mm) NPT Port Style Threaded Features - Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Pressure Type	Gauge
Output Wireless Accuracy ±2% Voltage - Supply 3.6V Port Size Male - 1/2" (12.7mm) NPT Port Style Threaded Features - Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Operating Pressure	500 PSI (3447.38 kPa)
Accuracy ±2% Voltage - Supply 3.6V Port Size Male - 1/2" (12.7mm) NPT Port Style Threaded Features - Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Output Type	LCD Display
Voltage - Supply 3.6V Port Size Male - 1/2" (12.7mm) NPT Port Style Threaded Features - Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Output	Wireless
Port Size Male - 1/2" (12.7mm) NPT Port Style Threaded Features - Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Accuracy	±2%
Port Style Threaded Features - Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Voltage - Supply	3.6V
Features - Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Port Size	Male - 1/2" (12.7mm) NPT
Termination Style - Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Port Style	Threaded
Maximum Pressure 2000 PSI (13789.51 kPa) Operating Temperature -55°C ~ 85°C Package / Case Module	Features	-
Operating Temperature -55°C ~ 85°C Package / Case Module	Termination Style	-
Package / Case Module	Maximum Pressure	2000 PSI (13789.51 kPa)
	Operating Temperature	-55°C ~ 85°C
Supplier Device Package -	Package / Case	Module
	Supplier Device Package	-
Report errors?		Report errors?

WPS1A12AGP1PFM1X Guarantees



Ouality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

WPS1A12AGP1PFM1X Payment Methods


































If you have any question about WPS1A12AGP1PFM1X, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com