

XMC1301T038F0032AAXUMA1

XMC1301T038F0032AAXUMA1 Information



For Reference Only

Part Number XMC1301T038F0032AAXUMA1

ManufacturerInfineon TechnologiesCategoryIntegrated Circuits (ICs)Embedded - Microcontrollers

Description IC MCU 32BIT 32KB FLASH 38TSSOP **Package** 38-TFSOP (0.173", 4.40mm Width)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









XMC1301T038F0032AAXUMA1 Specifications

Manufacturer Part NumberXMC1301T038F0032AAXUMA1ManufacturerInfineon TechnologiesCategoryIntegrated Circuits (ICs)Embedded - MicrocontrollersPackage38-TFSOP (0.173", 4.40mm Width)SeriesXMC1000Core ProcessorARM? Cortex?-M0Core Size32-BitSpeed32MHzConnectivityI2C, LIN, SPI, UART/USARTPeripheralsBrown-out Detect/Reset, I2S, POR, PWM, WDTNumber of I/O26Program Memory Size32KB (32K x 8)Program Memory TypeFLASH	
Category Integrated Circuits (ICs) Embedded - Microcontrollers Package 38-TFSOP (0.173", 4.40mm Width) Series XMC1000 Core Processor ARM? Cortex?-M0 Core Size 32-Bit Speed 32MHz Connectivity I2C, LIN, SPI, UART/USART Peripherals Brown-out Detect/Reset, I2S, POR, PWM, WDT Number of I/O Program Memory Size 32KB (32K x 8)	
Embedded - Microcontrollers Package 38-TFSOP (0.173", 4.40mm Width) Series XMC1000 Core Processor ARM? Cortex?-M0 Core Size 32-Bit Speed 32MHz Connectivity I2C, LIN, SPI, UART/USART Peripherals Brown-out Detect/Reset, I2S, POR, PWM, WDT Number of I/O 26 Program Memory Size 32KB (32K x 8)	
Package 38-TFSOP (0.173", 4.40mm Width) Series XMC1000 Core Processor ARM? Cortex?-M0 Core Size 32-Bit Speed 32MHz Connectivity I2C, LIN, SPI, UART/USART Peripherals Brown-out Detect/Reset, I2S, POR, PWM, WDT Number of I/O 26 Program Memory Size 32KB (32K x 8)	
Series XMC1000 Core Processor ARM? Cortex?-M0 Core Size 32-Bit Speed 32MHz Connectivity I2C, LIN, SPI, UART/USART Peripherals Brown-out Detect/Reset, I2S, POR, PWM, WDT Number of I/O 26 Program Memory Size 32KB (32K x 8)	
Core Processor Core Size 32-Bit Speed 32MHz Connectivity I2C, LIN, SPI, UART/USART Peripherals Brown-out Detect/Reset, I2S, POR, PWM, WDT Number of I/O Program Memory Size 32KB (32K x 8)	
Core Size 32-Bit Speed 32MHz Connectivity I2C, LIN, SPI, UART/USART Peripherals Brown-out Detect/Reset, I2S, POR, PWM, WDT Number of I/O 26 Program Memory Size 32KB (32K x 8)	
Speed 32MHz Connectivity I2C, LIN, SPI, UART/USART Peripherals Brown-out Detect/Reset, I2S, POR, PWM, WDT Number of I/O 26 Program Memory Size 32KB (32K x 8)	
Connectivity I2C, LIN, SPI, UART/USART Peripherals Brown-out Detect/Reset, I2S, POR, PWM, WDT Number of I/O 26 Program Memory Size 32KB (32K x 8)	
Peripherals Brown-out Detect/Reset, I2S, POR, PWM, WDT Number of I/O 26 Program Memory Size 32KB (32K x 8)	
Number of I/O 26 Program Memory Size 32KB (32K x 8)	
Program Memory Size 32KB (32K x 8)	
Program Memory Type FLASH	
EEPROM Size -	
RAM Size 16K x 8	
Voltage - Supply (Vcc/Vdd) 1.8 V ~ 5.5 V	
Data Converters A/D 16x12b	
Oscillator Type Internal	
Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C} \text{ (TA)}$	
Mounting Type -	
Package / Case 38-TFSOP (0.173", 4.40mm Width)	
Supplier Device Package 38-TSSOP	
Report err	ors?

XMC1301T038F0032AAXUMA1 Guarantees



Ouality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

XMC1301T038F0032AAXUMA1 Payment Methods



















XMC1301T038F0032AAXUMA1 Shipping Methods













If you have any question about XMC1301T038F0032AAXUMA1, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com