



XS1-L6A-64-TQ128-C4 Information



For Reference Only

Part Number XS1-L6A-64-TQ128-C4

Manufacturer XMOS

Category Integrated Circuits (ICs)
Embedded - Microcontrollers

Description IC MCU 32BIT 64KB SRAM 128TQFP

Package 128-TQFP Exposed Pad

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









XS1-L6A-64-TQ128-C4 Specifications

Manufacturer Part NumberXS1-L6A-64-TQ128-C4ManufacturerXMOSCategoryIntegrated Circuits (ICs)Embedded - MicrocontrollersPackage128-TQFP Exposed PadSeriesXS1Core ProcessorXCoreCore Size32-Bit 6-CoreSpeed400MIPSConnectivityConfigurablePeripherals-Number of I/O64Program Memory Size64KB (16K x 32)Program Memory TypeSRAM		
Category Integrated Circuits (ICs) Embedded - Microcontrollers Package 128-TQFP Exposed Pad Series XS1 Core Processor XCore Core Size 32-Bit 6-Core Speed 400MIPS Connectivity Configurable Peripherals - Number of I/O 64 Program Memory Size 64KB (16K x 32)	Manufacturer Part Number	XS1-L6A-64-TQ128-C4
Package 128-TQFP Exposed Pad Series XS1 Core Processor XCore Core Size 32-Bit 6-Core Speed 400MIPS Connectivity Configurable Peripherals - Number of I/O 64 Program Memory Size 64KB (16K x 32)	Manufacturer	XMOS
Package 128-TQFP Exposed Pad Series XS1 Core Processor XCore Core Size 32-Bit 6-Core Speed 400MIPS Connectivity Configurable Peripherals - Number of I/O 64 Program Memory Size 64KB (16K x 32)	Category	Integrated Circuits (ICs)
Series XS1 Core Processor XCore Core Size 32-Bit 6-Core Speed 400MIPS Connectivity Configurable Peripherals - Number of I/O 64 Program Memory Size 64KB (16K x 32)		Embedded - Microcontrollers
Core Processor XCore Core Size 32-Bit 6-Core Speed 400MIPS Connectivity Configurable Peripherals - Number of I/O 64 Program Memory Size 64KB (16K x 32)	Package	128-TQFP Exposed Pad
Core Size 32-Bit 6-Core Speed 400MIPS Connectivity Configurable Peripherals - Number of I/O 64 Program Memory Size 64KB (16K x 32)	Series	XS1
Speed 400MIPS Connectivity Configurable Peripherals - Number of I/O 64 Program Memory Size 64KB (16K x 32)	Core Processor	XCore
Connectivity Configurable Peripherals - Number of I/O 64 Program Memory Size 64KB (16K x 32)	Core Size	32-Bit 6-Core
Peripherals - Number of I/O 64 Program Memory Size 64KB (16K x 32)	Speed	400MIPS
Number of I/O 64 Program Memory Size 64KB (16K x 32)	Connectivity	Configurable
Program Memory Size 64KB (16K x 32)	Peripherals	-
	Number of I/O	64
Program Memory Type SRAM	Program Memory Size	64KB (16K x 32)
	Program Memory Type	SRAM
EEPROM Size -	EEPROM Size	-
RAM Size -	RAM Size	-
Voltage - Supply (Vcc/Vdd) $0.95 \text{ V} \sim 3.6 \text{ V}$	Voltage - Supply (Vcc/Vdd)	0.95 V ~ 3.6 V
Data Converters -	Data Converters	-
Oscillator Type External	Oscillator Type	External
Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C} \text{ (TA)}$	Operating Temperature	$0^{\circ}\text{C} \sim 70^{\circ}\text{C} \text{ (TA)}$
Mounting Type -	Mounting Type	-
Package / Case 128-TQFP Exposed Pad	Package / Case	128-TQFP Exposed Pad
Supplier Device Package 128-TQFP (14x14)	Supplier Device Package	128-TQFP (14x14)
Report errors?		Report errors?

XS1-L6A-64-TQ128-C4 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

XS1-L6A-64-TQ128-C4 Payment Methods



















XS1-L6A-64-TQ128-C4 Shipping Methods













If you have any question about XS1-L6A-64-TQ128-C4, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com