

Y0011250K000B9L

Y0011250K000B9L Information

Contraction for the second sec	Part Number Manufacturer Category	Y0011250K000B9L Vishay Foil Resistors (Division of Vishay Precision Group) Resistors	orani Veniver
	Description Package	Through Hole Resistors RES 250K OHM 0.6W 0.1% RADIAL Radial	
For Reference Only		For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



Y0011250K000B9L Specifications

Manufacturer Part NumberY0011250K000B9LManufacturerVishay Foil Resistors (Division of Vishay Precision Group)CategoryResistorsCategoryRobitsonsPackageRadialSeriesSResistance250 KOhmsTolerance40.1%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductivePackage / CaseSSupplier Device Package-Size / Dimension0.413" (10.49mm)Height - Seated (Max)0.413" (10.49mm)Number of Terminations2Package / Case-Size / Dimension0.413" (10.49mm)Supplier Device Package2Size / Dimension2Size / Dimension0.413" (10.49mm)Supplier Device Package-Size / Dimension2Size / Dimension3Size / Dimension3Size / Dimension3Size / Dimension3Size /		
CategoryResistorsThrough Hole ResistorsPackageRadialSeriesSResistance250 kOhmsTolerance±0.1%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature.55°C ~ 125°CPackage / CaseRadialSupplier Device Package.Size / Dimension0.575" L x 0.160" W (14.61mm x 4.06mm)Height - Seated (Max)2Number of Terminations2Failure Rate.	Manufacturer Part Number	Y0011250K000B9L
Through Hole ResistorsPackageRadialSeriesSResistance250 kOhmsTolerance±0.1%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductivePoperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.575" L x 0.160" W (14.61mm x 4.06mm)Number of Terminations2Failure Rate-	Manufacturer	Vishay Foil Resistors (Division of Vishay Precision Group)
PackageRadialSeriesSResistance250 kOhmsTolerance±0.1%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Feight - Seated (Max)0.413" (10.49mm)Number of Terminations2Failure Rate-	Category	Resistors
SeriesSSeriesSResistance250 kOhmsTolerance±0.1%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.575" L x 0.160" W (14.61mm x 4.06mm)Height - Seated (Max)0.413" (10.49mm)Number of Terminations2Failure Rate-		Through Hole Resistors
Resistance250 kOhmsTolerance±0.1%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.413" (10.49mm)Height - Seated (Max)2Pailure Rate-	Package	Radial
Tolerance±0.1%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package.Size / Dimension0.575°L x 0.160°W (14.61mm x 4.06mm)Height - Seated (Max)2Number of Terminations2Failure Rate.	Series	S
Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.575" L x 0.160" W (14.61mm x 4.06mm)Height - Seated (Max)0.413" (10.49mm)Number of Terminations2Failure Rate-	Resistance	250 kOhms
CompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.575" L x 0.160" W (14.61mm x 4.06mm)Height - Seated (Max)0.413" (10.49mm)Number of Terminations2Failure Rate-	Tolerance	$\pm 0.1\%$
FeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.575" L x 0.160" W (14.61mm x 4.06mm)Height - Seated (Max)0.413" (10.49mm)Number of Terminations2Failure Rate-	Power (Watts)	0.6W
Temperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.575" L x 0.160" W (14.61mm x 4.06mm)Height - Seated (Max)0.413" (10.49mm)Number of Terminations2Failure Rate-	Composition	Metal Foil
Operating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.575" L x 0.160" W (14.61mm x 4.06mm)Height - Seated (Max)0.413" (10.49mm)Number of Terminations2Failure Rate-	Features	Moisture Resistant, Non-Inductive
Package / CaseRadialSupplier Device Package-Size / Dimension0.575" L x 0.160" W (14.61mm x 4.06mm)Height - Seated (Max)0.413" (10.49mm)Number of Terminations2Failure Rate-	Temperature Coefficient	±2ppm/°C
Supplier Device Package-Size / Dimension0.575" L x 0.160" W (14.61mm x 4.06mm)Height - Seated (Max)0.413" (10.49mm)Number of Terminations2Failure Rate-	Operating Temperature	-55°C ~ 125°C
Size / Dimension 0.575" L x 0.160" W (14.61mm x 4.06mm) Height - Seated (Max) 0.413" (10.49mm) Number of Terminations 2 Failure Rate -	Package / Case	Radial
Height - Seated (Max)0.413" (10.49mm)Number of Terminations2Failure Rate-	Supplier Device Package	-
Number of Terminations 2 Failure Rate -	Size / Dimension	0.575" L x 0.160" W (14.61mm x 4.06mm)
Failure Rate -	Height - Seated (Max)	0.413" (10.49mm)
	Number of Terminations	2
Report error	Failure Rate	-
Report end		Report errors?

Y0011250K000B9L Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

Y0011250K000B9L Payment Methods





If you have any question about Y0011250K000B9L, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com