

# Y07932K21400T9L

#### Y07932K21400T9L Information

Containance canto here	Monufacturar	Y07932K21400T9L Vishay Foil Resistors (Division of Vishay Precision Group) Resistors Through Hole Resistors RES 2.214K OHM 0.6W 0.01% RADIAL Radial	
For Reference Only		For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



# Y07932K21400T9L Specifications

Manufacturer Part NumberY07932K21400T9LManufacturerVishay Foil Resistors (Division of Vishay Precision Group)CategoryResistorsThrough Hole ResistorsThrough Hole ResistorsPackageRadialSeriesRCKResistance2.214 kOhmsTolerance±0.01%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dinension0.300" L x 0.098" W (7.62mm x 2.50mm)Height - Seated (Max)0.336" (8.53mm)			
CategoryResistorsThrough Hole ResistorsPackageRadialSeriesRCKResistance2.214 kOhmsTolerance±0.01%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Manufacturer Part Number	Y07932K21400T9L	
Through Hole ResistorsPackageRadialSeriesRCKResistance2.214 kOhmsTolerance±0.01%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Manufacturer	Vishay Foil Resistors (Division of Vishay Precision Group)	
PackageRadialPackageRCKResistance2.214 kOhmsTolerance±0.01%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package.Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Category	Resistors	
SeriesRCKResistance2.214 kOhmsTolerance±0.01%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)		Through Hole Resistors	
Resistance2.214 kOhmsTolerance±0.01%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Package	Radial	
Tolerance±0.01%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2pm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Series	RCK	
Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Resistance	2.214 kOhms	
CompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Tolerance	$\pm 0.01\%$	
FeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Power (Watts)	0.6W	
Temperature Coefficient±2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Composition	Metal Foil	
Operating Temperature-55°C ~ 125°CPackage / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Features	Moisture Resistant, Non-Inductive	
Package / CaseRadialSupplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Temperature Coefficient	±2ppm/°C	
Supplier Device Package-Size / Dimension0.300" L x 0.098" W (7.62mm x 2.50mm)	Operating Temperature	-55°C ~ 125°C	
Size / Dimension 0.300" L x 0.098" W (7.62mm x 2.50mm)	Package / Case	Radial	
	Supplier Device Package	-	
Height - Seated (Max) 0.336" (8.53mm)	Size / Dimension	0.300" L x 0.098" W (7.62mm x 2.50mm)	
	Height - Seated (Max)	0.336" (8.53mm)	
Number of Terminations 2	Number of Terminations	2	
Failure Rate -	Failure Rate	-	
Report erro		Report errors?	

#### Y07932K21400T9L Guarantees



Quality Guarantees

We provide 90 days warranty. \* If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

# SERVICE ELARANTEE

#### **Service Guarantees**

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

#### Y07932K21400T9L Payment Methods



### Y07932K21400T9L Shipping Methods



If you have any question about Y07932K21400T9L, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com