

Y14541K25000C0L

Y14541K25000C0L Information

Heisener.com	Part Number Manufacturer Category Description Package	Y14541K25000C0L Vishay Foil Resistors (Division of Vishay Precision Group) Resistors Through Hole Resistors RES 1.25K OHM 0.6W 0.25% RADIAL Radial	
For Reference Only		For the pricing/inventory/lead time, please contact us	
Tor Reference Only		Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



Y14541K25000C0L Specifications

Manufacturer Part NumberY14541K25000C0LManufacturerVishay Foil Resistors (Division of Vishay Precision Group)CategoryResistorsThrough Hole ResistorsThrough Hole ResistorsPackageRadialSeriesZResistance1.25 kOhmsTolerance±0.25%Power (Watts)O.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±0.2pm/°COperating Temperature-55°C ~ 125°CPackage / Case.	
CategoryResistorsCategoryResistorsThrough Hole ResistorsPackageRadialSeriesZResistance1.25 kOhmsTolerance±0.25%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±0.2pm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadial	
Final PackageThrough Hole ResistorsPackageRadialSeriesZResistance1.25 kOhmsTolerance±0.25%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±0.2pm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadial	
PackageRadialPackageRadialSeriesZResistance1.25 kOhmsTolerance±0.25%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±0.2pm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadial	
SeriesZResistance1.25 kOhmsTolerance±0.25%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±0.2pm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadial	
Resistance1.25 kOhmsTolerance±0.25%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±0.2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadial	
Tolerance±0.25%Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±0.2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadial	
Power (Watts)0.6WCompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±0.2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadial	
CompositionMetal FoilFeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±0.2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadial	
FeaturesMoisture Resistant, Non-InductiveTemperature Coefficient±0.2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadial	
Temperature Coefficient±0.2ppm/°COperating Temperature-55°C ~ 125°CPackage / CaseRadial	
Operating Temperature-55°C ~ 125°CPackage / CaseRadial	
Package / Case Radial	
-	
Supplier Device Package -	
Supprier Derrieer weinige	
Size / Dimension 0.300" L x 0.105" W (7.62mm x 2.67mm)	
Height - Seated (Max) 0.336" (8.53mm)	
Number of Terminations 2	
Failure Rate -	
Rep	

Y14541K25000C0L Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE EUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

Y14541K25000C0L Payment Methods



Y14541K25000C0L Shipping Methods



If you have any question about Y14541K25000C0L, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com